

2022 HANKOOK TIRE

PRODUCT CATALOG

Passenger and Light Truck tires

United States of America



hankooktire.com

OFFICIAL TIRE OF
MAJOR LEAGUE
BASEBALL



™/© 2022 MLB



Contents

Passenger (Pattern Code)

| | |
|--------------------------------|----|
| Ventus V12 evo 2 (K120) | 3 |
| Ventus S1 AS (H125) | 5 |
| Ventus V2 concept2 (H457) | 9 |
| Ventus ST (RH06) | 11 |
| Ventus AS (RH07) | 11 |
| Kinergy 4S2/4S2 X (H750,H750A) | 13 |
| Kinergy GT (H436,H436B) | 15 |
| Kinergy PT (H737) | 19 |
| Kinergy ST (H735) | 23 |

SUV/LT (Pattern Code)

| | |
|---------------------------|----|
| Dynapro HP2 (RA33,RA33D) | 29 |
| Dynapro HT (RH12) | 33 |
| Dynapro AT2 Xtreme (RF12) | 35 |
| Dynapro AT2 (RF11) | 41 |
| Dynapro XT (RC10) | 47 |
| Dynapro MT2 (RT05) | 49 |

Commercial VAN/Special Trailer (Pattern Code)

| | |
|----------------------------|----|
| Vantra LT (RA18) | 55 |
| Vantra Trailer (ST01,TH31) | 57 |

Winter (Pattern Code)

| | |
|-----------------------------|----|
| Winter i*cept evo 3 (W330) | 61 |
| Winter i*cept evo X (W330A) | 63 |
| Winter i*cept iZ2 (W616) | 65 |
| Winter i*pike RS2 (W429) | 67 |
| Winter i*pike X (W429A) | 69 |
| i*pike RW11 (RW11) | 71 |

Electric Vehicle (Pattern Code)

| | |
|----------------------------------|----|
| Ventus iON A/iON AX (IH01,IH01A) | 77 |
|----------------------------------|----|

Original Equipment (Pattern Code)

| | |
|-----------------------------------|----|
| Ventus TD (Z221) | 81 |
| Ventus S1 evo Z (K129) | 81 |
| Ventus S1 evo 3 (K127,K127B) | 82 |
| Ventus S1 evo 3 SUV (K127A,K127C) | 83 |
| Ventus S1 evo 2 (K117,K117B) | 84 |
| Ventus S1 evo 2 SUV (K117A,K117C) | 85 |
| Ventus S1 noble 2 (H452,H452B) | 86 |
| Ventus Prime 3 (K125,K125B) | 87 |
| Ventus Prime 3 X (K125A) | 87 |
| Ventus Prime 2 (K115,K115B) | 87 |
| Ventus V4 ES (H105) | 88 |
| Kinergy eco 2 (K435) | 88 |
| Kinergy eco (K425) | 88 |
| Kinergy EX (H308) | 88 |
| Optimo H426 (H426,H426B) | 89 |
| Optimo H428 | 89 |
| Dynapro AT-M (RF10) | 90 |
| Winter i*cept evo 2 (W320) | 90 |
| Winter i*cept evo 2 SUV (W320A) | 90 |
| Ventus S1 evo 3 ev (K127E) | 91 |
| Kinergy AS X ev (EH01A) | 91 |

For the complete warranty details and additional information, please visit:
<https://hankooktire.com/us/services-tips/tire-warranty/replacement-warranty/passenger-light-truck.html>.

Or you can scan this QR code to go directly to the page:

Consumers may request, free of charge, a hard copy of the warranty by contacting the Hankook Technical Department at:
1-800-Hankook, option 1

or by writing to:

Hankook Tire America Corp.

Attn: Technical Services

333 Commerce Street, Suite 600

Nashville, TN 37201

The data in this booklet can be changed by the manufacturer without prior notice.





Passenger Car Tire

If you want speed with a sense of stability,
Hankook Tire has the solution.

TIRE

K120, H125, H457, RH06, RH07, H750, H750A, H436, H436B, H737, H735

NOTES

T/T : Tube Type

T/L : Tubeless Type

❄️ : Snow Tire

❄️🌀❄️ : All-Season Tire

This List cancels all previous lists and is subject to change without prior notice




ventus V12 evo²


Ultra-High performance Summer



Technology icons



Performance icons



Technical profile

Speed Symbol : W, Y
Tread Width: 205 -305
Series : 25~55 Series
Inch : 16~21

Extreme running through advanced technology

A tire designed for drivers who like to express their own style which delivers outstanding performance in sports driving.



reddot award 2014
winner



ventus S1 AS

Ultra-High performance All-Season



Technology icons



Compound



Tie bar



Chamber sipe

Performance icons



Dry handling



Wet handling



Snow handling



Dry braking



Wet braking



Snow braking

Technical profile

Speed Symbol : W, Y

Tread Width: 205-315

Series : 30~55 Series

Inch : 16~22

UTQG : 560 / AA / A

The ideal for year-round Sport Performance all conditions

Ventus S1 AS provides enhanced driving in the winter and exceptional handling and traction both wet and dry conditions.



* RE Only



ventus S1AS

Ultra-High performance All-Season

Asymmetric Tread Pattern for All Conditions

INSIDE

Wet / Snow Road Conditions

A softened pattern design and stiffness of the inside enhances water evacuation and snow traction on the tire surface thereby reducing the risk of slipping on wet/snowy surfaces.

OUTSIDE


Dry Road Conditions

The rigid outer block is optimized to secure the steering grip performance required for dry cornering.

Our asymmetric tread pattern provides safety in all kinds of weather. The optimized and even stiffness of the pattern block ensures quiet interior noise throughout the tire's entire lifetime.

Drive confidently with our refined handling and steering performance.

Subjective dry handling test result



- ventus S1 noble 2
- ventus S1AS



※ Above Internal result tested in 2020 (225/40R18)

- Conventional
- ventus S1AS

Wet grip

Dry handling

Snow handling

Cornering

Safety

High concentration of silica compound

50K Mileage Warranty



Ventus S1 AS / H125

| S-Code | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/Mile | Weight | UTQG | OE Application | Tech |
|-----------|------------|---------|----------|---------------|-----------------|-----------|-------|------------------|---------------|-------------|-------------|-----------|--------|----------|----------------|------|
| | | | | | | psi | lbs | | | | | | | | | |
| 1028571 | 255/40ZR19 | XL 100Y | BSW | 9.0 | 8.5-10.0 | 50 | 1,764 | 26.9 | 10.6 | 8.9 | 10.0 | 774 | 25.9 | 560/AA/A | | |
| 1028545 | 255/45ZR19 | XL 104W | BSW | 8.5 | 8.0-9.5 | 50 | 1,984 | 27.9 | 10.4 | 8.9 | 10.0 | 745 | 28.1 | 560/AA/A | | |
| 1028546 | 265/35ZR19 | XL 98Y | BSW | 9.5 | 9.0-10.5 | 50 | 1,653 | 26.2 | 11.1 | 9.3 | 10.0 | 793 | 25.6 | 560/AA/A | | |
| 1028547 | 265/50ZR19 | XL 110W | BSW | 8.5 | 7.5-9.5 | 50 | 2,337 | 29.3 | 11.4 | 9.0 | 10.0 | 710 | 32.3 | 560/AA/A | | |
| 1028548 | 275/30ZR19 | XL 96Y | BSW | 9.5 | 9.0-10.0 | 50 | 1,565 | 25.4 | 11.5 | 10.0 | 10.0 | 817 | 27.1 | 560/AA/A | | |
| 1028873 | 275/35ZR19 | XL 100Y | BSW | 9.5 | 9.0-11.0 | 50 | 1,764 | 26.4 | 11.4 | 9.6 | 10.0 | 786 | 26.7 | 560/AA/A | | |
| 1028549 | 275/40ZR19 | XL 105Y | BSW | 9.5 | 9.0-11.0 | 50 | 2,039 | 27.5 | 11.3 | 9.6 | 10.0 | 756 | 30.0 | 560/AA/A | | |
| 1028550 | 275/45ZR19 | XL 108W | BSW | 9.0 | 8.5-10.5 | 50 | 2,205 | 28.5 | 11.1 | 9.6 | 10.0 | 728 | 31.7 | 560/AA/A | | |
| 1028551 | 285/30ZR19 | XL 98Y | BSW | 10.0 | 9.5-10.5 | 50 | 1,653 | 25.7 | 12.0 | 10.3 | 10.0 | 810 | 27.9 | 560/AA/A | | |
| 1028874 | 285/35ZR19 | XL 103Y | BSW | 10.0 | 9.5-11.0 | 50 | 1,929 | 26.7 | 11.8 | 10.0 | 10.0 | 778 | 29.6 | 560/AA/A | | |
| 1028552 | 285/40ZR19 | 103Y | BSW | 10.0 | 9.5-11.0 | 51 | 1,929 | 27.8 | 11.8 | 10.0 | 10.0 | 747 | 31.0 | 560/AA/A | | |
| 20 | | | | | | | | | | | | | | | | |
| 1028877 | 235/35ZR20 | XL 92Y | BSW | 8.5 | 8.0-9.5 | 50 | 1,389 | 26.5 | 9.5 | 8.3 | 10.0 | 785 | 23.4 | 560/AA/A | | |
| 1028553 | 245/35ZR20 | XL 95Y | BSW | 8.5 | 8.0-9.5 | 50 | 1,521 | 26.6 | 10.1 | 8.6 | 10.0 | 780 | 24.2 | 560/AA/A | | |
| 1028554 | 245/40ZR20 | XL 99Y | BSW | 8.5 | 8.0-9.5 | 50 | 1,709 | 27.6 | 10.1 | 8.6 | 10.0 | 754 | 25.5 | 560/AA/A | | |
| 1028555 | 245/45ZR20 | XL 103Y | BSW | 8.0 | 7.5-9.0 | 50 | 1,929 | 28.5 | 9.9 | 8.6 | 10.0 | 730 | 28.4 | 560/AA/A | | |
| 1028556 | 255/35ZR20 | XL 97Y | BSW | 9.0 | 8.5-10.0 | 50 | 1,565 | 26.9 | 10.6 | 8.9 | 10.0 | 774 | 25.9 | 560/AA/A | | |
| 1028567 | 255/40ZR20 | XL 101Y | BSW | 9.0 | 8.5-10.0 | 50 | 1,819 | 27.8 | 10.6 | 8.9 | 10.0 | 746 | 27.2 | 560/AA/A | | |
| 1028557 | 255/45ZR20 | XL 105W | BSW | 8.5 | 8.0-9.5 | 50 | 2,039 | 28.9 | 10.4 | 8.9 | 10.0 | 720 | 30.0 | 560/AA/A | | |
| 1028558 | 265/35ZR20 | XL 99Y | BSW | 9.5 | 9.0-10.5 | 50 | 1,709 | 27.2 | 11.1 | 9.3 | 10.0 | 765 | 26.8 | 560/AA/A | | |
| 1028563 | 265/45ZR20 | XL 108Y | BSW | 9.0 | 8.5-10.0 | 50 | 2,205 | 29.1 | 10.8 | 9.3 | 10.0 | 713 | 31.5 | 560/AA/A | | |
| 1028875 | 275/30ZR20 | XL 97Y | BSW | 9.5 | 9.0-10.0 | 50 | 1,609 | 26.4 | 11.5 | 10.0 | 10.0 | 787 | 28.5 | 560/AA/A | | |
| 1028876 | 275/35ZR20 | XL 102Y | BSW | 9.5 | 9.0-11.0 | 50 | 1,874 | 27.4 | 11.3 | 9.6 | 10.0 | 758 | 28.5 | 560/AA/A | | |
| 1028559 | 275/40ZR20 | XL 106Y | BSW | 9.5 | 9.0-11.0 | 50 | 2,094 | 28.5 | 11.3 | 9.6 | 10.0 | 730 | 31.0 | 560/AA/A | | |
| 1028564 | 275/45ZR20 | XL 110Y | BSW | 9.0 | 8.5-10.5 | 50 | 2,337 | 29.5 | 11.1 | 9.6 | 10.0 | 703 | 33.4 | 560/AA/A | | |
| 1028560 | 285/30ZR20 | XL 99Y | BSW | 10.0 | 9.5-10.5 | 50 | 1,709 | 26.6 | 12.0 | 10.3 | 10.0 | 780 | 29.0 | 560/AA/A | | |
| 1028561 | 285/35ZR20 | 100Y | BSW | 10.0 | 9.5-11.0 | 51 | 1,764 | 27.7 | 11.8 | 10.0 | 10.0 | 750 | 28.9 | 560/AA/A | | |
| 1028562 | 315/35ZR20 | XL 110Y | BSW | 11.0 | 10.5-12.5 | 50 | 2,337 | 28.5 | 12.9 | 11.0 | 10.0 | 730 | 35.2 | 560/AA/A | | |
| 21 | | | | | | | | | | | | | | | | |
| 1028878 | 245/35ZR21 | XL 96Y | BSW | 8.5 | 8.0-9.5 | 50 | 1,565 | 27.6 | 10.1 | 8.6 | 10.0 | 753 | 25.3 | 560/AA/A | | |
| 1028568 | 255/35ZR21 | XL 98Y | BSW | 9.0 | 8.5-10.0 | 50 | 1,653 | 27.8 | 10.6 | 8.9 | 10.0 | 746 | 27.0 | 560/AA/A | | |
| 1028879 | 265/35ZR21 | XL 101Y | BSW | 9.5 | 9.0-10.5 | 50 | 1,819 | 28.2 | 11.1 | 9.3 | 10.0 | 738 | 28.5 | 560/AA/A | | |
| 1028569 | 275/35ZR21 | XL 103Y | BSW | 9.5 | 9.0-11.0 | 50 | 1,929 | 28.4 | 11.4 | 9.6 | 10.0 | 732 | 30.3 | 560/AA/A | | |
| 22 | | | | | | | | | | | | | | | | |
| 1028565 | 265/35ZR22 | XL 102Y | BSW | 9.5 | 9.0-10.5 | 50 | 1,874 | 29.2 | 11.1 | 9.3 | 10.0 | 712 | 30.4 | 560/AA/A | | |
| 1028566 | 285/35ZR22 | XL 106Y | BSW | 10.0 | 9.5-11.0 | 50 | 2,094 | 29.7 | 11.8 | 10.0 | 10.0 | 700 | 33.5 | 560/AA/A | | |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters
 Mileage, Road Hazard, and 30 Day Free Trial warranties apply only to replacement tires. Original Equipment tires are excluded.

Passenger

SUV / Light Truck

Commercial Van/Special Trailer

Winter

EV

Original Equipment

ventus V2 concept²

High performance All-Season



Technology icons



Profile



Enhanced contact patch

Performance icons



Comfort



Dry handling



Drainage



Dry braking

Technical profile

Speed Symbol : H, V, W

Tread Width: 195 -285

Series : 35~55

Inch : 15~20

Experience the pleasure of driving with a stylish and economical tire

Dynamic and technical tread design offers excellent handling performance to drivers who pursue their own style and uniqueness.



Ventus V2 concept² / H457

| S-Code | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/ Mile | Weight | UTQG | |
|-----------|-----------|-------|----------|---------------|-----------------|-----------|-----|------------------|---------------|-------------|-------------|------------|--------|------|----------|
| | | | | | | psi | lbs | | | | | | | | |
| 15 | | | | | | | | | | | | | | | |
| 1014361 | 195/50R15 | | 82H | BSW | 6.0 | 5.5-7.0 | 51 | 1,047 | 22.6 | 8.5 | 6.1 | 9.5 | 920 | 15.9 | 500/AA/A |
| 1014359 | 195/55R15 | | 85V | BSW | 6.0 | 5.5-7.0 | 51 | 1,135 | 23.3 | 8.4 | 6.1 | 9.5 | 892 | 16.6 | 500/AA/A |
| 1014376 | 205/50R15 | | 86H | BSW | 6.5 | 5.5-7.5 | 51 | 1,168 | 22.9 | 8.9 | 6.5 | 9.5 | 905 | 18.7 | 500/AA/A |
| 16 | | | | | | | | | | | | | | | |
| 1014375 | 185/55R16 | | 83H | BSW | 6.0 | 5.0-6.5 | 51 | 1,074 | 23.9 | 7.8 | 5.8 | 9.5 | 870 | 16.6 | 500/AA/A |
| 1014367 | 205/45R16 | | 83V | BSW | 7.0 | 6.5-7.5 | 51 | 1,074 | 23.2 | 8.4 | 6.8 | 9.5 | 897 | 17.9 | 500/AA/A |
| 1014360 | 205/50R16 | | 87V | BSW | 6.5 | 5.5-7.5 | 51 | 1,201 | 23.9 | 8.9 | 6.5 | 9.5 | 867 | 19.5 | 500/AA/A |
| 1014358 | 205/55R16 | XL | 94V | BSW | 6.5 | 5.5-7.5 | 50 | 1,477 | 24.7 | 8.7 | 6.5 | 9.5 | 840 | 20.5 | 500/AA/A |
| 1014373 | 215/55R16 | XL | 97V | BSW | 7.0 | 6.0-7.5 | 50 | 1,609 | 25.1 | 9.1 | 6.7 | 9.5 | 827 | 22.3 | 500/AA/A |
| 1014369 | 225/50R16 | | 92V | BSW | 7.0 | 6.0-8.0 | 51 | 1,389 | 24.8 | 9.7 | 7.1 | 9.5 | 837 | 21.8 | 500/AA/A |
| 1014368 | 225/55R16 | XL | 99V | BSW | 7.0 | 6.0-8.0 | 50 | 1,709 | 25.6 | 9.6 | 7.0 | 9.5 | 811 | 23.6 | 500/AA/A |
| 1014372 | 245/50R16 | | 97H | BSW | 7.5 | 7.0-8.5 | 51 | 1,609 | 25.6 | 10.4 | 7.7 | 9.5 | 811 | 23.9 | 500/AA/A |
| 17 | | | | | | | | | | | | | | | |
| 1014378 | 205/40R17 | XL | 84V | BSW | 7.5 | 7.0-8.0 | 50 | 1,102 | 23.3 | 8.7 | 6.8 | 9.5 | 891 | 18.0 | 500/AA/A |
| 1014371 | 205/45R17 | XL | 88V | BSW | 7.0 | 6.5-7.5 | 50 | 1,235 | 24.1 | 8.4 | 6.8 | 9.5 | 862 | 18.6 | 500/AA/A |
| 1014370 | 205/50R17 | XL | 93V | BSW | 6.5 | 5.5-7.5 | 50 | 1,433 | 25.0 | 8.8 | 6.5 | 9.5 | 832 | 19.4 | 500/AA/A |
| 1014363 | 215/45R17 | XL | 91V | BSW | 7.0 | 7.0-8.0 | 50 | 1,356 | 24.5 | 8.7 | 7.1 | 9.5 | 848 | 20.2 | 500/AA/A |
| 1014362 | 215/50R17 | | 91V | BSW | 7.0 | 6.0-7.5 | 51 | 1,356 | 25.4 | 9.4 | 6.7 | 9.5 | 819 | 22.0 | 500/AA/A |
| 1027427 | 215/55R17 | | 94W | BSW | 7.0 | 6.0-7.5 | 51 | 1,477 | 26.1 | 9.1 | 6.9 | 9.5 | 772 | 21.4 | 500/AA/A |
| 1014365 | 225/45R17 | XL | 94V | BSW | 7.5 | 7.0-8.5 | 50 | 1,477 | 24.8 | 9.2 | 7.5 | 9.5 | 837 | 21.2 | 500/AA/A |
| 1014364 | 225/50R17 | XL | 98V | BSW | 7.0 | 6.0-8.0 | 50 | 1,653 | 25.8 | 9.7 | 7.0 | 9.5 | 806 | 23.5 | 500/AA/A |
| 1027428 | 225/55R17 | XL | 101W | BSW | 7.0 | 6.0-8.0 | 50 | 1,819 | 26.6 | 9.3 | 7.2 | 9.5 | 757 | 25.0 | 500/AA/A |
| 1014366 | 235/45R17 | XL | 97V | BSW | 8.0 | 7.5-9.0 | 50 | 1,609 | 25.2 | 9.6 | 7.8 | 9.5 | 824 | 22.8 | 500/AA/A |
| 1027429 | 235/50R17 | | 96W | BSW | 7.5 | 6.5-8.5 | 51 | 1,565 | 26.1 | 10.1 | 7.5 | 9.5 | 772 | 23.9 | 500/AA/A |
| 1027430 | 245/40R17 | XL | 95W | BSW | 8.5 | 8.0-9.5 | 50 | 1,521 | 24.6 | 10.1 | 8.2 | 9.5 | 822 | 22.2 | 500/AA/A |
| 1014379 | 245/45R17 | | 95V | BSW | 8.0 | 7.5-9.0 | 51 | 1,521 | 25.5 | 9.9 | 8.1 | 9.5 | 814 | 24.2 | 500/AA/A |
| 18 | | | | | | | | | | | | | | | |
| 1014377 | 215/45R18 | XL | 93V | BSW | 7.0 | 7.0-8.0 | 50 | 1,433 | 25.5 | 8.7 | 7.1 | 9.5 | 815 | 19.8 | 500/AA/A |
| 1015032 | 225/40R18 | XL | 92W | BSW | 8.0 | 7.5-9.0 | 50 | 1,389 | 24.9 | 9.4 | 7.5 | 9.5 | 833 | 21.1 | 500/AA/A |
| 1027431 | 225/45R18 | XL | 95W | BSW | 7.5 | 7.0-8.5 | 50 | 1,521 | 25.8 | 9.2 | 7.6 | 9.5 | 783 | 22.4 | 500/AA/A |
| 1027432 | 225/50R18 | | 95W | BSW | 7.0 | 6.0-8.0 | 51 | 1,521 | 26.7 | 9.6 | 7.2 | 9.5 | 755 | 23.9 | 500/AA/A |
| 1027433 | 235/40R18 | XL | 95W | BSW | 8.5 | 8.0-9.5 | 50 | 1,521 | 25.2 | 9.8 | 8.0 | 9.5 | 800 | 21.7 | 500/AA/A |
| 1027434 | 235/45R18 | XL | 98W | BSW | 8.0 | 7.5-9.0 | 50 | 1,653 | 26.2 | 9.6 | 7.9 | 9.5 | 770 | 24.1 | 500/AA/A |
| 1027435 | 235/50R18 | XL | 101W | BSW | 7.5 | 6.5-8.5 | 50 | 1,819 | 27.2 | 10.1 | 7.5 | 9.5 | 743 | 25.7 | 500/AA/A |
| 1027436 | 245/40R18 | XL | 97W | BSW | 8.5 | 8.0-9.5 | 50 | 1,609 | 25.5 | 10.1 | 8.2 | 9.5 | 790 | 23.1 | 500/AA/A |
| 1027437 | 245/45R18 | XL | 100W | BSW | 8.0 | 7.5-9.0 | 50 | 1,764 | 26.5 | 9.9 | 8.2 | 9.5 | 761 | 25.3 | 500/AA/A |
| 1027438 | 245/55R18 | | 103W | BSW | 7.5 | 7.0-8.5 | 51 | 1,929 | 28.5 | 10.2 | 7.8 | 9.5 | 708 | 27.9 | 500/AA/A |
| 1027439 | 255/35R18 | XL | 94W | BSW | 9.0 | 8.5-10.0 | 50 | 1,477 | 24.8 | 10.6 | 8.6 | 9.5 | 813 | 21.1 | 500/AA/A |
| 1027440 | 255/40R18 | XL | 99W | BSW | 9.0 | 8.5-10.0 | 50 | 1,709 | 25.9 | 10.6 | 8.6 | 9.5 | 779 | 24.7 | 500/AA/A |
| 19 | | | | | | | | | | | | | | | |
| 1027441 | 225/45R19 | XL | 96W | BSW | 7.5 | 7.0-8.5 | 50 | 1,565 | 26.8 | 9.2 | 7.6 | 9.5 | 753 | 23.4 | 500/AA/A |
| 1027442 | 245/40R19 | XL | 98W | BSW | 8.5 | 8.0-9.5 | 50 | 1,653 | 26.6 | 10.1 | 8.2 | 9.5 | 759 | 24.9 | 500/AA/A |
| 1027443 | 245/45R19 | XL | 102W | BSW | 8.0 | 7.5-9.0 | 50 | 1,874 | 27.5 | 9.9 | 8.2 | 9.5 | 733 | 26.6 | 500/AA/A |
| 1027444 | 255/35R19 | XL | 96W | BSW | 9.0 | 8.5-10.0 | 50 | 1,565 | 25.9 | 10.6 | 8.6 | 9.5 | 780 | 23.4 | 500/AA/A |
| 1027445 | 255/40R19 | XL | 100W | BSW | 9.0 | 8.5-10.0 | 50 | 1,764 | 26.9 | 10.6 | 8.6 | 9.5 | 750 | 26.1 | 500/AA/A |
| 20 | | | | | | | | | | | | | | | |
| 1027446 | 245/40R20 | XL | 99W | BSW | 8.5 | 8.0-9.5 | 50 | 1,709 | 27.6 | 10.1 | 8.2 | 9.5 | 731 | 26.3 | 500/AA/A |
| 1027447 | 245/45R20 | XL | 103W | BSW | 8.0 | 7.5-9.0 | 50 | 1,929 | 28.5 | 9.9 | 8.2 | 9.5 | 707 | 27.7 | 500/AA/A |
| 1027448 | 255/45R20 | XL | 105W | BSW | 8.5 | 8.0-9.5 | 50 | 2,039 | 28.9 | 10.4 | 8.6 | 10.0 | 698 | 28.7 | 500/AA/A |
| 1027449 | 275/40R20 | XL | 106W | BSW | 9.5 | 9.0-11.0 | 50 | 2,094 | 28.5 | 11.3 | 9.3 | 9.5 | 707 | 30.9 | 500/AA/A |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

ventus ST

The ideal balance of all-season and ultra-high performance



Performance icons



Low noise



Dry handling

Technical profile

Speed Symbol : V, W
Tread Width: 255 -305
Series : 35~60
Inch : 17-22



Sporty all-season SUV tire with high-speed driving performance and stylish design

The Ventus ST is a high-performance tire designed for SUVs and sport trucks. Provides outstanding dry and wet performance, sturdy handling and improved mileage.

ventus AS

All-season SUV Tire



Performance icons



Dry braking



Comfort



Low noise



Dry handling

Technical profile

Speed Symbol : V
Tread Width: 275
Series : 55
Inch : 16



All-season SUV tire

The Ventus AS is designed to provide ride comfort, low noise, and all-season traction.

Ventus ST / RH06

| S-Code | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/Mile | Weight | UTQG |
|-----------|-----------|---------|----------|---------------|-----------------|-----------|-------|------------------|---------------|-------------|-------------|-----------|--------|---------|
| | | | | | | psi | lbs | | | | | | | |
| 17 | | | | | | | | | | | | | | |
| 1004322 | 255/50R17 | 101W | BSW | 8.0 | 7.0-9.0 | 51 | 1,819 | 27.0 | 10.6 | 8.8 | 10.5 | 770 | 30.3 | 420/A/A |
| 1003968 | 275/60R17 | 110V | BSW | 8.0 | 7.5-9.5 | 44 | 2,337 | 30.0 | 11.4 | 9.4 | 10.0 | 693 | 36.7 | 420/A/A |
| 18 | | | | | | | | | | | | | | |
| 1004324 | 295/45R18 | 108V | BSW | 10.0 | 9.5-11.0 | 51 | 2,205 | 28.4 | 11.9 | 9.8 | 10.5 | 732 | 34.3 | 420/A/A |
| 20 | | | | | | | | | | | | | | |
| 1004328 | 275/40R20 | XL 106W | BSW | 9.5 | 9.0-11.0 | 50 | 2,094 | 28.6 | 11.1 | 9.5 | 10.0 | 727 | 33.1 | 420/A/A |
| 1004296 | 275/45R20 | XL 109V | BSW | 9.0 | 8.5-10.5 | 50 | 2,271 | 29.7 | 10.9 | 9.2 | 10.0 | 700 | 34.7 | 420/A/A |
| 1004295 | 275/55R20 | XL 117V | BSW | 8.5 | 7.5-9.5 | 50 | 2,833 | 31.8 | 11.4 | 9.2 | 10.0 | 653 | 39.9 | 420/A/A |
| 1004231 | 295/45R20 | XL 114V | BSW | 10.0 | 9.5-11.0 | 50 | 2,601 | 30.3 | 12.0 | 9.8 | 10.0 | 685 | 38.0 | 420/A/A |
| 22 | | | | | | | | | | | | | | |
| 1004914 | 265/35R22 | XL 102W | BSW | 9.5 | 9.0-10.5 | 50 | 1,874 | 29.2 | 10.9 | 8.8 | 10.5 | 711 | 32.0 | 420/A/A |
| 1007457 | 265/40R22 | XL 106V | BSW | 9.5 | 9.0-10.5 | 50 | 2,094 | 30.2 | 10.9 | 8.8 | 10.5 | 687 | 34.1 | 420/A/A |
| 1008409 | 275/45R22 | XL 112V | BSW | 9.0 | 8.5-10.5 | 50 | 2,469 | 31.7 | 10.9 | 9.2 | 10.0 | 656 | 37.4 | 420/A/A |
| 1007301 | 285/45R22 | XL 114V | BSW | 9.5 | 9.0-10.5 | 50 | 2,601 | 32.0 | 11.4 | 9.5 | 10.5 | 650 | 40.7 | 420/A/A |
| 1005412 | 305/40R22 | XL 114V | BSW | 11.0 | 10.0-12.0 | 50 | 2,601 | 31.5 | 12.5 | 10.5 | 10.0 | 659 | 39.7 | 420/A/A |
| 1004712 | 305/45R22 | XL 118V | BSW | 10.0 | 9.5-11.5 | 50 | 2,910 | 32.7 | 12.1 | 10.6 | 10.0 | 635 | 42.5 | 420/A/A |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Ventus AS / RH07

| S-Code | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/Mile | Weight | UTQG |
|-----------|-----------|-------|----------|---------------|-----------------|-----------|-------|------------------|---------------|-------------|-------------|-----------|--------|---------|
| | | | | | | psi | lbs | | | | | | | |
| 16 | | | | | | | | | | | | | | |
| 1007771 | 275/55R17 | 109V | BSW | 8.5 | 7.5-9.5 | 44 | 2,271 | 28.8 | 11.4 | 9.2 | 10.5 | 721 | 35.1 | 420/A/A |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

KINERGY 4S² | KINERGY 4S² X


Performance Passenger and CUV All-Weather



Technology icons



Performance icons



Technical profile

Speed symbol : H, V, W
Tread Width: 185-245
Series : 35~70
Rim Diameter : 15-20



Just one, whatever the weather

The tire compound guarantees high grip even at low temperatures, while the extra-wide grooves disperse water and slush efficiently to the sides. Yet even when the summer heat makes demands on the tire, it impresses with short braking distances due to the solid block structure. The performance package of the Kinergy 4S2 is rounded off by a low rolling noise due to the zigzag pattern in the center of the tread.



Kinergy 4S² / H750

| S-Code | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/ Mile | Weight | UTQG | |
|-----------------------------------|-----------|-------|----------|---------------|-----------------|-----------|-----|------------------|---------------|-------------|-------------|------------|--------|------|---------|
| | | | | | | psi | lbs | | | | | | | | |
| 15 | | | | | | | | | | | | | | | |
| 1026501 | 185/65R15 | | 88H | BSW | 5.5 | 5.0-6.5 | 51 | 1,235 | 24.3 | 7.8 | 5.8 | 9.5 | 851 | 16.4 | 500/A/A |
| 1024946 | 195/60R15 | | 88V | BSW | 6.0 | 5.5-7.0 | 51 | 1,235 | 24.1 | 8.2 | 6.3 | 9.5 | 858 | 17.0 | 500/A/A |
| 1026493 | 195/65R15 | | 91H | BSW | 6.0 | 5.0-6.5 | 51 | 1,356 | 24.8 | 8.1 | 6.0 | 9.5 | 835 | 18.1 | 500/A/A |
| 1024949 | 205/65R15 | | 94H | BSW | 6.0 | 5.5-7.5 | 51 | 1,477 | 25.3 | 8.5 | 6.6 | 10.0 | 819 | 19.6 | 500/A/A |
| 16 | | | | | | | | | | | | | | | |
| 1026993 | 205/55R16 | | 91V | BSW | 6.5 | 5.5-7.5 | 51 | 1,356 | 24.7 | 8.7 | 6.7 | 9.5 | 837 | 19.6 | 500/A/A |
| 1026944 | 205/60R16 | XL | 96V | BSW | 6.0 | 5.5-7.5 | 50 | 1,565 | 25.6 | 8.6 | 6.7 | 9.5 | 810 | 20.8 | 500/A/A |
| 1027001 | 205/65R16 | | 95H | BSW | 6.0 | 5.5-7.5 | 51 | 1,521 | 26.5 | 8.1 | 6.6 | 9.5 | 784 | 20.7 | 500/A/A |
| 1024954 | 215/55R16 | XL | 97V | BSW | 7.0 | 6.0-7.5 | 50 | 1,609 | 25.1 | 9.1 | 7.2 | 10.0 | 825 | 21.9 | 500/A/A |
| 1026994 | 215/60R16 | | 95V | BSW | 6.5 | 6.0-7.5 | 51 | 1,521 | 26.0 | 9.0 | 6.7 | 9.5 | 796 | 22.0 | 500/A/A |
| 1026945 | 215/65R16 | XL | 102V | BSW | 6.5 | 6.0-7.5 | 50 | 1,874 | 26.9 | 8.8 | 6.6 | 9.5 | 771 | 22.3 | 500/A/A |
| 1027003 | 215/70R16 | | 100H | BSW | 6.5 | 5.5-7.0 | 51 | 1,764 | 27.7 | 8.7 | 6.5 | 10.0 | 749 | 23.7 | 500/A/A |
| 1027002 | 225/60R16 | | 98H | BSW | 6.5 | 6.0-8.0 | 51 | 1,653 | 26.4 | 9.3 | 7.1 | 10.0 | 784 | 23.5 | 500/A/A |
| 17 | | | | | | | | | | | | | | | |
| 1024957 | 205/50R17 | XL | 93W | BSW | 6.5 | 5.5-7.5 | 50 | 1,433 | 25.0 | 8.8 | 7.0 | 10.0 | 828 | 19.3 | 500/A/A |
| 1024960 | 215/45R17 | XL | 91W | BSW | 7.0 | 7.0-8.0 | 50 | 1,356 | 24.6 | 8.3 | 7.2 | 9.5 | 841 | 19.4 | 500/A/A |
| 1024959 | 215/50R17 | XL | 95W | BSW | 7.0 | 6.0-8.0 | 50 | 1,521 | 25.4 | 9.4 | 7.2 | 10.0 | 815 | 22.0 | 500/A/A |
| 1027005 | 215/55R17 | | 94V | BSW | 7.0 | 6.0-7.5 | 51 | 1,477 | 26.1 | 9.2 | 7.1 | 10.0 | 793 | 21.1 | 500/A/A |
| 1026500 | 225/45R17 | XL | 94W | BSW | 7.5 | 7.0-8.5 | 50 | 1,477 | 24.8 | 9.2 | 7.6 | 8.5 | 835 | 20.3 | 500/A/A |
| 1026943 | 225/50R17 | XL | 98V | BSW | 7.0 | 6.0-8.0 | 51 | 1,477 | 25.8 | 9.7 | 7.6 | 10.0 | 804 | 23.9 | 500/A/A |
| 1024963 | 225/55R17 | XL | 101W | BSW | 7.0 | 6.0-8.0 | 50 | 1,819 | 26.6 | 9.6 | 7.5 | 10.0 | 780 | 25.1 | 500/A/A |
| 1027007 | 235/50R17 | | 96V | BSW | 7.5 | 6.5-8.5 | 51 | 1,565 | 26.3 | 9.6 | 7.8 | 10.0 | 788 | 23.9 | 500/A/A |
| 1026995 | 235/55R17 | | 99W | BSW | 7.5 | 6.5-8.5 | 51 | 1,709 | 27.0 | 10.0 | 7.8 | 9.5 | 768 | 26.2 | 500/A/A |
| 1027006 | 235/60R17 | | 102H | BSW | 7.0 | 6.5-8.5 | 51 | 1,874 | 27.9 | 9.7 | 7.5 | 10.0 | 743 | 25.9 | 500/A/A |
| 18 | | | | | | | | | | | | | | | |
| 1027000 | 225/40R18 | XL | 92W | BSW | 8.0 | 7.5-9.0 | 50 | 1,389 | 24.9 | 9.4 | 7.7 | 10.0 | 830 | 20.1 | 500/A/A |
| 1026996 | 225/45R18 | XL | 95W | BSW | 7.5 | 7.0-8.5 | 50 | 1,521 | 25.8 | 9.2 | 7.8 | 9.5 | 803 | 22.8 | 500/A/A |
| 1027011 | 225/50R18 | | 95W | BSW | 7.0 | 6.0-8.0 | 51 | 1,521 | 26.9 | 9.0 | 7.6 | 9.5 | 771 | 24.1 | 500/A/A |
| 1027010 | 225/55R18 | | 98V | BSW | 7.0 | 6.0-8.0 | 51 | 1,653 | 27.8 | 9.1 | 7.6 | 10.0 | 748 | 26.1 | 500/A/A |
| 1027009 | 225/60R18 | | 100H | BSW | 6.5 | 6.0-8.0 | 51 | 1,764 | 28.6 | 9.0 | 7.2 | 10.0 | 726 | 26.1 | 500/A/A |
| 1026997 | 235/45R18 | XL | 98W | BSW | 8.0 | 7.5-9.0 | 50 | 1,653 | 26.3 | 9.3 | 8.1 | 10.0 | 788 | 24.2 | 500/A/A |
| 1024969 | 235/50R18 | XL | 101V | BSW | 7.5 | 6.5-8.5 | 50 | 1,819 | 27.4 | 9.5 | 7.8 | 9.5 | 757 | 25.8 | 500/A/A |
| 1024978 | 245/40R18 | XL | 97V | BSW | 8.5 | 8.0-9.5 | 50 | 1,609 | 25.7 | 9.6 | 8.5 | 10.0 | 806 | 23.4 | 500/A/A |
| 1026998 | 245/45R18 | | 96W | BSW | 8.0 | 7.5-9.0 | 51 | 1,565 | 26.6 | 9.5 | 8.4 | 9.5 | 780 | 25.6 | 500/A/A |
| 19 | | | | | | | | | | | | | | | |
| 1027016 | 235/40R19 | | 92W | BSW | 8.5 | 8.0-9.5 | 51 | 1,389 | 26.3 | 9.8 | 8.1 | 9.5 | 790 | 21.7 | 500/A/A |
| 1027014 | 245/40R19 | | 94W | BSW | 8.5 | 8.0-9.5 | 51 | 1,477 | 26.6 | 10.1 | 8.4 | 10.0 | 781 | 23.9 | 500/A/A |
| 1027015 | 245/45R19 | | 98W | BSW | 8.0 | 7.5-9.0 | 51 | 1,653 | 27.5 | 9.9 | 8.4 | 9.5 | 754 | 26.4 | 500/A/A |
| Kinergy 4S ² X / H750A | | | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | | | | |
| 1027004 | 235/70R16 | | 106H | BSW | 7.0 | 6.0-8.0 | 51 | 2,094 | 28.9 | 9.4 | 7.0 | 10.0 | 719 | 27.0 | 500/A/A |
| 17 | | | | | | | | | | | | | | | |
| 1025469 | 225/60R17 | | 99H | BSW | 6.5 | 6.0-8.0 | 51 | 1,709 | 27.5 | 9.3 | 7.2 | 10.0 | 755 | 25.2 | 500/A/A |
| 1025468 | 225/65R17 | XL | 106H | BSW | 6.5 | 6.0-8.0 | 50 | 2,094 | 28.4 | 9.1 | 7.3 | 10.0 | 732 | 26.8 | 500/A/A |
| 1025470 | 235/65R17 | XL | 108V | BSW | 7.0 | 6.5-8.5 | 50 | 2,205 | 28.9 | 9.5 | 7.6 | 9.5 | 719 | 28.6 | 500/A/A |
| 1027008 | 245/65R17 | | 107H | BSW | 7.0 | 7.0-8.5 | 51 | 2,149 | 29.5 | 9.7 | 7.7 | 10.5 | 705 | 29.3 | 500/A/A |
| 18 | | | | | | | | | | | | | | | |
| 1025473 | 235/55R18 | XL | 104V | BSW | 7.5 | 6.5-8.5 | 50 | 1,984 | 28.0 | 10.0 | 7.8 | 10.0 | 742 | 28.0 | 500/A/A |
| 1025471 | 235/60R18 | XL | 107W | BSW | 7.0 | 6.5-8.5 | 50 | 2,149 | 29.0 | 9.7 | 7.5 | 10.0 | 717 | 27.9 | 500/A/A |
| 1027013 | 235/65R18 | | 106V | BSW | 7.0 | 6.5-8.5 | 51 | 2,094 | 29.9 | 9.5 | 7.6 | 10.5 | 696 | 29.6 | 500/A/A |
| 1027012 | 245/60R18 | | 105V | BSW | 7.0 | 7.0-8.5 | 51 | 2,039 | 29.4 | 10.0 | 7.7 | 10.5 | 706 | 29.6 | 500/A/A |
| 19 | | | | | | | | | | | | | | | |
| 1025474 | 235/55R19 | XL | 105W | BSW | 7.5 | 6.5-8.5 | 50 | 2,039 | 29.0 | 10.0 | 7.8 | 10.0 | 717 | 29.2 | 500/A/A |
| 20 | | | | | | | | | | | | | | | |
| 1027017 | 245/50R20 | | 102V | BSW | 7.5 | 7.0-8.5 | 51 | 1,874 | 29.6 | 10.5 | 8.1 | 10.0 | 704 | 30.8 | 500/A/A |

Technical data subject to change without prior notice.


XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

KINERGY GT


Premium Grand Touring All-Season For Popular Passenger and CUV Vehicles



Technology icons



Performance icons



Premium Grand Touring All-Season tire for all roads

Kinergy GT satisfies the strict performance requirements of automakers. This is outstanding in all aspects including wet, dry, winter performance. Also, it provides a quiet and comfortable driving experience.

Technical profile

Series : 40~65

Inch : 15~19

Speed symbol : T, H, V, W



Kinergy GT / H436 & H436B

| S-Code | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/Mile | Weight | UTQG | OE Application | Tech |
|-----------|-----------|--------|----------|---------------|-----------------|-----------|-------|------------------|---------------|-------------|-------------|-----------|--------|---------|--|------|
| | | | | | | psi | lbs | | | | | | | | | |
| 15 | | | | | | | | | | | | | | | | |
| 1022094 | 185/65R15 | 88H | BSW | 5.5 | 5.0-6.5 | 51 | 1,235 | 24.4 | 7.8 | 5.7 | 9.0 | 850 | 16.7 | 500/A/A | HYUNDAI Venue ('19-'25) | |
| 1016154 | 185/65R15 | 88H | BSW | 5.5 | 5.0-6.5 | 51 | 1,235 | 24.3 | 7.8 | 5.8 | 10.0 | 854 | 16.8 | 540/A/A | | |
| 1016156 | 195/65R15 | 91H | BSW | 6.0 | 5.5-7.0 | 51 | 1,356 | 24.9 | 8.2 | 6.1 | 10.0 | 834 | 17.9 | 540/A/A | | |
| 1015532 | 195/65R15 | 91T | BSW | 6.0 | 5.5-7.0 | 51 | 1,356 | 24.7 | 8.4 | 6.0 | 9.5 | 840 | 16.9 | 540/A/A | HYUNDAI Elantra ('15-'18) | |
| 1024032 | 195/65R15 | 91H | BSW | 6.0 | 5.5-7.0 | 51 | 1,356 | 24.8 | 8.3 | 6.2 | 8.5 | 838 | 16.9 | 540/A/A | HYUNDAI Elantra ('20-'21) | |
| 16 | | | | | | | | | | | | | | | | |
| 1021366 | 195/60R16 | 89H | BSW | 6.0 | 5.5-7.0 | 51 | 1,279 | 25.1 | 8.6 | 6.1 | 10.0 | 827 | 19.9 | 540/A/A | | |
| 1014871 | 205/55R16 | 91H | BSW | 6.5 | 5.5-7.5 | 51 | 1,356 | 24.8 | 6.4 | 6.4 | 10.0 | 837 | 20.4 | 540/A/A | VOLKSWAGEN Golf ('15-'19), Jetta ('15-'19) | |
| 1016295 | 205/55R16 | 91H | BSW | 6.5 | 5.5-7.5 | 51 | 1,356 | 24.8 | 9.1 | 6.2 | 8.5 | 839 | 18.4 | 520/B/A | CHEVROLET Cruz ('16-'19) | |
| 1015534 | 205/55R16 | 91H | BSW | 6.5 | 5.5-7.5 | 51 | 1,356 | 24.8 | 8.9 | 6.5 | 9.5 | 837 | 18.5 | 540/A/A | HYUNDAI Elantra ('15-'18) | |
| 1022888 | 205/55R16 | 91H | BSW | 6.5 | 5.5-7.5 | 51 | 1,356 | 24.9 | 8.9 | 6.5 | 9.5 | 834 | 18.5 | 500/A/A | TOYOTA Corolla ('19-'24) | |
| 1019647 | 205/60R16 | 92H | BSW | 6.0 | 5.5-7.5 | 51 | 1,389 | 25.8 | 8.6 | 6.5 | 9.5 | 806 | 19.6 | 500/A/A | HYUNDAI Kona ('17-'23), KIA Soul ('17-'23) | |
| 1020211 | 205/60R16 | 92H | BSW | 6.0 | 5.5-7.5 | 51 | 1,389 | 25.7 | 8.8 | 6.5 | 10.0 | 807 | 20.8 | 500/B/A | VOLKSWAGEN Jetta ('17-'20) | |
| 1022795 | 205/60R16 | 92H | BSW | 6.0 | 5.5-7.5 | 51 | 1,389 | 25.8 | 8.7 | 6.5 | 9.5 | 804 | 20.3 | 500/A/A | NISSAN Sentra ('19-'24) | |
| 1021370 | 205/60R16 | 92V | BSW | 6.0 | 5.5-7.5 | 51 | 1,389 | 25.6 | 8.9 | 6.5 | 10.0 | 811 | 23.0 | 540/A/A | | |
| 1015397 | 205/65R16 | 95H | BSW | 6.0 | 5.5-7.5 | 51 | 1,521 | 26.2 | 8.5 | 6.4 | 10.0 | 793 | 21.9 | 500/A/A | HYUNDAI Sonata ('14-'19), KIA Optima ('15-'19) | |
| 1015886 | 215/55R16 | 93H | BSW | 7.0 | 6.0-7.5 | 51 | 1,433 | 25.1 | 9.1 | 6.5 | 9.5 | 827 | 20.4 | 500/A/A | HONDA Civic_4DR ('15-'24) | |
| 1020876 | 215/55R16 | 93H | BSW | 7.0 | 6.0-7.5 | 51 | 1,433 | 25.1 | 9.1 | 6.5 | 9.5 | 827 | 21.5 | 500/A/A | HONDA Civic_5DR ('21-'24) | |
| 1015790 | 215/60R16 | 95V | BSW | 6.5 | 6.0-7.5 | 51 | 1,521 | 26.0 | 9.0 | 6.8 | 10.0 | 798 | 22.0 | 540/A/A | | |
| 1014971 | 215/60R16 | 95T | BSW | 6.5 | 6.0-7.5 | 51 | 1,521 | 26.2 | 8.9 | 6.7 | 10.0 | 793 | 23.4 | 540/A/A | VOLKSWAGEN Passat ('14-'19), Beetle ('14-'19) | |
| 1020898 | 215/60R16 | 95H | BSW | 6.5 | 6.0-7.5 | 51 | 1,521 | 26.2 | 8.9 | 6.7 | 10.0 | 793 | 21.5 | 500/A/A | NISSAN Altima ('18-'24) | |
| 1021358 | 215/65R16 | 98H | BSW | 6.5 | 6.0-7.5 | 51 | 1,653 | 27.0 | 9.1 | 6.8 | 10.0 | 770 | 25.1 | 540/A/A | | |
| 1021931 | 215/65R16 | 98H | BSW | 6.5 | 6.0-7.5 | 51 | 1,653 | 27.0 | 9.0 | 6.8 | 10.0 | 769 | 23.9 | 460/B/A | CHEVROLET Trailblazer ('20-'21) | |
| 1021373 | 225/60R16 | 98H | BSW | 6.5 | 6.0-8.0 | 51 | 1,653 | 26.5 | 9.6 | 7.1 | 10.0 | 783 | 25.4 | 540/A/A | | |
| 1016159 | 225/60R16 | 98V | BSW | 6.5 | 6.0-8.0 | 51 | 1,653 | 26.5 | 9.4 | 7.1 | 10.0 | 784 | 24.2 | 540/A/A | | |
| 1021374 | 225/65R16 | 100H | BSW | 6.5 | 6.0-8.0 | 51 | 1,764 | 27.4 | 9.4 | 7.1 | 10.0 | 758 | 26.0 | 540/A/A | | |
| 17 | | | | | | | | | | | | | | | | |
| 1024767 | 225/55R17 | 97H | BSW | 7.0 | 6.0-8.0 | 51 | 1,609 | 26.7 | 9.7 | 6.8 | 8.5 | 779 | 24.3 | 540/A/A | VOLKSWAGEN Tarek ('20-'25) | |
| 1020212 | 205/55R17 | 91H | BSW | 6.5 | 5.5-7.5 | 51 | 1,356 | 25.9 | 9.2 | 6.5 | 10.0 | 803 | 20.9 | 500/B/A | VOLKSWAGEN Jetta ('17-'20) | |
| 1016160 | 215/45R17 | XL 91V | BSW | 7.0 | 7.0-8.0 | 50 | 1,356 | 24.5 | 8.7 | 7.1 | 10.0 | 848 | 19.5 | 540/A/A | | |
| 1016161 | 215/50R17 | XL 95V | BSW | 7.0 | 6.0-7.5 | 50 | 1,521 | 25.4 | 9.4 | 6.7 | 10.0 | 819 | 22.9 | 540/A/A | | |
| 1016785 | 215/55R17 | 94V | BSW | 7.0 | 6.0-7.5 | 51 | 1,477 | 26.1 | 9.3 | 7.0 | 10.0 | 795 | 22.5 | 500/A/A | HYUNDAI Sonata ('14-'19) | |
| 1020513 | 215/55R17 | 94V | BSW | 7.0 | 6.0-7.5 | 51 | 1,477 | 26.2 | 9.3 | 7.1 | 10.0 | 793 | 23.0 | 500/A/A | HYUNDAI Kona ('17-'20), KIA Soul ('18-'23) | |
| 1014972 | 215/55R17 | 94H | BSW | 7.0 | 6.0-7.5 | 51 | 1,477 | 26.3 | 9.4 | 6.7 | 10.0 | 789 | 22.5 | 540/A/A | VOLKSWAGEN Passat ('14-'19), Beetle ('14-'19) | |
| 1014872 | 225/45R17 | 91H | BSW | 7.5 | 7.0-8.5 | 51 | 1,356 | 24.9 | 9.3 | 7.5 | 10.0 | 835 | 21.8 | 540/A/A | VOLKSWAGEN Golf ('14-'18) | |
| 1015535 | 225/45R17 | 91W | BSW | 7.5 | 7.0-8.5 | 51 | 1,356 | 24.9 | 9.2 | 7.2 | 10.0 | 836 | 20.6 | 540/A/A | HYUNDAI Elantra ('15-'18) | |
| 1024034 | 225/45R17 | 91W | BSW | 7.5 | 7.0-8.5 | 51 | 1,356 | 24.8 | 9.2 | 7.9 | 8.5 | 839 | 20.5 | 540/A/A | HYUNDAI Elantra ('20-'26) | |
| 1017808 | 225/50R17 | 94V | BSW | 7.0 | 6.0-8.0 | 51 | 1,477 | 25.9 | 9.4 | 7.4 | 9.0 | 801 | 22.8 | 500/A/A | HONDA Accord ('17-'22) | |
| 1021372 | 225/55R17 | 97V | BSW | 7.0 | 6.0-8.0 | 51 | 1,609 | 26.6 | 10.0 | 7.0 | 10.0 | 779 | 26.1 | 540/A/A | | |
| 1015527 | 225/60R17 | 99H | BSW | 6.5 | 6.0-8.0 | 51 | 1,709 | 27.6 | 9.6 | 7.1 | 10.0 | 751 | 26.0 | 540/A/A | HYUNDAI Tucson ('15-'21), KIA Sportage ('15-'21) | |
| 1016164 | 235/45R17 | 94H | BSW | 8.0 | 7.5-9.0 | 51 | 1,477 | 25.2 | 9.6 | 7.8 | 10.0 | 824 | 21.7 | 540/A/A | | |
| 1016165 | 235/55R17 | 99H | BSW | 7.5 | 6.5-8.5 | 51 | 1,709 | 27.0 | 10.0 | 7.4 | 10.0 | 769 | 26.4 | 540/A/A | | |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Mileage, Road Hazard, and 30 Day Free Trial warranties apply only to replacement tires. Original Equipment tires are excluded.

Runflat Tires can be driven on up to 50 miles on a deflating or deflated tire at a top speed of 50 mph (subject to application and operating conditions).

Mileage, Road Hazard, and 30 Day Free Trial warranties do not apply to Runflat Tires.


Tech : Hankook Innovative Technology HRS : Hankook Runflat System SOA : Sound Absorber SEG : Sealguard

KINERGY GT

HANKOOK
driving emotion



Wet handling



Drainage

Wet
Performance



Winter handling



Snow traction

Winter
Performance



Dry braking



Mileage

Dry
Performance

Kinergy GT / H436 & H436B

| S-Code | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/Mile | Weight | UTQG | OE Application | Tech |
|-----------|--------------|-------|----------|---------------|-----------------|-----------|-------|------------------|---------------|-------------|-------------|-----------|--------|---------|--|------|
| | | | | | | psi | lbs | | | | | | | | | |
| 1021376 | 235/55R17 | 99W | BSW | 7.5 | 6.5-8.5 | 51 | 1,709 | 27.1 | 10.0 | 7.4 | 10.0 | 767 | 27.3 | 540/A/A | | |
| 1019226 | 235/65R17 | 104H | BSW | 7.0 | 6.5-8.5 | 51 | 1,984 | 29.3 | 9.1 | 7.2 | 10.0 | 709 | 28.7 | 540/A/A | HONDA CR-V ('16-'22) | |
| 1021367 | 245/50R17 | 99V | BSW | 7.5 | 7.0-8.5 | 51 | 1,709 | 26.6 | 10.7 | 7.7 | 10.0 | 781 | 26.8 | 540/A/A | | |
| 1015891 | P225/55R17 | 95H | BSW | 7.0 | 6.0-8.0 | 51 | 1,521 | 26.7 | 9.4 | 7.2 | 9.0 | 779 | 23.3 | 540/B/A | CHEVROLET Malibu ('15-'22) | |
| 1025644 | 215/55R17 | 94V | BSW | 7.0 | 6.0-7.5 | 51 | 1,477 | 26.2 | 9.3 | 7.4 | 9.5 | 793 | 22.9 | 500/A/A | HYUNDAI Kona ('20-'23) | |
| 1028628 | 225/45R17 | 91W | BSW | 7.5 | 7.0-8.5 | 51 | 1,356 | 24.8 | 9.2 | 7.6 | 8.5 | 839 | 20.2 | 540/A/A | HYUNDAI Elantra HEV ('20-'26) | |
| 18 | | | | | | | | | | | | | | | | |
| 1031294 | 235/45R18 | 94V | BSW | 8.0 | 7.5-9.0 | 51 | 1,477 | 26.3 | 9.6 | 7.7 | 9.5 | 790 | 25.0 | 540/A/A | TESLA MODEL 3 ('21-'27) | |
| 1031546 | 235/45R18 | 94V | BSW | 8.0 | 7.5-9.0 | 51 | 1,477 | 26.3 | 9.6 | 7.7 | 9.5 | 790 | 25.6 | 540/A/A | TESLA MODEL 3 ('21-'27) | SOA |
| 1022797 | 215/45R18 | 89V | BSW | 7.0 | 7.0-8.0 | 51 | 1,279 | 25.6 | 9.1 | 7.2 | 9.0 | 812 | 21.5 | 500/A/A | NISSAN Sentra ('19-'24) | |
| 1020213 | 225/45R18 | 91H | BSW | 7.5 | 7.0-8.5 | 51 | 1,356 | 25.9 | 9.4 | 7.0 | 10.0 | 802 | 21.1 | 540/B/A | VOLKSWAGEN Jetta ('17-'23) | |
| 1016166 | 225/45R18 | 91V | BSW | 7.5 | 7.0-8.5 | 51 | 1,356 | 25.8 | 9.2 | 7.5 | 10.0 | 805 | 22.1 | 540/A/A | | |
| 1021375 | 225/55R18 | 98H | BSW | 7.0 | 6.0-8.0 | 51 | 1,653 | 27.6 | 10.0 | 7.0 | 10.0 | 751 | 26.8 | 540/A/A | | |
| 1021933 | 225/55R18 | 98H | BSW | 7.0 | 6.0-8.0 | 51 | 1,653 | 27.6 | 9.6 | 7.2 | 10.0 | 751 | 26.7 | 700/B/A | CHEVROLET Trailblazer ('20-'26) | |
| 1021369 | 225/60R18 | 100H | BSW | 6.5 | 6.0-8.0 | 51 | 1,764 | 28.5 | 9.6 | 7.1 | 10.0 | 728 | 28.1 | 540/A/A | | |
| 1020853 | 235/45R18 | 94V | BSW | 8.0 | 7.5-9.0 | 51 | 1,477 | 26.3 | 9.6 | 7.7 | 10.0 | 790 | 24.4 | 540/A/A | TOYOTA Camry ('17-'22) | |
| 1014973 | 235/45R18 | 94H | BSW | 8.0 | 7.5-9.0 | 51 | 1,477 | 26.3 | 9.7 | 7.8 | 10.0 | 790 | 24.1 | 540/A/A | VOLKSWAGEN Passat ('14-'19), Beetle ('14-'19) | |
| 1017534 | 235/60R18 | 103H | BSW | 7.0 | 6.5-8.5 | 51 | 1,929 | 29.3 | 9.8 | 7.3 | 10.0 | 709 | 30.1 | 540/A/A | HONDA CR-V ('16-'22) | |
| 1016167 | 245/45R18 | 96V | BSW | 8.0 | 7.5-9.0 | 51 | 1,565 | 26.5 | 9.9 | 8.1 | 10.0 | 783 | 25.5 | 540/A/A | | |
| 1022016 | 255/65R18 | 111H | BSW | 7.5 | 7.0-9.0 | 51 | 2,403 | 30.8 | 10.4 | 8.0 | 10.5 | 675 | 35.2 | 500/A/A | FORD Explorer ('19-'21) | |
| 19 | | | | | | | | | | | | | | | | |
| 1021368 | 225/55R19 | 99H | BSW | 7.0 | 6.0-8.0 | 51 | 1,709 | 28.7 | 10.0 | 7.0 | 10.0 | 725 | 28.3 | 540/A/A | | |
| 1018940 | 235/40R19 | 92V | BSW | 8.5 | 8.0-9.5 | 51 | 1,389 | 26.3 | 9.8 | 8.1 | 10.0 | 791 | 25.3 | 500/A/A | NISSAN Altima ('18-'24) | |
| 1016168 | 245/40R19 | 94V | BSW | 8.5 | 8.0-9.5 | 51 | 1,477 | 26.6 | 10.1 | 8.1 | 10.0 | 782 | 25.0 | 540/A/A | | |
| 1015528 | 245/45R19 | 98H | BSW | 8.0 | 7.5-9.0 | 51 | 1,653 | 27.4 | 10.0 | 8.0 | 10.0 | 759 | 27.7 | 540/A/A | HYUNDAI Tucson ('15-'21), KIA Sportage ('15-'21) | |
| 1024217 | 235/50R19 | 99H | BSW | 7.5 | 6.5-8.5 | 51 | 1,709 | 28.2 | 10.2 | 8.7 | 10.0 | 736 | 28.1 | 500/A/A | CHEVROLET Equinox, GMC Terrain ('20-'25) | |
| 17 | | | | | | | | | | | | | | | | |
| 1020496 | 205/55R17 | 91H | BSW | 6.5 | 5.5-7.5 | 51 | 1,356 | 25.9 | 8.7 | 6.5 | 9.5 | 803 | 24.5 | 500/A/A | MERCEDES BENZ A & B Class ('18-'25) | HRS |
| 18 | | | | | | | | | | | | | | | | |
| 1019371 | 225/60R18 XL | 104H | BSW | 6.5 | 6.0-8.0 | 50 | 1,984 | 28.6 | 9.5 | 7.1 | 9.5 | 726 | 36.1 | 500/A/A | BMW X3/X4 ('17-'24) | HRS |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Mileage, Road Hazard, and 30 Day Free Trial warranties apply only to replacement tires. Original Equipment tires are excluded.

Runflat Tires can be driven on up to 50 miles on a deflating or deflated tire at a top speed of 50 mph (subject to application and operating conditions).

Mileage and Road Hazard warranties do not apply to Runflat Tires.

Tech : Hankook Innovative Technology HRS : Hankook Runflat System SOA : Sound Absorber SEG : Sealguard

KINERGY PT



Premium Passenger and CUV/SUV Touring All-Season



Technology icons



Performance icons



The Premium touring all-season tire for long mileage

The Hankook Kinergy PT is a Premium Touring All-Season tire and offered with a No.1 "860/A/A" UTQG rating as well as an optimized 90,000 mileage warranty. Enhanced block stiffness and high structure and small particle size carbon provides low rolling resistance delivering high mileage to drivers.

Technical profile

Series : 40~75

Inch : 15~19

Speed symbol : T, H, V

UTQG : (V) 800/A/A & (T, H), 860/A/A

Optimized Warranty

No.1 UTQG



| S-Code | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/Mile | Weight | UTQG | |
|-----------|-----------|-------|----------|---------------|-----------------|-----------|-------|------------------|---------------|-------------|-------------|-----------|--------|---------|---------|
| | | | | | | psi | lbs | | | | | | | | |
| 15 | | | | | | | | | | | | | | | |
| *1025056 | 185/55R15 | | BSW | 6.0 | 5.0-6.5 | 51 | 1,047 | 22.9 | 7.9 | 6.1 | 10.0 | 908 | 16.2 | 800/A/A | |
| 1021404 | 185/60R15 | | BSW | 5.5 | 5.0-6.5 | 51 | 1,102 | 23.6 | 8.0 | 5.8 | 11.0 | 880 | 17.0 | 860/A/A | |
| 1025057 | 185/65R15 | | BSW | 5.5 | 5.0-6.5 | 51 | 1,235 | 24.3 | 7.8 | 5.8 | 11.0 | 854 | 17.4 | 860/A/A | |
| *1025058 | 195/55R15 | | BSW | 6.0 | 5.5-7.0 | 51 | 1,135 | 23.3 | 8.2 | 6.5 | 10.0 | 893 | 17.2 | 800/A/A | |
| 1021394 | 195/60R15 | | BSW | 6.0 | 5.5-7.0 | 51 | 1,235 | 24.1 | 8.5 | 6.1 | 10.5 | 862 | 18.1 | 860/A/A | |
| 1021389 | 195/65R15 | | BSW | 6.0 | 5.5-7.0 | 51 | 1,356 | 24.9 | 8.4 | 6.1 | 11.0 | 835 | 19.0 | 860/A/A | |
| 1021410 | 205/60R15 | | BSW | 6.0 | 5.5-7.5 | 51 | 1,356 | 24.6 | 8.9 | 6.5 | 11.0 | 846 | 19.6 | 860/A/A | |
| 1023464 | 205/65R15 | | BSW | 6.0 | 5.5-7.5 | 51 | 1,477 | 25.3 | 8.7 | 6.5 | 11.0 | 819 | 20.8 | 860/A/A | |
| 1021402 | 205/70R15 | | BSW | 6.0 | 5.0-7.0 | 51 | 1,565 | 26.2 | 8.4 | 6.1 | 11.0 | 792 | 21.8 | 860/A/A | |
| 1023465 | 215/60R15 | | BSW | 6.5 | 6.0-7.5 | 51 | 1,477 | 25.0 | 9.3 | 6.8 | 11.0 | 830 | 21.6 | 860/A/A | |
| 1021395 | 215/70R15 | | BSW | 6.5 | 5.5-7.0 | 51 | 1,653 | 26.8 | 8.9 | 6.5 | 10.5 | 776 | 23.7 | 860/A/A | |
| 1021411 | 225/70R15 | | BSW | 6.5 | 6.0-7.5 | 51 | 1,764 | 27.3 | 9.1 | 6.8 | 11.0 | 760 | 25.0 | 860/A/A | |
| 1021412 | 235/70R15 | | BSW | 7.0 | 6.0-8.0 | 51 | 1,929 | 27.9 | 9.6 | 7.0 | 11.0 | 745 | 26.3 | 860/A/A | |
| 1021359 | 235/75R15 | XL | 109T | BSW | 6.5 | 6.0-8.0 | 50 | 2,271 | 28.7 | 9.3 | 7.0 | 723 | 28.7 | 860/A/A | |
| 16 | | | | | | | | | | | | | | | |
| 1025059 | 185/55R16 | | BSW | 6.0 | 5.0-6.5 | 51 | 1,074 | 23.9 | 7.9 | 6.1 | 11.0 | 870 | 17.6 | 860/A/A | |
| *1025060 | 195/55R16 | | BSW | 6.0 | 5.5-7.0 | 51 | 1,202 | 24.3 | 8.2 | 6.5 | 10.0 | 856 | 18.4 | 800/A/A | |
| 1021390 | 205/55R16 | | BSW | 6.5 | 5.5-7.5 | 51 | 1,356 | 24.8 | 8.9 | 6.8 | 11.0 | 838 | 20.1 | 860/A/A | |
| 1021398 | 205/60R16 | | BSW | 6.0 | 5.5-7.5 | 51 | 1,389 | 25.6 | 8.9 | 6.5 | 10.5 | 813 | 21.0 | 860/A/A | |
| 1021391 | 205/65R16 | | BSW | 6.0 | 5.5-7.5 | 51 | 1,521 | 26.3 | 8.7 | 6.5 | 11.0 | 788 | 22.2 | 860/A/A | |
| 1027450 | 205/70R16 | | BSW | 6.0 | 5.0-7.0 | 51 | 1,609 | 27.3 | 8.2 | 6.5 | 11.0 | 762 | 23.6 | 860/A/A | |
| 1025061 | 215/55R16 | | BSW | 7.0 | 6.0-7.5 | 51 | 1,433 | 25.1 | 9.2 | 7.1 | 11.0 | 827 | 21.1 | 860/A/A | |
| 1023419 | 215/60R16 | | BSW | 6.5 | 6.0-7.5 | 51 | 1,521 | 26.0 | 9.1 | 6.9 | 11.0 | 798 | 23.1 | 860/A/A | |
| 1021325 | 215/60R16 | | BSW | 6.5 | 6.0-7.5 | 51 | 1,521 | 26.0 | 9.1 | 6.9 | 11.0 | 798 | 23.1 | 860/A/A | |
| 1023466 | 215/65R16 | | BSW | 6.5 | 6.0-7.5 | 51 | 1,653 | 26.9 | 9.0 | 6.8 | 11.0 | 772 | 24.8 | 860/A/A | |
| 1021387 | 225/60R16 | | BSW | 6.5 | 6.0-8.0 | 51 | 1,653 | 26.5 | 8.4 | 7.1 | 11.0 | 784 | 25.5 | 860/A/A | |
| 1021386 | 225/65R16 | | BSW | 6.5 | 6.0-8.0 | 51 | 1,764 | 27.4 | 9.3 | 7.1 | 11.0 | 759 | 25.2 | 860/A/A | |
| 1021406 | 235/60R16 | | BSW | 7.0 | 6.5-8.5 | 51 | 1,764 | 27.0 | 9.9 | 7.4 | 11.0 | 770 | 26.2 | 860/A/A | |
| 1021392 | 235/65R16 | | BSW | 7.0 | 6.5-8.5 | 51 | 1,929 | 27.9 | 9.7 | 7.4 | 11.0 | 744 | 26.9 | 860/A/A | |
| 17 | | | | | | | | | | | | | | | |
| *1025062 | 205/50R17 | | BSW | 6.5 | 5.5-7.5 | 50 | 1,433 | 25.0 | 8.9 | 6.8 | 10.0 | 832 | 20.6 | 800/A/A | |
| *1025063 | 215/45R17 | | BSW | 7.0 | 7.0-8.0 | 51 | 1,202 | 24.5 | 8.7 | 7.1 | 10.0 | 848 | 19.1 | 800/A/A | |
| *1025064 | 215/50R17 | XL | 95V | BSW | 7.0 | 6.0-7.5 | 50 | 1,521 | 25.4 | 9.2 | 7.1 | 10.0 | 819 | 23.2 | 800/A/A |
| 1024168 | 215/55R17 | | BSW | 7.0 | 6.0-7.5 | 51 | 1,477 | 26.2 | 9.2 | 7.1 | 11.0 | 793 | 23.3 | 860/A/A | |
| *1025065 | 215/55R17 | | BSW | 7.0 | 6.0-7.5 | 51 | 1,477 | 26.2 | 9.2 | 7.1 | 10.0 | 794 | 22.3 | 800/A/A | |
| 1021405 | 215/60R17 | | BSW | 6.5 | 6.0-7.5 | 51 | 1,565 | 27.1 | 9.3 | 6.8 | 11.0 | 768 | 24.9 | 860/A/A | |
| 1021407 | 215/65R17 | | BSW | 6.5 | 6.0-7.5 | 51 | 1,709 | 27.9 | 9.0 | 6.8 | 11.0 | 744 | 25.7 | 860/A/A | |
| *1025066 | 225/45R17 | XL | 94V | BSW | 7.5 | 7.0-8.5 | 50 | 1,477 | 24.8 | 9.2 | 7.5 | 10.0 | 837 | 20.4 | 800/A/A |
| *1025067 | 225/50R17 | | BSW | 7.0 | 6.0-8.0 | 51 | 1,477 | 25.8 | 9.6 | 7.5 | 10.0 | 806 | 22.3 | 800/A/A | |
| 1021400 | 225/55R17 | | BSW | 7.0 | 6.0-8.0 | 51 | 1,609 | 26.7 | 9.8 | 7.5 | 11.0 | 779 | 25.7 | 860/A/A | |
| 1021393 | 225/60R17 | | BSW | 6.5 | 6.0-8.0 | 51 | 1,709 | 27.5 | 9.6 | 7.1 | 10.5 | 754 | 26.5 | 860/A/A | |
| 1021397 | 225/65R17 | | BSW | 6.5 | 6.0-8.0 | 51 | 1,874 | 28.4 | 9.4 | 7.1 | 11.0 | 731 | 27.1 | 860/A/A | |
| *1025068 | 235/45R17 | XL | 97V | BSW | 8.0 | 7.5-9.0 | 50 | 1,609 | 25.2 | 9.6 | 7.8 | 10.0 | 824 | 23.0 | 800/A/A |
| *1025069 | 235/50R17 | | BSW | 7.5 | 6.5-8.5 | 51 | 1,565 | 26.2 | 10.1 | 7.8 | 10.0 | 794 | 25.8 | 800/A/A | |
| 1025070 | 235/55R17 | | BSW | 7.5 | 6.5-8.5 | 51 | 1,709 | 27.0 | 9.8 | 7.8 | 11.0 | 769 | 26.8 | 860/A/A | |
| 1021409 | 235/60R17 | | BSW | 7.0 | 6.5-8.5 | 51 | 1,874 | 28.0 | 9.9 | 7.4 | 11.0 | 742 | 28.0 | 860/A/A | |
| 1025071 | 235/65R17 | | BSW | 7.0 | 6.5-8.5 | 51 | 1,984 | 28.9 | 9.8 | 7.4 | 11.0 | 718 | 28.4 | 860/A/A | |
| 1025072 | 245/45R17 | XL | 99H | BSW | 8.0 | 7.5-9.0 | 50 | 1,709 | 25.5 | 9.9 | 8.1 | 11.0 | 814 | 24.6 | 860/A/A |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

* Tires with a "V" speed rating have a 75K mile warranty.

KINERGY PT



Long Mileage and
Comfortable Ride



Mileage



Comfort

Dry
Performance



Dry handling



Dry braking

Wet
Performance



Drainage



Wet handling



OFFICIAL TIRE OF
MAJOR LEAGUE
BASEBALL



Kinergy PT / H737

| S-Code | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/ Mile | Weight | UTQG |
|-----------|-----------|-------|----------|---------------|-----------------|-----------|-------|------------------|---------------|-------------|-------------|------------|--------|---------|
| | | | | | | psi | lbs | | | | | | | |
| 18 | | | | | | | | | | | | | | |
| 1021408 | 215/55R18 | | BSW | 7.0 | 6.0-7.5 | 51 | 1,521 | 27.2 | 9.2 | 7.1 | 11.0 | 764 | 25.2 | 860/A/A |
| *1025073 | 225/40R18 | XL | 92V BSW | 8.0 | 7.5-9.0 | 50 | 1,389 | 24.9 | 9.4 | 7.5 | 10.0 | 833 | 20.8 | 800/A/A |
| *1025074 | 225/45R18 | XL | 95V BSW | 7.5 | 7.0-8.5 | 50 | 1,521 | 25.8 | 9.2 | 7.5 | 10.0 | 805 | 23.1 | 800/A/A |
| 1021403 | 225/50R18 | | BSW | 7.0 | 6.0-8.0 | 51 | 1,521 | 26.8 | 9.8 | 7.5 | 11.0 | 775 | 25.4 | 860/A/A |
| 1021396 | 225/55R18 | | BSW | 7.0 | 6.0-8.0 | 51 | 1,653 | 27.7 | 9.8 | 7.5 | 11.0 | 751 | 27.1 | 860/A/A |
| 1025075 | 225/60R18 | | BSW | 6.5 | 6.0-8.0 | 51 | 1,764 | 28.5 | 9.1 | 7.1 | 11.0 | 729 | 27.9 | 860/A/A |
| *1025076 | 235/45R18 | | BSW | 8.0 | 7.5-9.0 | 51 | 1,477 | 26.2 | 9.6 | 7.8 | 10.0 | 793 | 22.6 | 800/A/A |
| *1025077 | 235/50R18 | | BSW | 7.5 | 6.5-8.5 | 51 | 1,609 | 27.2 | 10.1 | 7.8 | 10.0 | 765 | 26.9 | 800/A/A |
| 1025078 | 235/55R18 | | BSW | 7.5 | 6.5-8.5 | 51 | 1,764 | 28.0 | 9.8 | 7.8 | 10.0 | 741 | 28.2 | 800/A/A |
| *1025079 | 235/60R18 | XL | 107V BSW | 7.0 | 6.5-8.5 | 50 | 2,149 | 29.0 | 9.6 | 7.4 | 10.5 | 717 | 29.5 | 800/A/A |
| *1025080 | 245/40R18 | XL | 97V BSW | 8.5 | 8.0-9.5 | 50 | 1,609 | 25.6 | 10.1 | 8.1 | 10.0 | 813 | 24.1 | 800/A/A |
| *1025081 | 245/45R18 | XL | 100V BSW | 8.0 | 7.5-9.0 | 50 | 1,764 | 26.5 | 9.9 | 8.1 | 10.0 | 783 | 26.1 | 800/A/A |
| *1025082 | 245/50R18 | | BSW | 7.5 | 7.0-8.5 | 51 | 1,764 | 27.5 | 10.5 | 8.1 | 10.0 | 754 | 28.5 | 800/A/A |
| *1025083 | 245/55R18 | | BSW | 7.5 | 7.0-8.5 | 51 | 1,929 | 28.5 | 10.4 | 8.1 | 10.0 | 729 | 30.1 | 800/A/A |
| 19 | | | | | | | | | | | | | | |
| *1025084 | 235/40R19 | XL | 96V BSW | 8.5 | 8.0-9.5 | 50 | 1,565 | 26.3 | 9.8 | 7.8 | 10.0 | 791 | 24.8 | 800/A/A |
| *1025085 | 245/40R19 | XL | 98V BSW | 8.5 | 8.0-9.5 | 50 | 1,653 | 26.6 | 10.1 | 8.1 | 10.0 | 782 | 26.8 | 800/A/A |
| *1025086 | 245/45R19 | XL | 102V BSW | 8.0 | 7.5-9.0 | 50 | 1,874 | 27.5 | 9.9 | 8.1 | 10.0 | 755 | 28.4 | 800/A/A |
| *1025087 | 255/45R19 | XL | 104V BSW | 8.5 | 8.0-9.5 | 50 | 1,984 | 27.9 | 10.4 | 8.4 | 10.0 | 744 | 28.7 | 800/A/A |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

* Tires with a "V" speed rating have a 75K mile warranty.

Passenger

SUV / Light Truck

Commercial Van/Special Trailer

Winter

EV

Original Equipment

KINERGYST

Standard Touring All-Season Passenger and CUV



Technology icon



Alignment indicator



Tie bar



Low noise



Compound

Performance icon



Mileage



Dry handling



Wet braking



Comfort



Snow handling

Mileage

Handling

Comfort

Wet

Snow



Standard Touring All-Season with a Balanced Blend of Performance and Long Tread Life

The Kinergy ST is a standard touring all-season tire that utilizes ever-evolving technology and construction methods to offer confidence-inspiring handling and stability while delivering outstanding fuel efficiency and excellent tread life.



Technical profile

Series : 45~75

Inch : 13~18

Speed symbol : T, H,

UTQG : 680/A/A



Kinergy ST / H735

| S-Code | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/Mile | Weight | UTQG |
|-----------|------------|-------|----------|---------------|-----------------|-----------|-------|------------------|---------------|-------------|-------------|-----------|--------|---------|
| | | | | | | psi | lbs | | | | | | | |
| 13 | | | | | | | | | | | | | | |
| 1022033 | 175/70R13 | 82T | BSW | 5.0 | 4.5-6.0 | 51 | 1,047 | 22.6 | 7.0 | 5.2 | 8.5 | 920 | 13.7 | 680/A/A |
| 14 | | | | | | | | | | | | | | |
| 1022037 | 175/65R14 | 82T | BSW | 5.0 | 5.0-6.0 | 51 | 1,047 | 22.9 | 7.3 | 5.6 | 8.5 | 909 | 14.3 | 680/A/A |
| 1021903 | 175/70R14 | 84T | BSW | 5.0 | 4.5-6.0 | 51 | 1,102 | 23.6 | 7.4 | 5.2 | 8.5 | 882 | 15.0 | 680/A/A |
| 1021904 | 185/60R14 | 82T | BSW | 5.5 | 5.0-6.5 | 51 | 1,047 | 22.6 | 8.0 | 5.8 | 8.5 | 918 | 14.8 | 680/A/A |
| 1021905 | 185/65R14 | 86T | BSW | 5.5 | 5.0-6.5 | 51 | 1,168 | 23.3 | 8.0 | 5.8 | 8.5 | 891 | 15.8 | 680/A/A |
| 1021906 | 185/70R14 | 88T | BSW | 5.5 | 4.5-6.0 | 51 | 1,235 | 24.1 | 7.7 | 5.6 | 8.5 | 861 | 16.0 | 680/A/A |
| 1024733 | 185/75R14 | 89T | WSW | 5.0 | 4.5-6.0 | 51 | 1,279 | 24.8 | 7.2 | 5.3 | 8.5 | 837 | 16.7 | 680/A/A |
| 1022038 | 185/75R14 | 89T | BSW | 5.0 | 4.5-6.0 | 51 | 1,279 | 24.8 | 7.2 | 5.3 | 8.5 | 837 | 16.0 | 680/A/A |
| 1021907 | 195/60R14 | 86T | BSW | 6.0 | 5.5-7.0 | 51 | 1,168 | 23.1 | 8.5 | 6.1 | 8.5 | 900 | 16.5 | 680/A/A |
| 1021908 | 195/70R14 | 91T | BSW | 6.0 | 5.0-6.5 | 51 | 1,356 | 24.7 | 8.2 | 5.6 | 8.5 | 842 | 17.3 | 680/A/A |
| 1022039 | 195/75R14 | 92T | BSW | 5.5 | 5.0-6.5 | 51 | 1,389 | 25.4 | 7.6 | 5.6 | 8.5 | 819 | 17.5 | 680/A/A |
| 1024734 | 195/75R14 | 92T | WSW | 5.5 | 5.0-6.5 | 51 | 1,389 | 25.4 | 7.6 | 5.5 | 8.5 | 819 | 18.6 | 680/A/A |
| 1022040 | 205/70R14 | 95T | BSW | 6.0 | 5.0-7.0 | 51 | 1,521 | 25.2 | 8.2 | 5.8 | 8.5 | 824 | 18.7 | 680/A/A |
| 1022041 | 205/75R14 | 95T | BSW | 5.5 | 5.0-7.0 | 51 | 1,521 | 26.0 | 7.8 | 5.8 | 8.5 | 799 | 18.9 | 680/A/A |
| 1024735 | 205/75R14 | 95T | WSW | 5.5 | 5.0-7.0 | 51 | 1,521 | 26.0 | 7.8 | 5.8 | 8.5 | 799 | 19.8 | 680/A/A |
| 1021909 | 215/70R14 | 96T | BSW | 6.5 | 5.5-7.0 | 51 | 1,565 | 25.8 | 8.9 | 6.1 | 8.5 | 806 | 20.1 | 680/A/A |
| 1021910 | 215/75R14 | 100T | BSW | 6.0 | 5.5-7.0 | 51 | 1,764 | 26.6 | 8.6 | 6.1 | 8.5 | 782 | 20.6 | 680/A/A |
| 1024736 | 215/75R14 | 100T | WSW | 6.0 | 5.5-7.0 | 51 | 1,764 | 26.6 | 8.4 | 6.1 | 8.5 | 782 | 21.0 | 680/A/A |
| 1021911 | 225/70R14 | 99T | BSW | 6.5 | 6.0-7.5 | 51 | 1,709 | 26.3 | 9.1 | 6.4 | 8.5 | 789 | 22.3 | 680/A/A |
| 15 | | | | | | | | | | | | | | |
| 1024758 | 175/65R15 | 84H | BSW | 5.0 | 5.0-6.0 | 51 | 1,102 | 23.9 | 7.3 | 5.5 | 8.5 | 871 | 15.1 | 680/A/A |
| 1021912 | 185/60R15 | 84T | BSW | 5.5 | 5.0-6.5 | 51 | 1,102 | 23.6 | 8.0 | 5.8 | 8.5 | 880 | 15.4 | 680/A/A |
| 1021913 | 185/65R15 | 88T | BSW | 5.5 | 5.0-6.5 | 51 | 1,235 | 24.3 | 8.0 | 5.8 | 8.5 | 854 | 16.7 | 680/A/A |
| 1021914 | 195/60R15 | 88T | BSW | 6.0 | 5.5-7.0 | 51 | 1,235 | 24.1 | 8.5 | 6.1 | 8.5 | 862 | 17.4 | 680/A/A |
| 1021915 | 195/65R15 | 91T | BSW | 6.0 | 5.5-7.0 | 51 | 1,356 | 24.9 | 8.4 | 5.8 | 8.5 | 835 | 17.9 | 680/A/A |
| 1021916 | 205/60R15 | 91T | BSW | 6.0 | 5.5-7.5 | 51 | 1,356 | 24.6 | 8.7 | 6.5 | 8.5 | 846 | 18.3 | 680/A/A |
| 1021917 | 205/65R15 | 94T | BSW | 6.0 | 5.5-7.5 | 51 | 1,477 | 25.3 | 8.7 | 6.1 | 8.5 | 819 | 19.0 | 680/A/A |
| 1022042 | 205/70R15 | 96T | BSW | 6.0 | 5.0-7.0 | 51 | 1,565 | 26.2 | 8.2 | 5.8 | 8.5 | 792 | 19.4 | 680/A/A |
| 1022043 | 205/75R15 | 97T | BSW | 5.5 | 5.0-7.0 | 51 | 1,609 | 27.0 | 7.8 | 5.8 | 8.5 | 769 | 20.1 | 680/A/A |
| 1024737 | 205/75R15 | 97T | WSW | 5.5 | 5.0-7.0 | 51 | 1,609 | 27.0 | 7.8 | 5.8 | 8.5 | 769 | 21.0 | 680/A/A |
| 1021918 | 215/65R15 | 96T | BSW | 6.5 | 6.0-7.5 | 51 | 1,565 | 25.9 | 9.0 | 6.5 | 8.5 | 802 | 20.3 | 680/A/A |
| 1021919 | 215/70R15 | 98T | BSW | 6.5 | 5.5-7.0 | 51 | 1,653 | 26.8 | 8.9 | 6.1 | 8.5 | 776 | 22.2 | 680/A/A |
| 1022044 | 215/75R15 | 100T | BSW | 6.0 | 5.5-7.0 | 51 | 1,764 | 27.6 | 8.4 | 6.1 | 8.5 | 754 | 22.5 | 680/A/A |
| 1024738 | 215/75R15 | 100T | WSW | 6.0 | 5.5-7.0 | 51 | 1,764 | 27.6 | 8.4 | 6.1 | 8.5 | 754 | 23.3 | 680/A/A |
| 1022045 | 225/70R15 | 100T | BSW | 6.5 | 6.0-7.5 | 51 | 1,764 | 27.3 | 8.9 | 6.4 | 8.5 | 760 | 23.3 | 680/A/A |
| 1022046 | 225/75R15 | 102T | BSW | 6.0 | 6.0-7.5 | 51 | 1,874 | 28.2 | 8.5 | 6.4 | 8.5 | 737 | 24.3 | 680/A/A |
| 1024739 | 225/75R15 | 102T | WSW | 6.0 | 6.0-7.5 | 51 | 1,874 | 28.2 | 8.5 | 6.4 | 8.5 | 737 | 24.3 | 680/A/A |
| 1024759 | 235/60R15 | 98T | RWL | 7.0 | 6.5-8.5 | 51 | 1,653 | 26.0 | 9.7 | 6.7 | 8.5 | 800 | 23.9 | 680/A/A |
| 1021920 | 235/70R15 | 103T | BSW | 7.0 | 6.0-8.0 | 51 | 1,929 | 27.9 | 9.6 | 6.7 | 8.5 | 745 | 24.7 | 680/A/A |
| 1022047 | 235/75R15 | 105T | BSW | 6.5 | 6.0-8.0 | 51 | 2,039 | 28.7 | 9.1 | 6.7 | 8.5 | 723 | 26.6 | 680/A/A |
| 1024740 | 235/75R15 | 105T | WSW | 6.5 | 6.0-8.0 | 51 | 2,039 | 28.7 | 9.1 | 6.7 | 8.5 | 723 | 26.9 | 680/A/A |
| 1024760 | 245/60R15 | 101T | RWL | 7.0 | 7.0-8.5 | 51 | 1,819 | 26.4 | 10.0 | 7.7 | 8.5 | 785 | 25.6 | 680/A/A |
| 1024761 | 255/60R15 | 102T | RWL | 7.5 | 7.0-9.0 | 51 | 1,874 | 26.9 | 10.3 | 8.0 | 8.5 | 771 | 26.8 | 680/A/A |
| 1024746 | 255/70R15 | 108T | RWL | 7.5 | 6.5-8.5 | 51 | 2,205 | 29.0 | 10.1 | 7.2 | 8.5 | 717 | 28.9 | 680/A/A |
| 1024777 | P265/50R15 | 99T | RWL | 8.5 | 7.5-9.5 | 51 | 1,720 | 25.3 | 11.4 | 8.3 | 10.5 | 821 | 26.5 | 680/A/A |
| 1024762 | P275/60R15 | 107T | RWL | 8.0 | 7.5-9.5 | 51 | 2,149 | 27.9 | 11.0 | 8.7 | 10.5 | 745 | 30.0 | 680/A/A |
| 1024763 | P295/50R15 | 105T | RWL | 9.5 | 8.0-10.5 | 51 | 2,061 | 26.5 | 12.6 | 9.8 | 10.5 | 784 | 30.2 | 680/A/A |

Technical data subject to change without prior notice.


XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

KINERGYST

Standard Touring All-Season Passenger and CUV

Standard Touring All-Season with a Balanced Blend of Performance and Long Tread Life


Longevity and Ride Comfort



Dry Performance and Comfort



Wet and Snow Performance



Kinergy ST / H735

| S-Code | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/Mile | Weight | UTQG |
|-----------|-----------|-------|----------|---------------|-----------------|-----------|-------|------------------|---------------|-------------|-------------|-----------|--------|---------|
| | | | | | | psi | lbs | | | | | | | |
| 16 | | | | | | | | | | | | | | |
| 1021503 | 205/55R16 | | BSW | 6.5 | 5.5-7.5 | 51 | 1,356 | 24.8 | 8.8 | 6.5 | 8.5 | 838 | 18.4 | 680/A/A |
| 1021500 | 205/60R16 | | BSW | 6.0 | 5.5-7.5 | 51 | 1,389 | 25.6 | 8.7 | 6.5 | 8.5 | 813 | 19.5 | 680/A/A |
| 1021498 | 205/65R16 | | BSW | 6.0 | 5.5-7.5 | 51 | 1,521 | 26.3 | 8.7 | 6.1 | 8.5 | 788 | 19.8 | 680/A/A |
| 1025088 | 215/55R16 | XL | 97H | 7.0 | 6.0-7.5 | 50 | 1,609 | 25.1 | 9.2 | 6.7 | 8.5 | 827 | 21.4 | 680/A/A |
| 1021496 | 215/60R16 | | BSW | 6.5 | 6.0-7.5 | 51 | 1,521 | 26.1 | 9.3 | 6.8 | 8.5 | 797 | 20.7 | 680/A/A |
| 1022048 | 215/65R16 | | BSW | 6.5 | 6.0-7.5 | 51 | 1,653 | 26.9 | 8.8 | 6.5 | 8.5 | 772 | 22.1 | 680/A/A |
| 1021504 | 215/70R16 | | BSW | 6.5 | 5.5-7.0 | 51 | 1,764 | 27.8 | 8.9 | 6.1 | 8.5 | 748 | 23.4 | 680/A/A |
| 1021495 | 225/60R16 | | BSW | 6.5 | 6.0-8.0 | 51 | 1,653 | 26.5 | 9.6 | 7.1 | 8.5 | 784 | 23.1 | 680/A/A |
| 1025089 | 225/65R16 | | BSW | 6.5 | 6.0-8.0 | 51 | 1,764 | 27.4 | 9.1 | 6.7 | 8.5 | 759 | 23.6 | 680/A/A |
| 1021506 | 225/70R16 | | BSW | 6.5 | 6.0-7.5 | 51 | 1,929 | 28.3 | 9.1 | 6.4 | 8.5 | 734 | 24.8 | 680/A/A |
| 1021501 | 235/60R16 | | BSW | 7.0 | 6.5-8.5 | 51 | 1,764 | 27.0 | 9.9 | 7.4 | 8.5 | 770 | 24.7 | 680/A/A |
| 1021499 | 235/65R16 | | BSW | 7.0 | 6.5-8.5 | 51 | 1,929 | 27.9 | 9.7 | 7.0 | 8.5 | 744 | 25.5 | 680/A/A |
| 17 | | | | | | | | | | | | | | |
| 1021508 | 215/50R17 | | BSW | 7.0 | 6.0-7.5 | 51 | 1,356 | 25.4 | 9.4 | 6.8 | 8.5 | 818 | 19.3 | 680/A/A |
| 1021509 | 215/55R17 | | BSW | 7.0 | 6.0-7.5 | 51 | 1,477 | 26.2 | 9.3 | 6.8 | 8.5 | 793 | 20.6 | 680/A/A |
| 1021502 | 215/60R17 | | BSW | 6.5 | 6.0-7.5 | 51 | 1,565 | 27.1 | 9.3 | 6.8 | 8.5 | 768 | 23.0 | 680/A/A |
| 1021505 | 215/65R17 | | BSW | 6.5 | 6.0-7.5 | 51 | 1,709 | 27.9 | 9.0 | 6.5 | 8.5 | 744 | 23.3 | 680/A/A |
| 1025090 | 225/45R17 | | BSW | 7.5 | 7.0-8.5 | 51 | 1,356 | 24.8 | 9.2 | 7.4 | 8.5 | 837 | 18.9 | 680/A/A |
| 1021511 | 225/50R17 | | BSW | 7.0 | 6.0-8.0 | 51 | 1,477 | 25.8 | 9.8 | 7.1 | 8.5 | 805 | 20.6 | 680/A/A |
| 1025091 | 225/55R17 | | BSW | 7.0 | 6.0-8.0 | 51 | 1,609 | 26.6 | 9.6 | 7.5 | 8.5 | 780 | 23.5 | 680/A/A |
| 1021497 | 225/60R17 | | BSW | 6.5 | 6.0-8.0 | 51 | 1,709 | 27.5 | 9.6 | 7.1 | 8.5 | 754 | 24.4 | 680/A/A |
| 1021507 | 225/65R17 | | BSW | 6.5 | 6.0-8.0 | 51 | 1,874 | 28.4 | 9.4 | 6.7 | 8.5 | 731 | 24.7 | 680/A/A |
| 1025092 | 235/55R17 | | BSW | 7.5 | 6.5-8.5 | 51 | 1,709 | 27.0 | 10.1 | 7.4 | 8.5 | 769 | 24.8 | 680/A/A |
| 1025093 | 235/60R17 | | BSW | 7.0 | 6.5-8.5 | 51 | 1,874 | 28.0 | 9.6 | 7.4 | 8.5 | 742 | 25.1 | 680/A/A |
| 1021510 | 235/65R17 | | BSW | 7.0 | 6.5-8.5 | 51 | 1,984 | 28.9 | 9.7 | 7.0 | 8.5 | 718 | 26.5 | 680/A/A |
| 1025094 | 245/45R17 | XL | 99H | 8.0 | 7.5-9.0 | 50 | 1,709 | 25.5 | 9.9 | 8.1 | 8.5 | 814 | 22.8 | 680/A/A |
| 18 | | | | | | | | | | | | | | |
| 1025095 | 225/50R18 | XL | 99T | 7.0 | 6.0-8.0 | 50 | 1,709 | 26.8 | 9.5 | 7.0 | 8.5 | 776 | 23.4 | 680/A/A |
| 1025096 | 225/55R18 | | BSW | 7.0 | 6.0-8.0 | 51 | 1,653 | 27.6 | 9.6 | 7.5 | 8.5 | 752 | 24.8 | 680/A/A |
| 1025097 | 225/60R18 | | BSW | 6.5 | 6.0-8.0 | 51 | 1,764 | 28.5 | 9.3 | 7.8 | 8.5 | 729 | 25.6 | 680/A/A |
| 1025098 | 235/55R18 | | BSW | 7.5 | 6.5-8.5 | 51 | 1,764 | 28.0 | 10.1 | 7.4 | 8.5 | 741 | 25.7 | 680/A/A |
| 1025099 | 235/60R18 | XL | 107H | 7.0 | 6.5-8.5 | 50 | 2,149 | 29.0 | 9.6 | 7.4 | 8.5 | 717 | 28.0 | 680/A/A |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Passenger

SUV / Light Truck

Commercial Van/Special Trailer

Winter

EV

Original Equipment



SUV / Light Truck Tire

Whatever you drive,
Hankook Tire has the solution.

TIRE

RA33, RA33D, RH12, RF12, RF11, RC10, RT05

NOTES

T/T : Tube Type

T/L : Tubeless Type

❄️ : Snow Tire

❄️ 🌞 ❄️ : All Season Tire

This List cancels all previous lists and is subject to change without prior notice



Dynapro HP2



High-Performance tire for luxury CUVs & SUVs



Technology Icons



Performance Icons



High-Performance all-season tire for luxury SUVs.

A high-performance tire for premium SUVs. The Dynapro HP2 meets all the conditions required for premium SUVs including excellent wet performance, low noise, low rolling resistance and excellent mileage.

Technical profile

Speed Symbol : H, V
Tread width : 215-285
Series : 40~70
Rim Diameter : 16~22



* RE Only



Dynapro HP2 / RA33

| S-Code | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/ Mile | Weight | UTQG | OE Application | Tech |
|---------------------------------|------------|---------|----------|---------------|-----------------|-----------|-------|------------------|---------------|-------------|-------------|------------|--------|---------|--|------|
| | | | | | | psi | lbs | | | | | | | | | |
| 16 | | | | | | | | | | | | | | | | |
| 1014141 | 215/70R16 | 100H | BSW | 6.5 | 5.5-7.0 | 51 | 1,764 | 27.8 | 8.7 | 6.8 | 10.5 | 747 | 26.9 | 640/A/A | | |
| 1014139 | 225/70R16 | 103H | BSW | 6.5 | 6.0-7.5 | 51 | 1,929 | 28.4 | 9.0 | 7.1 | 10.5 | 732 | 28.2 | 640/A/A | | |
| 1014142 | 235/60R16 | 100H | BSW | 7.0 | 6.5-8.5 | 51 | 1,764 | 26.9 | 9.8 | 7.4 | 10.5 | 771 | 27.7 | 640/A/A | | |
| 1021437 | 235/70R16 | 106H | BSW | 7.0 | 6.0-8.0 | 51 | 2,094 | 28.8 | 10.0 | 7.4 | 10.5 | 720 | 30.0 | 640/A/A | | |
| 1014586 | 245/70R16 | XL 111H | BSW | 7.0 | 6.5-8.0 | 50 | 2,403 | 29.5 | 9.6 | 7.7 | 10.5 | 705 | 31.8 | 640/A/A | | |
| 1014138 | 255/65R16 | 109H | BSW | 7.5 | 7.0-9.0 | 51 | 2,271 | 28.9 | 10.2 | 8.0 | 10.5 | 719 | 30.9 | 640/A/A | | |
| 17 | | | | | | | | | | | | | | | | |
| 1014145 | 225/65R17 | 102H | BSW | 6.5 | 6.0-8.0 | 51 | 1,874 | 28.6 | 9.4 | 7.1 | 10.5 | 727 | 29.9 | 640/A/A | | |
| 1014144 | 235/60R17 | 102V | BSW | 7.0 | 6.5-8.5 | 51 | 1,873 | 28.2 | 9.8 | 7.4 | 10.0 | 738 | 29.4 | 640/A/A | | |
| 1021940 | 235/65R17 | 104H | BSW | 7.0 | 6.5-8.5 | 51 | 1,984 | 29.0 | 9.5 | 7.2 | 10.0 | 717 | 28.5 | 540/A/A | HYUNDAI Santa Fe ('18-'24), KIA Sorento ('15-'21) Sedona ('14-'21) | |
| 1024124 | 235/65R17 | 104H | BSW | 7.0 | 6.5-8.5 | 51 | 1,984 | 29.0 | 9.2 | 7.1 | 9.5 | 716 | 28.4 | 540/A/A | KIA Sedona ('20-'26) | |
| 1014585 | 245/65R17 | XL 111H | BSW | 7.0 | 7.0-8.5 | 50 | 2,403 | 29.5 | 10.2 | 7.7 | 10.5 | 704 | 33.3 | 640/A/A | | |
| 1014150 | 255/60R17 | 106V | BSW | 7.5 | 7.0-9.0 | 51 | 2,094 | 28.9 | 10.6 | 8.0 | 10.0 | 718 | 32.1 | 640/A/A | | |
| 1028028 | 235/65R17 | 104H | BSW | 7.0 | 6.5-8.5 | 51 | 1,984 | 29.0 | 9.1 | 7.2 | 9.0 | 715 | 26.9 | 540/A/A | KIA Sportage ('21-'26) | |
| 18 | | | | | | | | | | | | | | | | |
| 1015261 | 235/50R18 | 97V | BSW | 7.5 | 6.5-8.5 | 51 | 1,609 | 27.2 | 10.6 | 7.8 | 10.0 | 764 | 27.0 | 640/A/A | | |
| 1015262 | 235/55R18 | 100V | BSW | 7.5 | 6.5-8.5 | 51 | 1,764 | 28.1 | 10.1 | 7.8 | 10.0 | 738 | 29.3 | 640/A/A | | |
| 1011758 | 235/60R18 | 103H | BSW | 7.0 | 6.5-8.5 | 51 | 1,929 | 29.0 | 9.6 | 7.3 | 10.5 | 716 | 29.4 | 540/A/A | KIA Sedona ('14-'20) | |
| 1020206 | 235/60R18 | 103H | BSW | 7.0 | 6.5-8.5 | 51 | 1,929 | 29.1 | 9.7 | 7.5 | 10.0 | 714 | 29.2 | 540/A/A | HYUNDAI Santa Fe ('18-'24) | |
| 1025244 | 235/60R18 | 103H | BSW | 7.0 | 6.5-8.5 | 51 | 1,929 | 29.2 | 9.9 | 6.9 | 8.0 | 711 | 25.0 | 440/A/A | NISSAN Rogue ('20-'25) | |
| 1025144 | 235/60R18 | 103H | BSW | 7.0 | 6.5-8.5 | 51 | 1,929 | 29.1 | 9.6 | 7.5 | 9.5 | 715 | 29.1 | 540/A/A | HYUNDAI Santa Fe ('20-'24) | |
| 1014129 | 235/60R18 | XL 107V | BSW | 7.0 | 6.5-8.5 | 50 | 2,149 | 29.2 | 9.8 | 7.4 | 10.5 | 712 | 31.0 | 640/A/A | | |
| 1015263 | 235/65R18 | 106H | BSW | 7.0 | 6.5-8.5 | 51 | 2,094 | 29.9 | 9.7 | 7.4 | 10.5 | 694 | 31.3 | 640/A/A | | |
| 1014133 | 245/60R18 | 105H | BSW | 7.0 | 7.0-8.5 | 51 | 2,039 | 29.5 | 10.2 | 7.7 | 10.0 | 705 | 31.9 | 640/A/A | | |
| 1015264 | 255/55R18 | XL 109V | BSW | 8.0 | 7.0-9.0 | 50 | 2,271 | 28.9 | 10.9 | 8.4 | 10.0 | 718 | 32.5 | 640/A/A | | |
| 1015303 | 255/60R18 | XL 112V | BSW | 7.5 | 7.0-9.0 | 50 | 2,469 | 29.9 | 10.6 | 8.0 | 10.5 | 694 | 34.6 | 640/A/A | | |
| 1015266 | 265/60R18 | 110V | BSW | 8.0 | 7.5-9.5 | 51 | 2,337 | 30.4 | 11.0 | 8.3 | 10.5 | 682 | 36.3 | 640/A/A | | |
| 1015304 | 275/60R18 | 113H | BSW | 8.0 | 7.5-9.5 | 51 | 2,535 | 30.9 | 11.3 | 8.7 | 10.5 | 672 | 38.3 | 640/A/A | | |
| 1015267 | 275/65R18 | 116H | BSW | 8.0 | 7.5-9.5 | 51 | 2,756 | 32.0 | 11.0 | 8.7 | 10.5 | 649 | 38.9 | 640/A/A | | |
| 1015268 | 285/60R18 | 116V | BSW | 8.5 | 8.0-10.0 | 51 | 2,756 | 31.4 | 11.8 | 9.0 | 10.5 | 662 | 39.2 | 640/A/A | | |
| 1015265 | P255/65R18 | 109H | BSW | 7.5 | 7.0-9.0 | 51 | 2,271 | 31.1 | 10.2 | 8.0 | 10.5 | 667 | 35.2 | 640/A/A | | |
| 19 | | | | | | | | | | | | | | | | |
| 1021561 | 235/45R19 | 95V | BSW | 8.0 | 7.5-9.0 | 51 | 1,521 | 27.3 | 9.6 | 7.8 | 10.0 | 761 | 27.2 | 640/A/A | | |
| 1015269 | 235/50R19 | 99V | BSW | 7.5 | 6.5-8.5 | 51 | 1,709 | 28.2 | 10.6 | 7.8 | 10.0 | 737 | 29.3 | 640/A/A | | |
| 1020207 | 235/55R19 | 101H | BSW | 7.5 | 6.5-8.5 | 51 | 1,819 | 29.1 | 9.7 | 7.5 | 10.0 | 714 | 30.1 | 540/A/A | HYUNDAI Santa Fe ('18-'20) | |
| 1015053 | 235/55R19 | 101V | BSW | 7.5 | 6.5-8.5 | 50 | 1,819 | 29.1 | 10.1 | 7.8 | 10.0 | 713 | 30.5 | 540/A/A | KIA Sorento ('14-'19) | |
| 1025145 | 235/55R19 | 101H | BSW | 7.5 | 6.5-8.5 | 51 | 1,819 | 28.8 | 10.2 | 7.9 | 9.5 | 720 | 29.8 | 540/A/A | HYUNDAI Santa Fe ('20-'24) | |
| 1015271 | 245/55R19 | 103H | BSW | 7.5 | 7.0-8.5 | 51 | 1,929 | 29.5 | 10.4 | 8.1 | 10.0 | 704 | 31.5 | 640/A/A | | |
| 1015272 | 255/50R19 | XL 107H | BSW | 8.0 | 7.0-9.0 | 50 | 2,150 | 29.0 | 10.8 | 8.4 | 10.0 | 716 | 32.0 | 640/A/A | | |
| 1015396 | 255/55R19 | XL 111V | BSW | 8.0 | 7.0-9.0 | 50 | 2,403 | 29.9 | 10.9 | 8.4 | 10.0 | 694 | 34.0 | 640/A/A | | |
| 1021560 | 275/55R19 | 111V | BSW | 8.5 | 7.5-9.5 | 51 | 2,403 | 30.8 | 11.6 | 9.1 | 10.0 | 675 | 38.3 | 640/A/A | | |
| 1015273 | P255/60R19 | 108H | BSW | 7.5 | 7.0-9.0 | 51 | 2,205 | 30.9 | 10.6 | 8.0 | 10.5 | 671 | 36.1 | 640/A/A | | |
| 1028034 | 235/55R19 | 101H | BSW | 7.5 | 6.5-8.5 | 51 | 1,819 | 28.8 | 10.2 | 8.0 | 9.0 | 720 | 29.5 | 540/A/A | KIA Sportage ('21-'26) | |
| 20 | | | | | | | | | | | | | | | | |
| 1015274 | 235/55R20 | 102H | BSW | 7.5 | 6.5-8.5 | 51 | 1,874 | 30.1 | 10.1 | 7.8 | 10.0 | 689 | 32.3 | 640/A/A | | |
| 1015275 | 245/50R20 | 102V | BSW | 7.5 | 7.0-8.5 | 51 | 1,874 | 29.6 | 10.7 | 8.1 | 10.0 | 702 | 31.9 | 640/A/A | | |
| 1025265 | 255/50R20 | 105H | BSW | 8.0 | 7.0-9.0 | 51 | 2,039 | 30.1 | 11.0 | 8.2 | 9.0 | 691 | 31.1 | 460/A/A | NISSAN Pathfinder ('21-'26) | |
| 1015276 | 255/50R20 | XL 109V | BSW | 8.0 | 7.0-9.0 | 50 | 2,271 | 30.0 | 10.8 | 8.4 | 10.0 | 692 | 34.4 | 640/A/A | | |
| 1021562 | 265/45R20 | XL 108V | BSW | 9.0 | 8.5-10.0 | 50 | 2,205 | 29.2 | 10.8 | 8.7 | 10.0 | 711 | 34.1 | 640/A/A | | |
| 1015277 | 265/50R20 | 107V | BSW | 8.5 | 7.5-9.5 | 51 | 2,150 | 30.4 | 9.5 | 8.7 | 10.0 | 684 | 35.8 | 640/A/A | | |
| 1021564 | 275/55R20 | XL 117V | BSW | 8.5 | 7.5-9.5 | 50 | 2,833 | 31.8 | 11.6 | 9.1 | 10.0 | 654 | 40.1 | 640/A/A | | |
| 1015278 | 275/60R20 | 115H | BSW | 8.0 | 7.5-9.5 | 51 | 2,679 | 33.0 | 11.3 | 8.7 | 10.5 | 630 | 40.8 | 640/A/A | | |
| 1015279 | 285/50R20 | 112V | BSW | 9.0 | 8.0-10.0 | 51 | 2,469 | 31.2 | 12.1 | 9.4 | 10.0 | 667 | 40.2 | 640/A/A | | |
| 1015302 | P255/55R20 | 107H | BSW | 8.0 | 7.0-9.0 | 51 | 2,149 | 30.9 | 10.9 | 8.4 | 10.5 | 672 | 34.6 | 640/A/A | | |
| 22 | | | | | | | | | | | | | | | | |
| 1025931 | 275/50R22 | 111H | BSW | 8.5 | 7.5-9.5 | 51 | 2,403 | 32.8 | 11.7 | 9.1 | 10.0 | 634 | 41.0 | 640/A/A | | |
| Dynapro HP2 Plus / RA33D | | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | | |
| 1023844 | 275/50R20 | XL 113H | BSW | 8.5 | 7.5-9.5 | 50 | 2,535 | 30.8 | 12.1 | 9.4 | 10.0 | 675 | 41.1 | 560/A/A | AUDI Q8 ('18-'24) | |
| 21 | | | | | | | | | | | | | | | | |
| 1027408 | 265/45R21 | XL 108H | BSW | 9.5 | 8.5-10.0 | 50 | 2,205 | 30.4 | 11.0 | 9.0 | 9.5 | 684 | 32.9 | 540/A/A | AUDI e-tron ('18-'24) | |
| 1023846 | 285/45R21 | XL 113H | BSW | 9.5 | 9.0-10.5 | 50 | 2,535 | 31.0 | 12.1 | 9.7 | 10.0 | 670 | 41.1 | 560/A/A | AUDI Q8 ('18-'20) | SOA |
| 22 | | | | | | | | | | | | | | | | |
| 1023847 | 285/40R22 | XL 110H | BSW | 10.0 | 9.5-11.0 | 50 | 2,337 | 31.2 | 11.7 | 9.8 | 10.0 | 666 | 41.6 | 560/A/A | AUDI Q8 ('18-'20) | SOA |
| 1021938 | 285/40R22 | XL 110H | BSW | 10.0 | 9.5-11.0 | 50 | 2,337 | 31.2 | 11.7 | 9.8 | 10.0 | 666 | 40.7 | 560/A/A | AUDI Q8 ('18-'24) | |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters


Mileage, Road Hazard, and 30 Day Free Trial warranties apply only to replacement tires. Original Equipment tires are excluded.

Dynapro HT


Premium Highway All-Season Performance for Light Trucks, Vans & Sport Utility Vehicles



Technology icons




Performance icons



Combining all-season functionality with performance for highway driving.

A sport truck and SUV tire that provides a smooth, powerful ride, the Dynapro HT provides greater mileage through specialized treadwear. Excellent snow traction makes driving possible on winter roads while low-rolling resistance offers excellent fuel economy.



Technical profile

Speed Symbol : H, V
Tread width : 175-285
Series : 45~85
Rim Diameter : 15~22



Dynapro HT / RH12

| S-Code | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/Mile | Weight | UTQG | OE Application | Tech |
|-----------|------------|---------|----------|---------------|-----------------|-----------|-------|------------------|---------------|-------------|-------------|-----------|--------|---------|--|------|
| | | | | | | psi | lbs | | | | | | | | | |
| 15 | | | | | | | | | | | | | | | | |
| 1024789 | P205/65R15 | XL 95T | BSW | 6.0 | 5.5-7.5 | 50 | 1,521 | 25.3 | 8.4 | 6.5 | 12.5 | 821 | 24.5 | 700/A/B | | |
| 1011330 | P235/75R15 | XL 108T | OWL | 6.5 | 6.0-8.0 | 41 | 2,183 | 28.8 | 9.3 | 6.9 | 12.0 | 721 | 31.5 | 700/A/B | | |
| 16 | | | | | | | | | | | | | | | | |
| 1024796 | 215/55R16H | XL 97H | BSW | 7.0 | 6.0-7.5 | 50 | 1,609 | 25.1 | 9.1 | 6.8 | 12.5 | 827 | 24.5 | 700/A/B | | |
| 1021744 | 255/70R16 | 111T | BSW | 7.5 | 6.5-8.5 | 51 | 2,403 | 29.9 | 9.8 | 6.8 | 10.0 | 695 | 30.4 | 500/B/A | FORD Ranger XL ('18-'21) | |
| 1011332 | P215/70R16 | 99T | BSW | 6.5 | 5.5-7.0 | 51 | 1,709 | 27.9 | 8.7 | 6.6 | 12.0 | 744 | 26.8 | 700/A/B | | |
| 1013909 | P225/70R16 | 101T | BSW | 6.5 | 6.0-7.5 | 51 | 1,819 | 28.5 | 9.1 | 6.9 | 12.0 | 729 | 29.1 | 700/A/B | | |
| 1013911 | P225/75R16 | 104T | BSW | 6.0 | 6.0-7.5 | 51 | 1,984 | 29.3 | 8.9 | 6.7 | 12.0 | 710 | 29.6 | 700/A/B | | |
| 1011334 | P235/70R16 | XL 107T | OWL | 7.0 | 6.0-8.0 | 41 | 2,149 | 29.0 | 9.5 | 7.2 | 12.0 | 716 | 32.4 | 700/A/B | | |
| 1011339 | P235/75R16 | XL 109T | OWL | 6.5 | 6.0-8.0 | 41 | 2,271 | 29.8 | 9.3 | 6.9 | 12.0 | 697 | 33.1 | 700/A/B | | |
| 1011335 | P245/70R16 | 106T | OWL | 7.0 | 6.5-8.0 | 51 | 2,094 | 29.6 | 9.9 | 7.5 | 12.0 | 702 | 33.6 | 700/A/B | | |
| 1011340 | P245/75R16 | 109T | OWL | 7.0 | 6.5-8.0 | 51 | 2,271 | 30.4 | 9.8 | 7.2 | 12.0 | 682 | 34.3 | 700/A/B | | |
| 1015220 | P245/75R16 | 109S | BSW | 7.0 | 6.5-8.0 | 51 | 2,271 | 30.4 | 9.6 | 6.9 | 10.5 | 682 | 31.4 | 500/B/B | TOYOTA Tacoma ('15-'21) | |
| 1011336 | P255/70R16 | 109T | OWL | 7.5 | 6.5-8.5 | 51 | 2,271 | 30.1 | 10.3 | 7.8 | 12.5 | 689 | 34.8 | 700/A/B | | |
| 1011337 | P265/70R16 | 111T | OWL | 8.0 | 7.0-9.0 | 51 | 2,403 | 30.7 | 10.7 | 8.1 | 12.5 | 677 | 37.9 | 700/A/B | | |
| 1017446 | P265/70R16 | 111T | BSW | 8.0 | 7.0-9.0 | 51 | 2,403 | 30.6 | 10.8 | 8.1 | 10.0 | 680 | 34.2 | 700/B/A | NISSAN Frontier ('21-'25) | |
| 1011341 | P265/75R16 | 114T | OWL | 7.5 | 7.0-9.0 | 51 | 2,601 | 31.6 | 10.6 | 7.9 | 12.5 | 657 | 37.7 | 700/A/B | | |
| 17 | | | | | | | | | | | | | | | | |
| 1014070 | 225/65R17 | 102H | BSW | 6.5 | 6.0-8.0 | 51 | 1,874 | 28.5 | 9.3 | 6.8 | 10.0 | 708 | 26.8 | 380/A/A | NISSAN Rogue ('13-'20) | |
| 1023527 | 225/65R17 | 102H | BSW | 6.5 | 6.0-8.0 | 51 | 1,874 | 28.4 | 9.3 | 6.8 | 10.0 | 731 | 27.3 | 380/A/A | NISSAN Rogue ('17-'20) | SOA |
| 1025932 | 235/75R17 | 109T | BSW | 6.5 | 6.0-8.0 | 51 | 2,271 | 30.8 | 9.2 | 6.9 | 12.5 | 655 | 33.8 | 700/A/B | | |
| 1012468 | P235/70R17 | XL 108T | BSW | 7.0 | 6.0-8.0 | 50 | 2,205 | 30.0 | 9.5 | 7.2 | 12.0 | 691 | 32.9 | 700/A/B | | |
| 1013912 | P245/65R17 | 105T | BSW | 7.0 | 7.0-8.5 | 51 | 2,039 | 29.6 | 10.3 | 7.7 | 12.0 | 702 | 32.2 | 700/A/B | | |
| 1011345 | P245/70R17 | 108T | OWL | 7.0 | 6.5-8.0 | 51 | 2,205 | 30.6 | 9.9 | 7.5 | 12.0 | 679 | 34.4 | 700/A/B | | |
| 1011343 | P255/65R17 | 108T | OWL | 7.5 | 7.0-9.0 | 51 | 2,205 | 30.1 | 10.7 | 8.0 | 12.0 | 689 | 34.5 | 700/A/B | | |
| 1011346 | P255/70R17 | 110T | OWL | 7.5 | 6.5-8.5 | 51 | 2,337 | 31.2 | 10.3 | 7.8 | 12.5 | 667 | 37.0 | 700/A/B | | |
| 1011344 | P265/65R17 | 110T | BSW | 8.0 | 7.5-9.5 | 51 | 2,337 | 30.6 | 11.1 | 8.3 | 12.0 | 679 | 38.0 | 700/A/B | | |
| 1011347 | P265/70R17 | 113T | OWL | 8.0 | 7.0-9.0 | 51 | 2,535 | 31.7 | 10.7 | 8.1 | 12.5 | 655 | 40.1 | 700/A/B | | |
| 18 | | | | | | | | | | | | | | | | |
| 1013169 | 265/60R18 | 110T | BSW | 8.0 | 7.5-9.5 | 51 | 2,337 | 30.6 | 10.6 | 7.9 | 12.0 | 680 | 34.3 | 700/B/A | FORD F-150 ('14-'21) | |
| 1024246 | 265/60R18 | 110T | BSW | 8.0 | 7.5-9.5 | 51 | 2,337 | 30.4 | 10.7 | 7.7 | 10.0 | 682 | 34.3 | 600/A/B | FORD F-150 ('20-'25) | |
| 1016508 | 275/65R18 | 116H | BSW | 8.0 | 7.5-9.5 | 51 | 2,756 | 32.1 | 11.0 | 8.2 | 11.0 | 647 | 39.5 | 700/B/A | FORD Expedition ('17-'22), LINCOLN Navigator ('17-'22) | |
| 1011350 | P255/70R18 | 112T | BSW | 7.5 | 6.5-8.5 | 51 | 2,469 | 32.1 | 10.3 | 7.8 | 12.5 | 647 | 38.4 | 700/A/B | | |
| 1017448 | P265/60R18 | 109T | BSW | 8.0 | 7.5-9.5 | 51 | 2,271 | 30.5 | 11.3 | 8.5 | 12.0 | 680 | 34.5 | 700/A/B | NISSAN Frontier ('15-'19) | |
| 1013843 | P265/65R18 | 112T | BSW | 8.0 | 7.5-9.5 | 51 | 2,469 | 31.6 | 11.1 | 8.3 | 12.0 | 658 | 39.8 | 700/A/B | | |
| 1011351 | P265/70R18 | 114T | BSW | 8.0 | 7.0-9.0 | 51 | 2,601 | 32.7 | 10.7 | 8.1 | 12.5 | 636 | 40.8 | 700/A/B | | |
| 1011349 | P275/65R18 | 114T | BSW | 8.0 | 7.5-9.5 | 51 | 2,601 | 32.1 | 11.5 | 8.7 | 12.5 | 647 | 40.5 | 700/A/B | | |
| 20 | | | | | | | | | | | | | | | | |
| 1013171 | 275/55R20 | 113T | BSW | 8.5 | 7.5-9.5 | 51 | 2,535 | 32.0 | 11.5 | 8.9 | 11.0 | 649 | 40.7 | 700/A/B | FORD Expedition('14-'17), LINCOLN Navigator('14-'17) | |
| 1012466 | P275/55R20 | 111H | BSW | 8.5 | 7.5-9.5 | 51 | 2,403 | 31.9 | 11.7 | 9.1 | 12.5 | 651 | 40.4 | 700/A/B | | |
| 1013844 | P275/60R20 | 114T | BSW | 8.0 | 7.5-9.5 | 51 | 2,601 | 33.0 | 11.7 | 8.9 | 12.5 | 629 | 42.0 | 700/A/B | RAM 1500 ('16-) | |
| 22 | | | | | | | | | | | | | | | | |
| 1016510 | 285/45R22 | XL 114H | BSW | 9.5 | 9.0-10.5 | 50 | 2,601 | 32.3 | 11.4 | 9.1 | 11.0 | 643 | 39.5 | 700/A/A | FORD Expedition('17-'22), LINCOLN Navigator('17-'22) | |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters
 Mileage, Road Hazard, and 30 Day Free Trial warranties apply only to replacement tires. Original Equipment tires are excluded.

Tech : Hankook Innovative Technology HRS : Hankook Runflat System SOA : Sound Absorber SEG : Sealguard

Dynapro HT

Premium Highway All-Season Performance for Light Trucks, Vans & Sport Utility Vehicles

Computer Generated Symmetric Pattern Resists Irregular Wear

Better handling and noise performance by way of center rib block and multi kerf design.

High Stiffness center Block

Steering Response improvement



Button and Semi Solid Ribs

Button elements sized for good snow and wet traction, yet interlocking geometry maintains rib stiffness for handling.



Snow kerf

Allows for improved All-season performance.

Multi-Depth Lateral Lugs

Provide improved performance in wet and snow conditions throughout the whole tread life.

4 Straight Groove Channels

Ideally arranged channels provide sure-footed performance in both wet and dry conditions.



| S-Code | Size | LI/SS | Sidewall | Ply Rating | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/Mile | Weight | OE Application |
|-----------|-------------|----------|----------|------------|---------------|-----------------|-----------|------------------------|------------------|---------------|-------------|-------------|-----------|--------|--|
| | | | | | | | psi | lbs | | | | | | | |
| 15 | | | | | | | | | | | | | | | |
| 2021133 | 185/60R15C | 94/92T | BSW | 6(C) | 5.5 | 5.5-6.0 | 54 | (S) 1,475 (D) 1,390 | 23.7 | 7.7 | 6.1 | 14.0 | 884 | 24.1 | |
| 2002008 | LT235/75R15 | 104/101Q | OWL | 6(C) | 6.5 | 6.0-8.0 | 50 | (S) 1,985 (D) 1,820 | 28.8 | 9.2 | 6.9 | 14.5 | 726 | 37.1 | |
| 16 | | | | | | | | | | | | | | | |
| 2021454 | LT245/75R16 | 120/116R | BSW | 4(B) | 7.0 | 6.5-8.0 | 80 | (S) 3,042 (D) 2,778 | 30.3 | 9.9 | 7.4 | 13.5 | 689 | 41.3 | FORD E250, E350 ('21-~) |
| 2001864 | 195/75R16C | 107/105R | BSW | 8(D) | 5.5 | 5.0-6.0 | 70 | (S) 2,150 (D) 2,040 | 27.5 | 7.9 | 6.1 | 12.5 | 761 | 32.6 | FORD Transit 150/250/350 ('14-'19) |
| 2020826 | 205/75R16C | 113/111R | BSW | 10(E) | 5.5 | 5.5-6.5 | 76 | (S) 2,535 (D) 2,403 | 27.9 | 8.2 | 6.5 | 11.5 | 750 | 34.2 | FORD Transit 150/250/350 ('19-) |
| 2001863 | 235/65R16C | 121/119R | BSW | 10(E) | 7.0 | 6.5-7.5 | 85 | (S) 3,195 (D) 3,000 | 28.0 | 9.4 | 7.5 | 12.5 | 746 | 40.4 | FORD Transit 150/250/350 ('14-'19) |
| 2001832 | LT215/85R16 | 115/112Q | BSW | 10(E) | 6.0 | 5.5-7.0 | 80 | (S) 2,680 (D) 2,470 | 30.3 | 8.2 | 6.1 | 14.5 | 689 | 39.6 | |
| 2001831 | LT225/75R16 | 115/112S | BSW | 10(E) | 6.0 | 6.0-7.5 | 80 | (S) 2,680 (D) 2,470 | 29.2 | 8.8 | 6.7 | 14.5 | 715 | 39.9 | FORD Econoline E250/E350 ('17-'19) |
| 2001811 | LT235/85R16 | 120/116Q | BSW | 10(E) | 6.5 | 6.0-7.5 | 80 | (S) 3,042 (D) 2,778 | 31.7 | 9.1 | 6.7 | 14.5 | 660 | 43.7 | |
| 2001614 | LT245/75R16 | 120/116S | BSW | 10(E) | 7.0 | 6.5-8.0 | 80 | (S) 3,042 (D) 2,778 | 30.4 | 9.5 | 7.2 | 14.5 | 687 | 43.1 | |
| 2001812 | LT265/75R16 | 123/120S | BSW | 10(E) | 7.5 | 7.0-9.0 | 80 | (S) 3,415 (D) 3,085 | 31.6 | 10.5 | 7.8 | 14.5 | 661 | 47.4 | |
| 17 | | | | | | | | | | | | | | | |
| 2021485 | LT245/70R17 | 119/116S | BSW | 8(D) | 7.0 | 6.5-8.0 | 80 | (S) 3,000 (D) 2,755 | 30.5 | 9.8 | 7.5 | 14.0 | 686 | 40.7 | RIVIAN Electric Delivery Van ('21-'25) |
| 2001835 | LT235/80R17 | 120/117R | BSW | 10(E) | 6.5 | 6.0-8.0 | 80 | (S) 3,085 (D) 2,835 | 31.7 | 9.0 | 7.2 | 14.5 | 659 | 45.5 | |
| 2001833 | LT245/70R17 | 119/116S | BSW | 10(E) | 7.0 | 6.5-8.0 | 80 | (S) 3,000 (D) 2,755 | 30.5 | 9.8 | 7.5 | 14.5 | 686 | 43.8 | |
| 2001834 | LT245/75R17 | 121/118S | BSW | 10(E) | 7.0 | 6.5-8.0 | 80 | (S) 3,195 (D) 2,910 | 31.4 | 9.6 | 7.2 | 14.5 | 665 | 46.0 | |
| 2001848 | LT265/70R17 | 121/118S | BSW | 10(E) | 8.0 | 7.0-9.0 | 80 | (S) 3,195 (D) 2,910 | 31.6 | 10.6 | 8.1 | 14.5 | 662 | 48.0 | |
| 2021230 | LT285/70R17 | 121/118S | BSW | 10(E) | 8.5 | 7.5-9.5 | 80 | (S) 3,195 (D) 2,910 | 32.7 | 11.4 | 8.4 | 14.5 | 639 | 57.9 | |
| 18 | | | | | | | | | | | | | | | |
| 2021229 | LT265/70R18 | 124/121S | BSW | 10(E) | 8.0 | 7.0-9.0 | 80 | (S) 3,525 (D) 3,195 | 32.5 | 10.7 | 7.8 | 15.0 | 643 | 49.6 | |
| 2021227 | LT275/65R18 | 123/120S | BSW | 10(E) | 8.0 | 8.0-9.5 | 80 | (S) 3,415 (D) 3,085 | 32.1 | 11.0 | 8.1 | 16.5 | 652 | 57.7 | |
| 2021226 | LT275/70R18 | 128/125S | BSW | 10(E) | 8.0 | 7.0-9.0 | 80 | (S) 3,640 (D) 3,305 | 33.2 | 11.0 | 8.1 | 15.0 | 630 | 60.2 | |
| 20 | | | | | | | | | | | | | | | |
| 2021231 | LT265/60R20 | 121/118S | BSW | 10(E) | 8.0 | 8.0-9.5 | 80 | (S) 3,195 (D) 2,910 | 32.5 | 10.7 | 7.8 | 15.0 | 643 | 51.9 | |
| 2021228 | LT275/65R20 | 126/123S | BSW | 10(E) | 8.0 | 8.0-9.5 | 80 | (S) 3,750 (D) 3,415 | 34.1 | 11.0 | 8.1 | 15.0 | 613 | 62.1 | |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters
Mileage, Road Hazard, and 30 Day Free Trial warranties apply only to replacement tires. Original Equipment tires are excluded.

Dynapro AT2 Xtreme



On and off road all-terrain for Light Truck and SUVs



Technology Icons



Performance Icons



Tough in all-terrains

The Dynapro AT2 Xtreme has been reimagined with a more aggressive shoulder design, enhanced noise reduction and longer mileage. It's aggressive high-depth sidewall blocks and cross-combined shoulder scoops enhance off-road traction and help prevent cuts and abrasions. The Dynapro AT2 Xtreme is also 3-Peak Mountain Snowflake rated and provides quiet and comfortable on-road performance.

Technical profile

Tread width : 215-315
 Series : 45-85
 Rim Diameter : 15-22
 Speed symbol : S,T



| S-Code | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/ Mile | Weight | UTQG | |
|-----------|-----------|-------|----------|---------------|-----------------|-----------|-----|------------------|---------------|-------------|-------------|------------|--------|------|---------|
| | | | | | | psi | lbs | | | | | | | | |
| 15 | | | | | | | | | | | | | | | |
| 1029781 | 235/75R15 | XL | 109T | RWL | 6.5 | 6.0-8.0 | 50 | 2,271 | 28.8 | 9.0 | 7.0 | 12.5 | 722 | 32.1 | 660/A/B |
| 16 | | | | | | | | | | | | | | | |
| * 1029808 | 215/70R16 | | 100T | RWL | 6.5 | 5.5-7.0 | 51 | 1,764 | 27.8 | 8.6 | 6.5 | 12.5 | 747 | 28.1 | 660/A/B |
| * 1029806 | 225/70R16 | | 103T | RWL | 6.5 | 6.0-7.5 | 51 | 1,929 | 28.3 | 8.9 | 6.7 | 12.5 | 733 | 29.7 | 660/A/B |
| * 1029798 | 225/75R16 | XL | 108T | RWL | 6.0 | 6.0-7.5 | 50 | 2,205 | 29.2 | 8.7 | 6.7 | 12.5 | 711 | 32.0 | 660/A/B |
| * 1029794 | 235/70R16 | XL | 109T | RWL | 7.0 | 6.0-8.0 | 50 | 2,271 | 28.9 | 9.3 | 7.0 | 12.5 | 718 | 32.5 | 660/A/B |
| * 1029795 | 235/75R16 | XL | 112T | RWL | 6.5 | 6.0-8.0 | 50 | 2,469 | 29.9 | 9.1 | 7.0 | 12.5 | 694 | 34.4 | 660/A/B |
| * 1029796 | 245/70R16 | XL | 111T | RWL | 7.0 | 6.5-8.0 | 50 | 2,403 | 29.5 | 9.7 | 7.3 | 12.5 | 704 | 35.4 | 660/A/B |
| 1029783 | 245/75R16 | | 111T | RWL | 7.0 | 6.5-8.0 | 51 | 2,403 | 30.4 | 9.6 | 7.3 | 12.5 | 682 | 36.6 | 660/A/B |
| * 1029797 | 255/70R16 | | 111T | RWL | 7.5 | 6.5-8.5 | 51 | 2,403 | 30.0 | 10.2 | 7.6 | 12.5 | 691 | 37.3 | 660/A/B |
| 1029782 | 265/70R16 | | 112T | RWL | 8.0 | 7.0-9.0 | 51 | 2,469 | 30.6 | 10.6 | 8.2 | 12.5 | 678 | 38.5 | 660/A/B |
| * 1029793 | 265/75R16 | | 116T | RWL | 7.5 | 7.0-9.0 | 51 | 2,756 | 31.5 | 10.4 | 7.9 | 12.5 | 659 | 38.6 | 660/A/B |
| 17 | | | | | | | | | | | | | | | |
| * 1031251 | 215/65R17 | | 99T | BSW | 6.5 | 6.0-7.5 | 51 | 1,709 | 28.1 | 8.6 | 6.8 | 12.5 | 740 | 28.0 | 660/A/B |
| * 1031253 | 225/60R17 | | 99H | BSW | 6.5 | 6.0-8.0 | 51 | 1,708 | 27.6 | 9.3 | 7.1 | 12.5 | 751.5 | 28.4 | 660/A/B |
| * 1029800 | 235/65R17 | | 104T | RWL | 7.0 | 6.5-8.5 | 51 | 1,984 | 29.1 | 9.6 | 7.4 | 12.5 | 714 | 32.4 | 660/A/B |
| * 1029799 | 235/75R17 | | 109T | RWL | 6.5 | 6.0-8.0 | 51 | 2,271 | 30.8 | 9.2 | 7.0 | 12.5 | 674 | 34.4 | 660/A/B |
| 1029784 | 245/65R17 | XL | 111T | RWL | 7.0 | 7.0-8.5 | 50 | 2,403 | 29.6 | 10.0 | 7.7 | 12.5 | 702 | 35.3 | 660/A/B |
| 1029786 | 245/70R17 | | 110T | RWL | 7.0 | 6.5-8.0 | 51 | 2,337 | 30.5 | 9.7 | 7.5 | 12.5 | 681 | 37.0 | 660/A/B |
| * 1029804 | 245/75R17 | | 112T | BSW | 7.0 | 6.5-8.0 | 51 | 2,469 | 31.4 | 9.6 | 7.3 | 12.5 | 661 | 37.9 | 660/A/B |
| * 1029801 | 255/65R17 | | 110T | RWL | 7.5 | 7.0-9.0 | 51 | 2,337 | 30.0 | 10.4 | 8.0 | 12.5 | 691 | 37.0 | 660/A/B |
| 1029785 | 255/70R17 | | 112T | RWL | 7.5 | 6.5-8.5 | 51 | 2,469 | 31.1 | 10.2 | 7.8 | 12.5 | 669 | 38.6 | 660/A/B |
| * 1029791 | 255/75R17 | | 115T | BSW | 7.0 | 6.5-8.5 | 51 | 2,679 | 32.0 | 10.0 | 7.6 | 12.5 | 650 | 39.0 | 660/A/B |
| 1029787 | 265/65R17 | | 112T | RWL | 8.0 | 7.0-9.0 | 51 | 2,469 | 30.5 | 10.9 | 8.3 | 12.5 | 681 | 39.3 | 660/A/B |
| 1029842 | 265/70R17 | | 115T | RWL | 8.0 | 7.0-9.0 | 51 | 2,679 | 31.6 | 10.6 | 8.2 | 12.5 | 657 | 39.6 | 660/A/B |
| 18 | | | | | | | | | | | | | | | |
| * 1029802 | 235/60R18 | | 103T | BSW | 7.0 | 6.5-8.5 | 51 | 1,929 | 29.1 | 9.9 | 7.4 | 12.5 | 715 | 32.8 | 660/A/B |
| * 1031087 | 235/65R18 | XL | 110H | RWL | 7.0 | 6.5-8.5 | 50 | 2,337 | 30.0 | 9.5 | 7.5 | 12.5 | 691 | 35.1 | 660/A/B |
| * 1029792 | 255/60R18 | | 108T | BSW | 7.5 | 7.0-9.0 | 51 | 2,205 | 30.0 | 10.8 | 8.0 | 12.5 | 693 | 35.8 | 660/A/B |
| 1029780 | 255/70R18 | | 113T | BSW | 7.5 | 6.5-8.5 | 51 | 2,535 | 32.0 | 10.2 | 7.8 | 12.5 | 648 | 39.4 | 660/A/B |
| 1029779 | 265/60R18 | XL | 114T | BSW | 8.0 | 7.5-9.5 | 50 | 2,601 | 30.4 | 11.0 | 8.3 | 12.5 | 682 | 38.9 | 660/A/B |
| 1029959 | 265/65R18 | | 114T | BSW | 8.0 | 7.5-9.5 | 51 | 2,601 | 31.5 | 10.9 | 8.3 | 12.5 | 660 | 40.1 | 660/A/B |
| * 1031247 | 265/70R18 | | 116T | BSW | 8.0 | 7.0-9.0 | 51 | 2,756 | 32.6 | 10.6 | 7.9 | 12.5 | 638 | 41.3 | 660/A/B |
| 1029958 | 275/65R18 | | 116T | BSW | 8.0 | 7.5-9.5 | 51 | 2,756 | 32.1 | 11.1 | 8.7 | 12.5 | 647 | 41.5 | 660/A/B |
| 20 | | | | | | | | | | | | | | | |
| * 1031249 | 265/50R20 | XL | 111T | BSW | 8.5 | 7.5-9.5 | 50 | 2,403 | 30.5 | 11.4 | 9.1 | 12.5 | 682 | 40.3 | 660/A/B |
| * 1031250 | 275/55R20 | | 113T | BSW | 8.5 | 7.5-9.5 | 51 | 2,535 | 31.9 | 11.5 | 9.4 | 12.5 | 652 | 41.9 | 660/A/B |
| 1029777 | 275/60R20 | | 115T | BSW | 8.0 | 7.5-9.5 | 51 | 2,679 | 32.9 | 11.4 | 8.7 | 12.5 | 631 | 43.9 | 660/A/B |
| * 1029803 | 305/50R20 | XL | 120T | BSW | 9.5 | 8.5-11.0 | 50 | 3,086 | 32.0 | 12.8 | 10.4 | 12.5 | 650 | 48.4 | 660/A/B |
| 22 | | | | | | | | | | | | | | | |
| * 1029960 | 285/45R22 | | 110T | BSW | 9.5 | 9.0-10.5 | 51 | 2,337 | 32.0 | 11.5 | 9.8 | 12.5 | 650 | 40.3 | 660/A/B |
| 1029778 | 305/45R22 | XL | 118T | BSW | 10.0 | 9.5-11.5 | 50 | 2,910 | 32.7 | 12.1 | 10.4 | 12.5 | 635 | 46.1 | 660/A/B |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

* - Sizes coming in 2022

Dynapro AT2 Xtreme

On and off road all-terrain for Light Truck and SUVs



Technology Icons



Compound



Cross block system



Zigzag traction groove

Performance Icons



Off-road traction



3PMSF



Low noise



Mileage

Wet

Dry


Snow

Ride & Comfort

Noise

Off Road Traction

Wear



Tough in all-terrains

The Dynapro AT2 Xtreme has been reimagined with a more aggressive shoulder design, enhanced noise reduction and longer mileage. It's aggressive high-depth sidewall blocks and cross-combined shoulder scoops enhance off-road traction and help prevent cuts and abrasions. The Dynapro AT2 Xtreme is also 3-Peak Mountain Snowflake rated and provides quiet and comfortable on-road performance.

Technical profile

Tread width : 215-315
Series : 45-85
Rim Diameter : 15-22
Speed symbol : S,T



| S-Code | Size | LI/SS | Sidewall | Ply Rating | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/ Mile | Weight |
|-----------|---------------|--------|----------|------------|---------------|-----------------|-----------|------------------------|------------------|---------------|-------------|-------------|------------|--------|
| | | | | | | | psi | lbs | | | | | | |
| 15 | | | | | | | | | | | | | | |
| * 2021644 | 30X9.50R15LT | 6 (C) | 104S | RWL | 7.5 | 6.0-8.0 | 50 | (S) 1,985 | 29.5 | 9.1 | 6.9 | 15.5 | 708 | 38.1 |
| 2021629 | 31X10.50R15LT | 6 (C) | 109S | RWL | 8.5 | 7.0-9.0 | 50 | (S) 2,270 | 30.5 | 9.9 | 8.0 | 15.5 | 686 | 42.5 |
| * 2021822 | 32X11.50R15LT | 6 (C) | 113S | RWL | 7.5 | 6.5-8.5 | 50 | (S) 2,535 | 31.5 | 10.4 | 8.8 | 15.5 | 663.0 | 51.0 |
| * 2021654 | 33X12.50R15LT | 6 (C) | 108S | RWL | 10.0 | 8.0-10.5 | 35 | (S) 2,205 | 32.6 | 11.7 | 9.8 | 15.5 | 641 | 57.5 |
| * 2021652 | LT215/75R15 | 6 (C) | 100/97S | RWL | 6.0 | 5.5-7.0 | 50 | (S) 1,765 (D) 1,610 | 27.6 | 8.5 | 6.4 | 14.5 | 758 | 33.6 |
| * 2021643 | LT235/75R15 | 6 (C) | 104/101S | RWL | 6.5 | 6.0-8.0 | 50 | (S) 1,985 (D) 1,820 | 28.8 | 9.1 | 7.0 | 15.5 | 726 | 37.6 |
| 16 | | | | | | | | | | | | | | |
| * 2021645 | LT215/85R16 | 10 (E) | 115/112S | RWL | 6.0 | 5.5-7.0 | 80 | (S) 2,680 (D) 2,470 | 30.3 | 8.2 | 6.4 | 15.0 | 690 | 40.0 |
| 2021626 | LT225/75R16 | 10 (E) | 115/112S | BSW | 6.0 | 6.0-7.0 | 80 | (S) 2,680 (D) 2,470 | 29.2 | 8.7 | 6.7 | 15.0 | 716 | 39.4 |
| 2021671 | LT235/85R16 | 10 (E) | 120/116S | BSW | 6.5 | 6.0-7.5 | 80 | (S) 3,042 (D) 2,778 | 31.6 | 8.6 | 6.6 | 16.0 | 661 | 44.3 |
| 2021630 | LT245/75R16 | 10 (E) | 120/116S | RWL | 7.0 | 6.5-8.0 | 80 | (S) 3,042 (D) 2,778 | 30.4 | 9.5 | 7.3 | 15.0 | 688 | 44.3 |
| * 2021653 | LT265/70R16 | 8 (D) | 117/114S | RWL | 8.0 | 7.0-9.0 | 65 | (S) 2,835 (D) 2,600 | 30.6 | 10.4 | 8.1 | 15.5 | 684 | 46.5 |
| 2021669 | LT265/75R16 | 10 (E) | 123/120S | BSW | 7.5 | 7.0-8.0 | 80 | (S) 3,415 (D) 3,085 | 31.7 | 9.9 | 8.0 | 15.5 | 660 | 47.4 |
| 2021639 | LT285/75R16 | 10 (E) | 126/123S | RWL | 8.0 | 7.5-9.0 | 80 | (S) 3,750 (D) 3,415 | 32.8 | 10.7 | 8.6 | 15.5 | 637 | 59.8 |
| * 2021659 | LT305/70R16 | 10 (E) | 124/121S | RWL | 9.0 | 8.0-10.0 | 65 | (S) 3,525 (D) 3,195 | 32.8 | 11.9 | 9.4 | 15.5 | 637 | 62.7 |
| * 2021660 | LT315/75R16 | 8 (D) | 121/118S | RWL | 8.5 | 8.0-10.5 | 50 | (S) 3,195 (D) 2,910 | 34.6 | 11.7 | 9.4 | 15.5 | 605 | 65.5 |
| 17 | | | | | | | | | | | | | | |
| * 2021663 | 35X12.50R17LT | 10 (E) | 121S | RWL | 10.0 | 8.0-10.5 | 65 | (S) 3,195 | 34.5 | 11.7 | 9.8 | 16.0 | 606 | 69.4 |
| * 2021812 | LT225/65R17 | 8 (D) | 107/103S | BSW | 6.5 | 6.0-8.0 | 65 | (S) 2,150 (D) 1,930 | 28.4 | 9.0 | 7.1 | 15.0 | 735.5 | 38.4 |
| * 2021651 | LT225/75R17 | 10 (E) | 116/113S | BSW | 6.0 | 6.0-7.5 | 80 | (S) 2,755 (D) 2,535 | 30.2 | 8.4 | 6.7 | 15.0 | 692 | 41.5 |
| 2021670 | LT235/80R17 | 10 (E) | 120/117S | BSW | 6.5 | 6.0-7.5 | 80 | (S) 3,085 (D) 2,835 | 31.7 | 8.8 | 6.6 | 16.0 | 659 | 44.3 |
| * 2021805 | LT245/65R17 | 8 (D) | 111/108S | RWL | 7.0 | 7.0-8.5 | 65 | (S) 2,405 (D) 2,205 | 29.4 | 9.8 | 7.7 | 16.0 | 709.9 | 43.9 |
| 2021633 | LT245/70R17 | 10 (E) | 119/116S | RWL | 7.0 | 6.5-8.0 | 80 | (S) 3,000 (D) 2,755 | 30.5 | 9.6 | 7.6 | 15.5 | 685 | 45.4 |
| 2021632 | LT245/75R17 | 10 (E) | 121/118S | RWL | 7.0 | 6.5-7.5 | 80 | (S) 3,195 (D) 2,910 | 31.6 | 9.5 | 7.3 | 15.0 | 662 | 45.6 |
| * 2021813 | LT255/75R17 | 6 (C) | 111/108S | BSW | 7.0 | 6.5-8.5 | 50 | (S) 2,405 (D) 2,205 | 32.0 | 9.5 | 7.6 | 15.0 | 652 | 46.1 |
| 2021667 | LT265/70R17 | 10 (E) | 121/118S | RWL | 8.0 | 7.0-8.5 | 80 | (S) 3,195 (D) 2,910 | 31.6 | 10.6 | 8.2 | 15.0 | 661 | 48.8 |
| * 2021650 | LT275/70R17 | 10 (E) | 121/118S | RWL | 8.0 | 7.0-9.0 | 80 | (S) 3,195 (D) 2,910 | 32.1 | 10.6 | 8.5 | 15.5 | 652 | 56.8 |
| 2021640 | LT285/70R17 | 10 (E) | 121/118S | RWL | 8.5 | 7.5-9.0 | 80 | (S) 3,195 (D) 2,910 | 32.7 | 11.2 | 8.7 | 15.5 | 639 | 58.7 |
| * 2021704 | LT285/75R17 | 10 (E) | 121/118S | BSW | 8.0 | 7.5-9.5 | 80 | (S) 3,195 (D) 2,910 | 33.8 | 10.6 | 8.6 | 15.5 | 618 | 60.7 |
| * 2021662 | LT295/70R17 | 10 (E) | 121/118S | BSW | 8.5 | 7.5-10.0 | 80 | (S) 3,195 (D) 2,910 | 33.2 | 11.5 | 9.1 | 15.5 | 630 | 61.5 |
| * 2021661 | LT315/70R17 | 10 (E) | 121/118S | RWL | 9.5 | 8.0-10.5 | 65 | (S) 3,195 (D) 2,910 | 34.4 | 12.3 | 9.7 | 15.5 | 608 | 69.5 |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

* - Sizes coming in 2022

Dynapro AT2 Xtreme

On and off road all-terrain for Light Truck and SUVs

QUIET AND COMFORTABLE RIDE

No need to be aggressive all the way. Enjoy the peacefulness when you're on road.

ENHANCED QUIETNESS

Staged Block Edges

Creates a sound barrier that reduces road noise.



Tie-bars


Stabilizes tread blocks to prevent noise and optimize movement for a more comfortable ride.

..... Conventional
— Dynapro AT2 Xtreme

ALL TERRAIN TRACTION

Set your vehicle free to drive in any road condition.

NEVER LOSE GRIP IN ANY DIRECTION



Multi-directional Grooves and Sipes

Provides better traction in any direction.



| S-Code | Size | LI/SS | Sidewall | Ply Rating | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/Mile | Weight |
|-----------|---------------|--------|----------|------------|---------------|-----------------|-----------|------------------------|------------------|---------------|-------------|-------------|-----------|--------|
| | | | | | | | psi | lbs | | | | | | |
| 18 | | | | | | | | | | | | | | |
| * 2021705 | 33X12.50R18LT | 12 (F) | 122S | BSW | 10.0 | 8.5-11.0 | 80 | (S) 3,305 | 32.5 | 12.2 | 10.1 | 15.5 | 643 | 67.2 |
| * 2021665 | 35X12.50R18LT | 10 (E) | 123S | BSW | 10.0 | 8.5-11.0 | 65 | (S) 3,415 | 34.5 | 11.9 | 10.0 | 16.0 | 606 | 73.2 |
| * 2021718 | 35X12.50R18LT | 12 (F) | 128S | BSW | 10.0 | 8.5-11.0 | 80 | (S) 3,970 | 34.5 | 11.9 | 10.0 | 16.0 | 605.5 | 73.2 |
| * 2021809 | LT265/60R18 | 10 (E) | 119/116S | BSW | 8.0 | 8.0-9.5 | 80 | (S) 3,000 (D) 2,755 | 30.5 | 10.9 | 8.3 | 14.5 | 686.1 | 46.8 |
| * 2021707 | LT265/65R18 | 10 (E) | 122/119S | BSW | 8.0 | 8.0-9.5 | 80 | (S) 3,305 (D) 3,000 | 31.4 | 10.6 | 8.3 | 15.0 | 665 | 49.8 |
| 2021634 | LT265/70R18 | 10 (E) | 124/121S | BSW | 8.0 | 7.0-9.0 | 80 | (S) 3,525 (D) 3,195 | 32.6 | 10.5 | 8.2 | 15.0 | 641 | 50.2 |
| 2021642 | LT275/65R18 | 10 (E) | 123/120S | BSW | 8.0 | 7.5-9.0 | 80 | (S) 3,415 (D) 3,085 | 32.1 | 11.0 | 8.7 | 14.5 | 652 | 61.1 |
| 2021641 | LT275/70R18 | 10 (E) | 125/122S | BSW | 8.0 | 7.0-8.5 | 80 | (S) 3,640 (D) 3,305 | 33.1 | 10.8 | 8.4 | 14.5 | 631 | 63.1 |
| * 2021664 | LT285/65R18 | 10 (E) | 125/122S | BSW | 8.5 | 8.5-10.0 | 80 | (S) 3,640 (D) 3,195 | 32.6 | 11.4 | 9.0 | 14.5 | 642 | 63.3 |
| * 2021708 | LT285/75R18 | 10 (E) | 129/126S | BSW | 8.0 | 7.5-9.5 | 80 | (S) 4,080 (D) 3,750 | 34.8 | 10.6 | 8.6 | 14.5 | 601 | 66.8 |
| * 2021709 | LT295/70R18 | 10 (E) | 129/126S | BSW | 8.5 | 7.5-10.0 | 80 | (S) 4,080 (D) 3,750 | 34.4 | 11.1 | 9.1 | 14.5 | 608 | 67.5 |
| * 2021717 | LT305/65R18 | 10 (E) | 124/121S | BSW | 9.0 | 9.0-11.0 | 65 | (S) 3,525 (D) 3,195 | 33.7 | 11.7 | 9.6 | 14.5 | 621 | 69.5 |
| * 2021655 | LT325/60R18 | 10 (E) | 124/121S | BSW | 9.5 | 9.5-11.5 | 65 | (S) 3,525 (D) 3,195 | 33.3 | 13.1 | 10.2 | 14.5 | 628 | 69.4 |
| * 2021666 | LT325/65R18 | 10 (E) | 127/124S | BSW | 9.5 | 9.5-11.5 | 65 | (S) 3,860 (D) 3,525 | 34.6 | 12.8 | 10.2 | 14.5 | 605 | 75.9 |
| 20 | | | | | | | | | | | | | | |
| * 2021710 | 33X12.50R20LT | 12 (F) | 119S | BSW | 10.0 | 8.5-11.0 | 80 | (S) 3,000 | 32.6 | 12.6 | 10.1 | 14.5 | 641 | 66.4 |
| * 2021646 | 35X12.50R20LT | 10 (E) | 121S | BSW | 10.0 | 8.5-11.0 | 65 | (S) 3,195 | 34.5 | 12.4 | 10.0 | 14.5 | 606 | 70.9 |
| * 2021715 | 35X12.50R20LT | 12 (F) | 125S | BSW | 10.0 | 8.5-11.0 | 80 | (S) 3,640 | 34.5 | 12.4 | 10.0 | 15.5 | 606.2 | 73.2 |
| * 2021648 | LT265/60R20 | 10 (E) | 121/118S | BSW | 8.0 | 8.0-9.5 | 80 | (S) 3,195 (D) 2,910 | 32.5 | 10.7 | 8.3 | 14.5 | 644 | 55.0 |
| 2021636 | LT275/55R20 | 8 (D) | 115/112S | BSW | 8.5 | 7.5-9.5 | 65 | (S) 2,680 (D) 2,470 | 31.9 | 11.6 | 8.7 | 14.5 | 656 | 55.2 |
| 2021638 | LT275/60R20 | 8 (D) | 119/116S | BSW | 8.0 | 7.5-9.5 | 65 | (S) 3,000 (D) 2,755 | 32.9 | 11.1 | 8.7 | 14.5 | 635 | 57.1 |
| 2021635 | LT275/65R20 | 10 (E) | 126/123S | BSW | 8.0 | 7.5-9.5 | 80 | (S) 3,750 (D) 3,415 | 34.0 | 11.2 | 8.7 | 14.5 | 614 | 64.6 |
| 2021637 | LT285/55R20 | 10 (E) | 122/119S | BSW | 9.0 | 8.0-10.0 | 80 | (S) 3,305 (D) 3,000 | 32.4 | 11.8 | 9.0 | 16.0 | 646 | 63.6 |
| * 2021711 | LT285/60R20 | 10 (E) | 125/122S | BSW | 8.5 | 8.5-10.0 | 80 | (S) 3,640 (D) 3,305 | 33.5 | 11.6 | 9.1 | 14.5 | 625 | 64.9 |
| * 2021656 | LT285/65R20 | 10 (E) | 127/124S | BSW | 8.5 | 8.5-10.0 | 80 | (S) 3,860 (D) 3,525 | 34.6 | 11.6 | 9.0 | 14.5 | 605 | 68.3 |
| * 2021712 | LT295/55R20 | 10 (E) | 123/120S | BSW | 9.5 | 8.5-10.5 | 80 | (S) 3,415 (D) 3,085 | 32.8 | 12.3 | 9.4 | 16.0 | 638 | 65.1 |
| * 2021657 | LT295/60R20 | 10 (E) | 126/123S | BSW | 8.5 | 8.5-10.5 | 80 | (S) 3,750 (D) 3,415 | 33.9 | 12.0 | 9.3 | 15.0 | 617 | 69.7 |
| * 2021713 | LT295/65R20 | 10 (E) | 129/126S | BSW | 8.5 | 8.5-10.5 | 80 | (S) 4,080 (D) 3,750 | 35.1 | 11.9 | 9.3 | 14.5 | 595.3 | 71.7 |
| * 2021647 | LT305/55R20 | 10 (E) | 121/118S | BSW | 9.5 | 9.0-11.0 | 65 | (S) 3,195 (D) 2,910 | 33.2 | 12.7 | 9.6 | 15.5 | 630 | 69.4 |
| * 2021807 | LT305/55R20 | 12 (F) | 125/122S | BSW | 9.5 | 9.0-11.0 | 80 | (S) 3,640 (D) 3,305 | 33.2 | 12.7 | 9.6 | 15.5 | 630 | 69.6 |
| * 2021649 | LT325/60R20 | 10 (E) | 126/123S | BSW | 9.5 | 9.5-11.5 | 65 | (S) 3,750 (D) 3,415 | 35.3 | 13.1 | 10.2 | 15.5 | 592 | 75.9 |
| 22 | | | | | | | | | | | | | | |
| * 2021714 | 35X12.50R22LT | 12 (F) | 121S | BSW | 10.0 | 8.5-11.0 | 80 | (S) 3,195 | 34.5 | 12.7 | 10.1 | 15.5 | 606 | 70.1 |
| * 2021658 | LT325/50R22 | 10 (E) | 122S | BSW | 10.0 | 9.5-11.5 | 65 | (S) 3,305 | 34.8 | 13.6 | 10.6 | 16.0 | 600 | 77.1 |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

* - Sizes coming in 2022

Dynapro AT2



On and off road all-terrain



Technology Icons



Performance Icons



For aggressive all-terrain driving

The best on/off-road tire for 4x4 vehicles, the Dynapro AT2 employs a tough pattern design and block structure to overcome any road.

Technical profile UTQG/Warranty

| | |
|-----------------------|--------------------------|
| Tread width : 215-325 | UTQG: 660/A/B (P) |
| Series : 45-85 | 60K Mile Warranty (P,LT) |
| Inch : 15-22 | Road Hazard (P) |
| Speed symbol : S-T | 30 Day Free Trial (P,LT) |



* RE Only



reddot winner 2020



Dynapro AT2 / RF11

| S-Code | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/Mile | Weight | UTQG | OE Application |
|-----------|-----------|-------|----------|---------------|-----------------|-----------|-----|------------------|---------------|-------------|-------------|-----------|--------|------|--|
| | | | | | | psi | lbs | | | | | | | | |
| 15 | | | | | | | | | | | | | | | |
| 1026002 | 225/70R15 | | 100T | OWL | 6.5 | 6.0-7.5 | 51 | 1,764 | 27.4 | 8.7 | 7.0 | 12.5 | 735 | 29.5 | 660/A/B |
| 1023440 | 235/75R15 | XL | 109T | OWL | 6.5 | 6.0-8.0 | 50 | 2,271 | 28.8 | 9.2 | 7.4 | 11.5 | 722 | 33.3 | 660/A/B |
| 16 | | | | | | | | | | | | | | | |
| 1024100 | 215/70R16 | | 100T | OWL | 6.5 | 5.5-7.0 | 51 | 1,764 | 27.8 | 8.7 | 6.8 | 12.5 | 747 | 29.1 | 660/A/B |
| 1023441 | 225/70R16 | | 103T | OWL | 6.5 | 6.0-7.5 | 51 | 1,929 | 28.4 | 8.9 | 7.1 | 12.5 | 731 | 30.5 | 660/A/B |
| 1023442 | 225/75R16 | XL | 108T | OWL | 6.0 | 6.0-7.5 | 50 | 2,183 | 29.2 | 8.7 | 7.1 | 12.5 | 710 | 32.8 | 660/A/B |
| 1023443 | 235/70R16 | XL | 109T | OWL | 7.0 | 6.0-8.0 | 50 | 2,271 | 28.9 | 9.4 | 7.4 | 12.5 | 718 | 34.1 | 660/A/B |
| 1023444 | 235/75R16 | XL | 112T | OWL | 6.5 | 6.0-8.0 | 50 | 2,649 | 29.8 | 9.1 | 7.4 | 12.5 | 698 | 35.4 | 660/A/B |
| 1023445 | 245/70R16 | XL | 111T | OWL | 7.0 | 6.5-8.0 | 50 | 2,403 | 29.5 | 9.6 | 7.7 | 12.5 | 703 | 35.0 | 660/A/B |
| 1023446 | 245/75R16 | | 111T | OWL | 7.0 | 6.5-8.0 | 51 | 2,403 | 30.4 | 9.6 | 7.7 | 12.5 | 682 | 37.3 | 660/A/B |
| 1023447 | 255/65R16 | | 109T | OWL | 7.5 | 7.0-9.0 | 51 | 2,271 | 29.0 | 10.2 | 8.4 | 12.5 | 715 | 35.1 | 660/A/B |
| 1023448 | 255/70R16 | | 111T | OWL | 7.5 | 6.5-8.5 | 51 | 2,403 | 30.0 | 10.2 | 8.0 | 12.5 | 691 | 38.0 | 660/A/B |
| 1023449 | 265/70R16 | | 112T | OWL | 8.0 | 7.0-9.0 | 51 | 2,469 | 30.6 | 10.7 | 8.4 | 12.5 | 678 | 40.3 | 660/A/B |
| 1023450 | 265/75R16 | | 116T | OWL | 7.5 | 7.0-9.0 | 51 | 2,756 | 31.6 | 10.4 | 8.4 | 12.5 | 658 | 40.9 | 660/A/B |
| 17 | | | | | | | | | | | | | | | |
| 1026122 | 215/65R17 | | 99T | BSW | 6.5 | 6.0-7.5 | 51 | 1,709 | 28.0 | 8.6 | 7.0 | 12.5 | 720 | 28.7 | 660/A/B |
| * 1025783 | 225/60R17 | | 99H | BSW | 6.5 | 6.0-8.0 | 51 | 1,708 | 27.7 | 9.6 | 7.7 | 10.5 | 750 | 27.2 | 660/A/A CHEVROLET Trailblazer ('20-'26) |
| 1023451 | 235/65R17 | | 104T | OWL | 7.0 | 6.5-8.5 | 51 | 1,984 | 29.0 | 9.6 | 7.8 | 12.5 | 716 | 34.2 | 660/A/B |
| 1023452 | 235/75R17 | | 109T | OWL | 6.5 | 6.0-8.0 | 51 | 2,271 | 30.8 | 9.2 | 7.4 | 12.5 | 674 | 35.6 | 660/A/B |
| 1023453 | 245/65R17 | XL | 111T | OWL | 7.0 | 7.0-8.5 | 50 | 2,403 | 29.6 | 10.0 | 8.1 | 12.5 | 702 | 36.2 | 660/A/B |
| 1023454 | 245/70R17 | | 110T | OWL | 7.0 | 6.5-8.0 | 51 | 2,337 | 30.5 | 9.7 | 7.7 | 12.5 | 681 | 37.9 | 660/A/B |
| 1021539 | 245/75R17 | | 112T | BSW | 7.0 | 6.5-8.0 | 51 | 2,469 | 31.4 | 9.9 | 7.7 | 12.5 | 660 | 38.5 | 660/A/B |
| 1023455 | 255/65R17 | | 110T | OWL | 7.5 | 7.0-9.0 | 51 | 2,337 | 30.1 | 10.4 | 8.4 | 11.5 | 690 | 37.5 | 660/A/B |
| 1023456 | 255/70R17 | | 112T | OWL | 7.5 | 6.5-8.5 | 51 | 2,469 | 31.1 | 10.2 | 8.0 | 12.5 | 669 | 39.8 | 660/A/B |
| 1021538 | 255/75R17 | | 115T | BSW | 7.0 | 6.5-8.5 | 51 | 2,679 | 32.0 | 10.0 | 8.0 | 12.5 | 649 | 40.7 | 660/A/B |
| 1023457 | 265/65R17 | | 112T | OWL | 8.0 | 7.5-9.5 | 51 | 2,469 | 30.5 | 10.9 | 8.7 | 11.5 | 682 | 40.0 | 660/A/B |
| 1016678 | 265/70R17 | | 115T | OWL | 8.0 | 7.0-9.0 | 51 | 2,679 | 31.6 | 10.6 | 8.4 | 12.5 | 657 | 39.3 | 660/A/B |
| 1026491 | 265/70R17 | | 115S | BSW | 8.0 | 7.0-9.0 | 51 | 2,679 | 31.5 | 10.7 | 8.3 | 10.0 | 660 | 36.0 | 520/A/B NISSAN Frontier ('21-'25) |
| 18 | | | | | | | | | | | | | | | |
| 1024805 | 235/60R18 | | 103T | BSW | 7.0 | 6.5-8.5 | 51 | 1,929 | 29.1 | 9.9 | 7.8 | 12.5 | 715 | 33.4 | 660/A/B |
| 1026005 | 235/65R18 | XL | 110H | OWL | 7.0 | 6.5-8.5 | 50 | 2,337 | 30.0 | 9.5 | 7.8 | 12.5 | 672 | 36.5 | 660/A/B |
| 1021541 | 255/60R18 | | 108T | BSW | 7.5 | 7.0-9.0 | 51 | 2,205 | 30.0 | 11.2 | 8.4 | 12.5 | 693 | 37.8 | 660/A/B |
| 1021536 | 255/70R18 | | 113T | BSW | 7.5 | 6.5-8.5 | 51 | 2,535 | 32.0 | 10.7 | 8.0 | 12.5 | 648 | 41.1 | 660/A/B |
| 1021537 | 265/60R18 | XL | 114T | BSW | 8.0 | 7.5-9.5 | 50 | 2,601 | 30.4 | 11.3 | 8.7 | 12.5 | 682 | 41.1 | 660/A/B |
| 1023458 | 265/65R18 | | 114T | BSW | 8.0 | 7.5-9.5 | 51 | 2,601 | 31.5 | 10.9 | 8.8 | 11.5 | 660 | 40.3 | 660/A/B |
| 1023459 | 265/70R18 | | 116T | BSW | 8.0 | 7.0-9.0 | 51 | 2,756 | 32.6 | 10.6 | 8.4 | 12.5 | 637 | 42.4 | 660/A/B |
| 1023460 | 275/65R18 | | 116T | BSW | 8.0 | 7.5-9.5 | 51 | 2,756 | 32.1 | 11.2 | 9.1 | 11.5 | 647 | 42.9 | 660/A/B |
| 20 | | | | | | | | | | | | | | | |
| 1025194 | 265/50R20 | XL | 111T | BSW | 8.5 | 7.5-9.5 | 50 | 2,403 | 30.5 | 11.4 | 8.8 | 12.5 | 681 | 40.3 | 660/A/B |
| * 1024188 | 275/55R20 | | 113T | BSW | 8.5 | 7.5-9.5 | 51 | 2,535 | 32.1 | 11.3 | 8.4 | 11.5 | 647 | 40.7 | 440/A/A FORD F-150 ('18-'21) |
| 1021535 | 275/60R20 | | 115T | BSW | 8.0 | 7.5-9.5 | 51 | 2,679 | 32.9 | 11.9 | 9.1 | 12.5 | 631 | 45.8 | 660/A/B |
| * 1024247 | 275/60R20 | | 115T | BSW | 8.0 | 7.5-9.5 | 51 | 2,679 | 32.8 | 11.2 | 10.6 | 10.5 | 634 | 41.3 | 440/A/A FORD F-150 XLT, Lariat, Platinum, Limited ('20-'25) |
| 1021540 | 305/50R20 | XL | 120T | BSW | 9.5 | 8.5-11.0 | 50 | 3,086 | 32.0 | 13.2 | 10.1 | 13.0 | 650 | 47.8 | 660/A/B |
| 22 | | | | | | | | | | | | | | | |
| 1024103 | 285/45R22 | | 110T | BSW | 9.5 | 9.0-10.5 | 51 | 2,337 | 32.0 | 11.5 | 9.8 | 12.5 | 650 | 43.4 | 660/A/B |
| 1023462 | 305/45R22 | XL | 118T | BSW | 10.0 | 9.5-11.5 | 50 | 2,910 | 32.7 | 12.1 | 10.4 | 12.5 | 635 | 46.7 | 660/A/B |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Mileage, Road Hazard, and 30 Day Free Trial warranties apply only to replacement tires. Original Equipment tires are excluded.

* These sizes do not have 3PMSF

Dynapro AT2

On and off road all-terrain



Technology Icons



Compound



Cross block system



Zigzag traction groove

Performance Icons



Durability



Traction



Low noise



Off-road



Mileage



Snow traction



Grip

Tread-wear

Wet performance


Winter traction

Ride comfort

Low Noise

Dry performance

Off-road traction



For aggressive all-terrain driving

The best on/off-road tire for 4x4 vehicles, the Dynapro AT2 employs a tough pattern design and block structure to overcome any road.

Technical profile UTQG/Warranty

Tread width : 215-325

Series : 45-85

Inch : 15-22

Speed symbol : S-T

UTQG: 660/A/B (P)

60K Mile Warranty (P,LT)

Road Hazard (P)

30 Day Free Trial (P,LT)



60K warranty

30 DAY FREE TRIAL

M+S

UTQG
Uniform Tire Quality Grading
660/A/B
Enhanced Traction Temperature



reddot winner 2020



| S-Code | Size | LI/SS | Sidewall | Ply Rating | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/Mile | Weight |
|-----------|---------------|----------|----------|------------|---------------|-----------------|-----------|------------------------|------------------|---------------|-------------|-------------|-----------|--------|
| | | | | | | | psi | lbs | | | | | | |
| 15 | | | | | | | | | | | | | | |
| 2020845 | 30X9.50R15LT | 104S | OWL | 6 (C) | 7.5 | 6.0-8.0 | 50 | (S) 1,985 | 29.5 | 8.9 | 7.6 | 15.5 | 708 | 40.0 |
| 2020995 | 31X10.50R15LT | 109S | OWL | 6 (C) | 8.5 | 7.0-9.0 | 50 | (S) 2,270 | 30.5 | 9.9 | 8.4 | 15.5 | 686 | 44.2 |
| 2021245 | 32X11.50R15LT | 113S | OWL | 6 (C) | 7.5 | 6.5-8.5 | 50 | (S) 2,535 | 31.5 | 10.6 | 9.2 | 15.5 | 640 | 28.7 |
| 2020847 | 33X12.50R15LT | 108S | OWL | 6 (C) | 10.0 | 8.0-10.5 | 35 | (S) 2,205 | 32.6 | 11.9 | 10.0 | 15.5 | 641 | 57.2 |
| 2021290 | LT215/75R15 | 100/97S | OWL | 6 (C) | 6.0 | 5.5-7.0 | 50 | (S) 1,765 (D) 1,610 | 27.6 | 8.5 | 6.8 | 14.5 | 758 | 34.4 |
| 2020844 | LT235/75R15 | 104/101S | OWL | 6 (C) | 6.5 | 6.0-8.0 | 50 | (S) 1,985 (D) 1,820 | 28.8 | 9.0 | 7.4 | 15.5 | 725 | 38.8 |
| 16 | | | | | | | | | | | | | | |
| 2020848 | LT215/85R16 | 115/112S | OWL | 10 (E) | 6.0 | 5.5-7.0 | 80 | (S) 2,680 (D) 2,470 | 30.3 | 8.1 | 6.8 | 15.0 | 691 | 41.7 |
| 2020692 | LT225/75R16 | 115/112S | BSW | 10 (E) | 6.0 | 6.0-7.5 | 80 | (S) 2,680 (D) 2,470 | 29.2 | 9.0 | 7.1 | 15.0 | 716 | 42.3 |
| 2020849 | LT235/85R16 | 120/116S | BSW | 10 (E) | 6.5 | 6.0-7.5 | 80 | (S) 3,042 (D) 2,778 | 31.6 | 8.6 | 7.0 | 16.0 | 661 | 46.5 |
| 2020850 | LT245/75R16 | 120/116S | OWL | 10 (E) | 7.0 | 6.5-8.0 | 80 | (S) 3,042 (D) 2,778 | 30.4 | 9.5 | 7.7 | 15.5 | 688 | 45.5 |
| 2020851 | LT265/70R16 | 117/114S | OWL | 8 (D) | 8.0 | 7.0-9.0 | 65 | (S) 2,835 (D) 2,600 | 30.6 | 10.5 | 8.4 | 15.5 | 683 | 47.4 |
| 2020690 | LT265/75R16 | 123/120S | BSW | 10 (E) | 7.5 | 7.0-9.0 | 80 | (S) 3,415 (D) 3,085 | 31.7 | 10.3 | 8.3 | 15.5 | 660 | 50.9 |
| 2020871 | LT285/75R16 | 126/123S | OWL | 10 (E) | 8.0 | 7.5-9.5 | 80 | (S) 3,750 (D) 3,415 | 32.8 | 10.7 | 9.0 | 15.5 | 637 | 60.6 |
| 2020855 | LT305/70R16 | 124/121S | OWL | 10 (E) | 9.0 | 8.0-10.0 | 65 | (S) 3,525 (D) 3,195 | 32.8 | 11.9 | 9.6 | 15.5 | 637 | 62.4 |
| 2020856 | LT315/75R16 | 121/118S | OWL | 8 (D) | 8.5 | 8.0-10.5 | 50 | (S) 3,195 (D) 2,910 | 34.5 | 11.6 | 9.9 | 15.5 | 605 | 67.5 |
| 17 | | | | | | | | | | | | | | |
| 2021066 | 35X12.50R17LT | 121S | OWL | 10 (E) | 10.0 | 8.0-10.5 | 65 | (S) 3,195 | 34.5 | 12.3 | 10.0 | 15.5 | 606 | 68.6 |
| 2021461 | LT225/65R17 | 107/103S | BSW | 8 (D) | 6.5 | 6.0-8.0 | 65 | (S) 2,150 (D) 1,930 | 28.5 | 8.7 | 7.1 | 15.0 | 709 | 28.7 |
| 2020693 | LT225/75R17 | 116/113S | BSW | 10 (E) | 6.0 | 6.0-7.5 | 80 | (S) 2,755 (D) 2,535 | 30.2 | 8.8 | 7.1 | 15.0 | 691 | 43.6 |
| 2020691 | LT235/80R17 | 120/117S | BSW | 10 (E) | 6.5 | 6.0-8.0 | 80 | (S) 3,085 (D) 2,835 | 31.7 | 9.1 | 7.4 | 15.5 | 659 | 48.2 |
| 2021253 | LT245/65R17 | 111/108S | OWL | 8 (D) | 7.0 | 7.0-8.5 | 65 | (S) 2,405 (D) 2,205 | 29.5 | 9.6 | 7.7 | 15.5 | 685 | 28.7 |
| 2020852 | LT245/70R17 | 119/116S | OWL | 10 (E) | 7.0 | 6.5-8.0 | 80 | (S) 3,000 (D) 2,755 | 30.5 | 9.6 | 7.7 | 15.5 | 685 | 46.1 |
| 2020853 | LT245/75R17 | 121/118S | OWL | 10 (E) | 7.0 | 6.5-8.0 | 80 | (S) 3,195 (D) 2,910 | 31.4 | 9.5 | 7.7 | 15.0 | 665 | 46.7 |
| 2021364 | LT245/75R17 | 121/118S | BSW | 10 (E) | 7.0 | 6.5-8.0 | 80 | (S) 3,195 (D) 2,910 | 31.4 | 9.5 | 7.7 | 15.0 | 665 | 46.7 |
| 2021250 | LT255/75R17 | 111/108S | BSW | 6 (C) | 7.0 | 6.5-8.5 | 50 | (S) 2,405 (D) 2,205 | 32.0 | 9.7 | 8.0 | 15.0 | 631 | 28.7 |
| 2020188 | LT265/70R17 | 121/118S | OWL | 10 (E) | 8.0 | 7.0-9.0 | 80 | (S) 3,195 (D) 2,910 | 31.6 | 10.5 | 8.3 | 15.0 | 661 | 48.8 |
| 2021363 | LT265/70R17 | 121/118S | BSW | 10 (E) | 8.0 | 7.0-9.0 | 80 | (S) 3,195 (D) 2,910 | 31.6 | 10.5 | 8.3 | 15.0 | 661 | 48.8 |
| 2020857 | LT275/70R17 | 121/118S | OWL | 10 (E) | 8.0 | 7.0-9.0 | 80 | (S) 3,195 (D) 2,910 | 32.1 | 10.7 | 8.7 | 15.0 | 650 | 58.2 |
| 2020858 | LT285/70R17 | 121/118S | OWL | 10 (E) | 8.5 | 7.5-9.5 | 80 | (S) 3,195 (D) 2,910 | 32.7 | 11.2 | 9.0 | 15.5 | 639 | 60.2 |
| 2021255 | LT285/75R17 | 121/118S | BSW | 10 (E) | 8.0 | 7.5-9.5 | 80 | (S) 3,195 (D) 2,910 | 33.9 | 10.6 | 9.0 | 15.5 | 596 | 62.1 |
| 2020859 | LT295/70R17 | 121/118S | BSW | 10 (E) | 8.5 | 7.5-10.0 | 80 | (S) 3,195 (D) 2,910 | 33.2 | 11.6 | 9.3 | 15.5 | 629 | 62.3 |
| 2020860 | LT315/70R17 | 121/118S | OWL | 10 (E) | 9.5 | 8.0-10.5 | 65 | (S) 3,195 (D) 2,910 | 34.4 | 12.3 | 9.9 | 15.5 | 608 | 66.9 |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Dynapro AT2

On and off road all-terrain

Technical Features

Strong Versatile Traction

Key Benefit: Superior Grip And Handling

A Multi-Directional Grooves And Sipes



Precisely arranged to create better traction in any direction


- Groove direction
- Sipe direction

B Biting Block Edge



Additional biting edges provide enhanced traction and snow performance.

C Locking Shoulder Lugs



A protruding mix of shoulder lugs provide additional off-road driving



Longer Tread Life


Extend Your Journey and Discover More with a Longer Lasting Tread.




G Long Wear Tread Rubber

A specifically formulated compound increases mileage while reducing chip and cut from off-road driving.

- Low-hysteresis carbon black
- High-dispersible silica



H Wider Tread and Advanced Foot Print



Results in more evenly distributed stress, leads to longer tread life and uniform wear.

| S-Code | Size | LI/SS | Sidewall | Ply Rating | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/Mile | Weight |
|-----------|---------------|----------|----------|------------|---------------|-----------------|-----------|------------------------|------------------|---------------|-------------|-------------|-----------|--------|
| | | | | | | | psi | lbs | | | | | | |
| 18 | | | | | | | | | | | | | | |
| 2021397 | 33X12.50R18LT | 122S | BSW | 12 (F) | 10.0 | 8.5-11.0 | 80 | (S) 3,305 | 32.5 | 12.5 | 10.5 | 15.5 | 621 | 68.4 |
| 2021068 | 35X12.50R18LT | 123S | BSW | 10 (E) | 10.0 | 8.5-11.0 | 65 | (S) 3,415 | 34.5 | 12.2 | 10.0 | 15.0 | 605 | 72.7 |
| 2021398 | 35X12.50R18LT | 128S | BSW | 12 (F) | 10.0 | 8.5-11.0 | 80 | (S) 3,970 | 34.5 | 12.2 | 10.0 | 15.0 | 584 | 72.1 |
| 2021460 | LT265/60R18 | 119/116S | BSW | 10 (E) | 8.0 | 8.0-9.5 | 80 | (S) 3,000 (D) 2,755 | 30.5 | 10.8 | 8.7 | 14.5 | 663 | 47.3 |
| 2021259 | LT265/65R18 | 122/119S | BSW | 10 (E) | 8.0 | 8.0-9.5 | 80 | (S) 3,305 (D) 3,000 | 31.4 | 10.6 | 8.7 | 13.5 | 642 | 49.4 |
| 2020854 | LT265/70R18 | 124/121S | BSW | 10 (E) | 8.0 | 7.0-9.0 | 80 | (S) 3,525 (D) 3,195 | 32.6 | 10.5 | 8.4 | 15.0 | 641 | 50.9 |
| 2020861 | LT275/65R18 | 123/120S | BSW | 10 (E) | 8.0 | 8.0-9.5 | 80 | (S) 3,415 (D) 3,085 | 32.0 | 11.0 | 9.1 | 15.0 | 652 | 63.7 |
| 2020862 | LT275/70R18 | 125/122S | BSW | 10 (E) | 8.0 | 7.0-9.0 | 80 | (S) 3,640 (D) 3,305 | 33.1 | 10.8 | 8.7 | 15.0 | 631 | 63.0 |
| 2020863 | LT285/65R18 | 125/122S | BSW | 10 (E) | 8.5 | 8.5-10.0 | 80 | (S) 3,640 (D) 3,195 | 32.5 | 11.5 | 9.4 | 14.5 | 643 | 64.9 |
| 2021247 | LT285/75R18 | 129/126S | BSW | 10 (E) | 8.0 | 7.5-9.5 | 80 | (S) 4,080 (D) 3,750 | 34.8 | 10.6 | 9.0 | 15.5 | 579 | 68.3 |
| 2021254 | LT295/70R18 | 129/126S | BSW | 10 (E) | 8.5 | 7.5-10.0 | 80 | (S) 4,080 (D) 3,750 | 34.2 | 11.5 | 9.3 | 15.5 | 589 | 67.9 |
| 2021067 | LT305/65R18 | 124/121S | BSW | 10 (E) | 9.0 | 9.0-11.0 | 65 | (S) 3,525 (D) 3,195 | 33.5 | 11.9 | 9.6 | 15.0 | 623 | 68.4 |
| 2020864 | LT325/60R18 | 124/121S | BSW | 10 (E) | 9.5 | 9.5-11.5 | 65 | (S) 3,525 (D) 3,195 | 33.3 | 13.2 | 10.7 | 14.5 | 628 | 70.6 |
| 2020865 | LT325/65R18 | 127/124S | BSW | 10 (E) | 9.5 | 9.5-11.5 | 65 | (S) 3,860 (D) 3,525 | 34.6 | 12.9 | 10.7 | 14.5 | 605 | 75.3 |
| 20 | | | | | | | | | | | | | | |
| 2021399 | 33X12.50R20LT | 119S | BSW | 12 (F) | 10.0 | 8.5-11.0 | 80 | (S) 3,000 | 32.6 | 12.6 | 10.5 | 15.5 | 619 | 66.6 |
| 2021074 | 35X12.50R20LT | 121S | BSW | 10 (E) | 10.0 | 8.5-11.0 | 65 | (S) 3,195 | 34.5 | 12.5 | 10.5 | 15.5 | 606 | 76.5 |
| 2021400 | 35X12.50R20LT | 125S | BSW | 12 (F) | 10.0 | 8.5-11.0 | 80 | (S) 3,640 | 34.5 | 12.5 | 10.5 | 15.5 | 585 | 76.5 |
| 2021069 | LT265/60R20 | 121/118S | BSW | 10 (E) | 8.0 | 8.0-9.5 | 80 | (S) 3,195 (D) 2,910 | 32.4 | 11.0 | 8.3 | 14.5 | 645 | 54.6 |
| 2021070 | LT275/55R20 | 115/112S | BSW | 8 (D) | 8.5 | 8.0-9.5 | 65 | (S) 2,680 (D) 2,470 | 31.9 | 11.5 | 9.1 | 14.5 | 656 | 56.8 |
| 2021071 | LT275/60R20 | 119/116S | BSW | 8 (D) | 8.0 | 8.0-9.5 | 65 | (S) 3,000 (D) 2,755 | 32.9 | 11.1 | 9.1 | 14.5 | 635 | 58.6 |
| 2020866 | LT275/65R20 | 126/123S | BSW | 10 (E) | 8.0 | 8.0-9.5 | 80 | (S) 3,750 (D) 3,415 | 34.0 | 11.2 | 9.1 | 14.5 | 614 | 66.7 |
| 2020867 | LT285/55R20 | 122/119S | BSW | 10 (E) | 9.0 | 8.5-10.0 | 80 | (S) 3,305 (D) 3,000 | 32.4 | 11.1 | 9.4 | 16.0 | 646 | 63.4 |
| 2021246 | LT285/60R20 | 125/122S | BSW | 10 (E) | 8.5 | 8.5-10.0 | 80 | (S) 3,640 (D) 3,305 | 33.4 | 11.7 | 9.4 | 14.5 | 603 | 65.6 |
| 2021072 | LT285/65R20 | 127/124S | BSW | 10 (E) | 8.5 | 8.5-10.0 | 80 | (S) 3,860 (D) 3,525 | 34.6 | 11.5 | 9.4 | 14.5 | 605 | 68.3 |
| 2021251 | LT295/55R20 | 123/120S | BSW | 10 (E) | 9.5 | 8.5-10.5 | 80 | (S) 3,415 (D) 3,085 | 32.8 | 12.3 | 9.8 | 16.5 | 616 | 64.2 |
| 2021073 | LT295/60R20 | 126/123S | BSW | 10 (E) | 8.5 | 8.5-10.5 | 80 | (S) 3,750 (D) 3,415 | 33.9 | 12.1 | 9.3 | 15.0 | 617 | 71.1 |
| 2021248 | LT295/65R20 | 129/126S | BSW | 10 (E) | 8.5 | 8.5-10.5 | 80 | (S) 4,080 (D) 3,750 | 35.1 | 11.9 | 9.3 | 14.5 | 575 | 71.8 |
| 2020868 | LT305/55R20 | 121/118S | BSW | 10 (E) | 9.5 | 9.0-11.0 | 65 | (S) 3,195 (D) 2,910 | 33.2 | 12.3 | 10.1 | 16.0 | 630 | 69.3 |
| 2021401 | LT305/55R20 | 125/122S | BSW | 12 (F) | 9.5 | 9.0-11.0 | 80 | (S) 3,640 (D) 3,305 | 33.2 | 12.3 | 10.1 | 16.5 | 608 | 69.2 |
| 2020869 | LT325/60R20 | 126/123S | BSW | 10 (E) | 9.5 | 9.5-11.5 | 65 | (S) 3,750 (D) 3,415 | 35.3 | 12.9 | 10.8 | 15.5 | 592 | 76.0 |
| 22 | | | | | | | | | | | | | | |
| 2021403 | 35X12.50R22LT | 121S | BSW | 12 (F) | 10.0 | 8.5-11.0 | 80 | (S) 3,195 | 34.6 | 12.6 | 10.5 | 15.5 | 583 | 70.5 |
| 2020870 | LT325/50R22 | 122S | BSW | 10 (E) | 10.0 | 9.5-11.5 | 65 | (S) 3,305 | 34.8 | 13.3 | 10.8 | 16.0 | 600 | 78.4 |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Dynapro XT

On and off road rugged terrain for Light Truck and SUVs



Performance Icons



Off-road traction




3PMSF



Low noise



Mileage



Technical profile

Tread width : 235-345
Series : 45-80
Rim Diameter : 17-22
Speed symbol : R

Ruggedness meets comfort

The Dynapro XT offers excellent off-road traction in rugged conditions as well as an aggressive sawtoothed sidewall design that provides protection against punctures. The Dynapro XT also comes equipped with a 3-Peak Mountain Snowflake rating, allowing for excellent performance in severe snow conditions.



| S-Code | Size | LI/SS | Sidewall | Ply Rating | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/Mile | Weight |
|-----------|---------------|----------|----------|------------|---------------|-----------------|-----------|------------------------|------------------|---------------|-------------|-------------|-----------|--------|
| | | | | | | | psi | lbs | | | | | | |
| 17 | | | | | | | | | | | | | | |
| 2021505 | 35X12.50R17LT | 121R | BSW | 12 (F) | 10.0 | 8.0-10.5 | 80 | (S) 3,195 | 34.5 | 11.9 | 10.0 | 17.0 | 605 | 71.1 |
| 2021366 | 37X12.50R17LT | 124R | BSW | 8 (D) | 10.0 | 8.0-10.5 | 50 | (S) 3,525 | 36.6 | 11.7 | 9.8 | 17.0 | 572 | 69.9 |
| 2021367 | LT235/80R17 | 120/117R | BSW | 10 (E) | 6.5 | 6.0-8.0 | 80 | (S) 3,085 (D) 2,835 | 31.7 | 8.8 | 7.1 | 15.5 | 659 | 44.2 |
| 2021368 | LT245/75R17 | 121/118R | BSW | 10 (E) | 7.0 | 6.5-8.0 | 80 | (S) 3,195 (D) 2,910 | 31.4 | 9.4 | 7.7 | 15.5 | 665 | 45.7 |
| 2021369 | LT255/75R17 | 111/108R | BSW | 6 (C) | 7.0 | 6.5-8.5 | 50 | (S) 2,405 (D) 2,205 | 32.0 | 9.6 | 8.0 | 15.5 | 654 | 46.7 |
| 2021370 | LT255/80R17 | 121/118R | BSW | 10 (E) | 7.0 | 6.5-8.5 | 80 | (S) 3,195 (D) 2,910 | 33.0 | 9.6 | 7.6 | 15.5 | 633 | 49.3 |
| 2021371 | LT265/70R17 | 121/118R | BSW | 10 (E) | 8.0 | 7.0-9.0 | 80 | (S) 3,195 (D) 2,910 | 31.6 | 10.4 | 8.3 | 15.5 | 661 | 48.3 |
| 2021497 | LT285/70R17 | 121/118R | BSW | 10 (E) | 8.5 | 7.5-9.5 | 80 | (S) 3,195 (D) 2,910 | 32.7 | 11.2 | 9.0 | 15.5 | 639 | 57.8 |
| 2021373 | LT285/75R17 | 121/118R | BSW | 10 (E) | 8.0 | 7.5-9.5 | 80 | (S) 3,195 (D) 2,910 | 33.8 | 10.6 | 9.0 | 15.5 | 618 | 60.4 |
| 2021374 | LT295/70R17 | 121/118R | BSW | 10 (E) | 8.5 | 7.5-10.0 | 80 | (S) 3,195 (D) 2,910 | 33.3 | 11.4 | 9.3 | 15.5 | 628 | 59.7 |
| 2021498 | LT315/70R17 | 121/118R | BSW | 10 (E) | 9.5 | 8.0-10.5 | 65 | (S) 3,195 (D) 2,910 | 34.4 | 12.2 | 9.9 | 15.5 | 608 | 69.9 |
| 18 | | | | | | | | | | | | | | |
| 2021376 | 33X12.50R18LT | 122R | BSW | 12 (F) | 10.0 | 8.5-11.0 | 80 | (S) 3,305 | 32.5 | 12.3 | 10.5 | 17.0 | 643 | 65.9 |
| 2021506 | 35X12.50R18LT | 128R | BSW | 12 (F) | 10.0 | 8.5-11.0 | 80 | (S) 3,970 | 34.5 | 12.0 | 10.0 | 17.0 | 605 | 72.3 |
| 2021499 | LT275/65R18 | 123/120R | BSW | 10 (E) | 8.0 | 8.0-9.5 | 80 | (S) 3,415 (D) 3,085 | 32.0 | 10.9 | 9.1 | 15.5 | 652 | 61.7 |
| 2021501 | LT275/70R18 | 125/122R | BSW | 10 (E) | 8.0 | 7.0-9.0 | 80 | (S) 3,640 (D) 3,305 | 33.1 | 10.8 | 8.7 | 15.5 | 631 | 62.7 |
| 2021500 | LT285/65R18 | 125/122R | BSW | 10 (E) | 8.5 | 8.0-10.0 | 80 | (S) 3,640 (D) 3,305 | 32.5 | 11.4 | 9.4 | 15.5 | 643 | 63.8 |
| 2021381 | LT285/75R18 | 129/126R | BSW | 10 (E) | 8.0 | 7.5-9.5 | 80 | (S) 4,080 (D) 3,750 | 34.8 | 10.6 | 9.0 | 15.5 | 600 | 65.5 |
| 2021382 | LT295/70R18 | 129/126R | BSW | 10 (E) | 8.5 | 7.5-10.0 | 80 | (S) 4,080 (D) 3,750 | 34.3 | 11.4 | 9.3 | 15.5 | 610 | 66.5 |
| 20 | | | | | | | | | | | | | | |
| 2021384 | 33X12.50R20LT | 119R | BSW | 12 (F) | 10.0 | 8.5-11.0 | 80 | (S) 3,000 | 32.5 | 12.6 | 10.5 | 17.0 | 643 | 66.8 |
| 2021385 | 35X12.50R20LT | 125R | BSW | 12 (F) | 10.0 | 8.5-11.0 | 80 | (S) 3,640 | 34.5 | 12.3 | 10.5 | 17.0 | 606 | 71.7 |
| 2021386 | 37X12.50R20LT | 128R | BSW | 12 (F) | 10.0 | 8.5-11.0 | 80 | (S) 3,970 | 36.6 | 12.0 | 10.0 | 17.0 | 572 | 76.5 |
| 2021387 | 37X13.50R20LT | 128R | BSW | 12 (F) | 11.0 | 9.5-11.0 | 80 | (S) 3,970 | 36.5 | 13.1 | 11.3 | 17.0 | 572 | 80.8 |
| 2021388 | LT275/65R20 | 126/123R | BSW | 10 (E) | 8.0 | 8.0-9.5 | 80 | (S) 3,750 (D) 3,415 | 34.0 | 11.2 | 9.1 | 15.5 | 615 | 65.0 |
| 2021389 | LT285/55R20 | 122/119R | BSW | 10 (E) | 9.0 | 8.5-10.0 | 80 | (S) 3,305 (D) 3,000 | 32.4 | 11.9 | 9.4 | 15.5 | 644 | 62.5 |
| 2021390 | LT295/55R20 | 123/120R | BSW | 10 (E) | 9.5 | 8.5-10.5 | 80 | (S) 3,415 (D) 3,085 | 32.8 | 12.3 | 9.8 | 15.5 | 638 | 63.2 |
| 2021391 | LT295/60R20 | 126/123R | BSW | 10 (E) | 8.5 | 8.5-10.5 | 80 | (S) 3,750 (D) 3,415 | 33.9 | 11.9 | 9.8 | 15.5 | 617 | 67.9 |
| 2021392 | LT295/65R20 | 129/126R | BSW | 10 (E) | 8.5 | 8.5-10.5 | 80 | (S) 4,080 (D) 3,750 | 35.1 | 11.7 | 9.8 | 15.5 | 596 | 70.5 |
| 2021393 | LT305/55R20 | 125/122R | BSW | 12 (F) | 9.5 | 9.0-11.0 | 80 | (S) 3,640 (D) 3,305 | 33.2 | 12.6 | 10.1 | 15.5 | 629 | 66.8 |
| 22 | | | | | | | | | | | | | | |
| 2021394 | 33X12.50R22LT | 114R | BSW | 12 (F) | 10.0 | 8.5-11.0 | 80 | (S) 2,600 | 32.5 | 12.8 | 10.5 | 15.5 | 643 | 68.2 |
| 2021395 | 35X12.50R22LT | 121R | BSW | 12 (F) | 10.0 | 8.5-11.0 | 80 | (S) 3,195 | 34.5 | 12.6 | 10.5 | 17.0 | 606 | 72.6 |
| 2021396 | 37X13.50R22LT | 128R | BSW | 12 (F) | 11.0 | 9.5-12.0 | 80 | (S) 3,970 | 36.5 | 13.4 | 11.3 | 17.0 | 573 | 82.8 |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Dynapro MT2

Off-road Maximum Traction



Technology Icons



Compound



Split mold



Stone ejector



Sidewall shield

Performance Icons



Off-Road traction



Durability

Wet

Dry


Snow

Ride & Comfort

Noise

Off Road Traction

Wear



Off-Road Traction for the Toughest Terrain

The Dynapro MT2 boasts superb multi-directional traction and excellent grip, acceleration and anti-puncture capability. Even under harsh off-road conditions, expect the best possible driving performance with excellent handling and stability on any road type.

Technical profile

Tread width : 215-315

Aspect Ratio : 55-85

Rim Diameter : 15-22

Speed symbol : Q

30 DAY
FREE
TRIAL

M+S



reddot winner 2020



| S-Code | Size | LI/SS | Sidewall | Ply Rating | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/Mile | Weight | OE Application |
|-----------|---------------|----------|----------|------------|---------------|-----------------|-----------|------------------------|------------------|---------------|-------------|-------------|-----------|--------|---|
| | | | | | | | psi | lbs | | | | | | | |
| 15 | | | | | | | | | | | | | | | |
| 2020980 | 30X9.50R15LT | 104Q | OWL | 6(C) | 7.5 | 6.0-8.0 | 50 | (S) 1,985 (D) 1,610 | 29.7 | 9.0 | 7.6 | 17.0 | 704 | 41.3 | |
| 2020982 | 32X11.50R15LT | 113Q | OWL | 6(C) | 7.5 | 6.5-8.5 | 50 | (S) 2,535 (D) 1,610 | 31.8 | 10.6 | 9.2 | 17.0 | 657 | 52.9 | |
| 2020985 | LT215/75R15 | 100/97Q | OWL | 6(C) | 6.0 | 5.5-7.0 | 50 | (S) 1,765 (D) 1,610 | 27.8 | 8.3 | 6.8 | 15.5 | 751 | 35.7 | |
| 2020986 | LT235/75R15 | 104/101Q | OWL | 6(C) | 6.5 | 6.0-8.0 | 50 | (S) 1,985 (D) 1,820 | 29.0 | 8.9 | 7.4 | 16.0 | 720 | 39.1 | |
| 16 | | | | | | | | | | | | | | | |
| 2020730 | LT215/85R16 | 115/112Q | BSW | 10(E) | 6.0 | 5.5-7.0 | 80 | (S) 2,680 (D) 2,470 | 30.5 | 8.0 | 6.7 | 17.0 | 685 | 43.9 | |
| 2020799 | LT225/75R16 | 115/112Q | BSW | 10(E) | 6.0 | 6.0-7.5 | 80 | (S) 2,680 (D) 2,470 | 29.4 | 8.5 | 7.1 | 17.0 | 710 | 42.4 | |
| 2020800 | LT245/75R16 | 120/116Q | BSW | 10(E) | 7.0 | 6.5-8.0 | 80 | (S) 3,042 (D) 2,778 | 30.6 | 9.5 | 7.7 | 17.5 | 684 | 48.0 | |
| 2020988 | LT265/75R16 | 123/120Q | OWL | 10(E) | 7.5 | 7.0-9.0 | 80 | (S) 3,415 (D) 3,085 | 31.8 | 10.0 | 8.3 | 17.0 | 657 | 54.1 | |
| 2021075 | LT305/70R16 | 124/121Q | OWL | 10(E) | 9.0 | 8.0-10.0 | 65 | (S) 3,525 (D) 3,195 | 33.0 | 11.8 | 9.6 | 18.5 | 633 | 67.9 | |
| 2020990 | LT315/75R16 | 127/124Q | OWL | 10(E) | 8.5 | 8.0-10.5 | 65 | (S) 3,860 (D) 3,525 | 34.8 | 11.7 | 9.9 | 17.5 | 601 | 70.9 | |
| 17 | | | | | | | | | | | | | | | |
| 2020790 | 35X12.50R17LT | 121Q | BSW | 10(E) | 10.0 | 8.0-10.5 | 65 | (S) 3,195 (D) 2,910 | 34.7 | 12.0 | 10.0 | 18.5 | 602 | 73.4 | |
| 2021077 | LT245/75R17 | 124/121Q | OWL | 10(E) | 7.0 | 6.5-8.0 | 80 | (S) 3,195 (D) 2,910 | 31.7 | 9.3 | 7.7 | 17.5 | 659 | 50.6 | |
| 2020801 | LT255/75R17 | 121/118Q | BSW | 10(E) | 7.0 | 6.5-8.5 | 80 | (S) 3,195 (D) 2,910 | 32.2 | 9.8 | 8.0 | 17.0 | 650 | 51.4 | |
| 2020765 | LT265/70R17 | 121/118Q | OWL | 10(E) | 8.0 | 7.0-9.0 | 80 | (S) 3,195 (D) 2,910 | 31.9 | 10.4 | 8.3 | 17.5 | 656 | 52.9 | |
| 2020991 | LT285/70R17 | 121/118Q | OWL | 10(E) | 8.5 | 7.5-9.5 | 80 | (S) 3,195 (D) 2,910 | 32.9 | 11.3 | 9.0 | 18.5 | 635 | 64.4 | |
| 2020802 | LT295/70R17 | 121/118Q | BSW | 10(E) | 8.5 | 7.5-10.0 | 80 | (S) 3,195 (D) 2,910 | 33.5 | 11.5 | 9.3 | 17.0 | 624 | 65.9 | |
| 2020803 | LT315/70R17 | 121/118Q | BSW | 8(D) | 9.5 | 8.0-10.5 | 50 | (S) 3,195 (D) 2,910 | 34.6 | 12.3 | 9.9 | 18.0 | 605 | 72.9 | |
| 18 | | | | | | | | | | | | | | | |
| 2020981 | 31X10.50R15LT | 109Q | OWL | 6(C) | 8.5 | 7.0-9.0 | 50 | (S) 2,270 (D) 1,610 | 30.7 | 10.1 | 8.4 | 17.5 | 679 | 47.5 | |
| 2020983 | 33X12.50R15LT | 108Q | OWL | 6(C) | 10.0 | 8.5-11.0 | 35 | (S) 2,205 (D) 1,610 | 32.8 | 11.7 | 10.0 | 17.0 | 636 | 59.6 | |
| 2021406 | 33X12.50R18LT | 122Q | BSW | 12(F) | 10.0 | 8.5-11.0 | 80 | (S) 3,305 (D) 2,910 | 32.7 | 12.2 | 10.5 | 16.5 | 616 | 69.4 | |
| 2021407 | 35X12.50R18LT | 128Q | BSW | 12(F) | 10.0 | 8.5-11.0 | 80 | (S) 3,970 (D) 2,910 | 34.8 | 12.0 | 10.0 | 18.5 | 580 | 76.0 | |
| 2021076 | LT235/80R17 | 124/121Q | BSW | 10(E) | 6.5 | 6.0-8.0 | 80 | (S) 3,085 (D) 2,835 | 31.9 | 8.7 | 7.4 | 17.0 | 654 | 48.5 | |
| 2020798 | LT235/85R16 | 120/116Q | BSW | 10(E) | 6.5 | 6.0-7.5 | 80 | (S) 3,042 (D) 2,778 | 31.9 | 8.8 | 7.4 | 17.0 | 655 | 48.9 | |
| 2020806 | LT275/65R18 | 123/120Q | BSW | 10(E) | 8.0 | 8.0-9.5 | 80 | (S) 3,415 (D) 3,085 | 32.2 | 10.9 | 9.1 | 18.0 | 649 | 64.7 | |
| 2021223 | LT275/70R18 | 125/122R | BSW | 10(E) | 8.0 | 7.0-9.0 | 80 | (S) 3,640 (D) 3,305 | 33.3 | 10.7 | 9.3 | 18.5 | 628 | 61.2 | CHEVROLET Silverado HD ('20-'25), GMC Sierra HD ('20-'25) |
| 2020807 | LT285/65R18 | 125/122Q | BSW | 10(E) | 8.5 | 8.0-10.0 | 80 | (S) 3,640 (D) 3,305 | 32.7 | 11.4 | 9.4 | 17.5 | 639 | 68.1 | |
| 2020989 | LT285/75R16 | 126/123Q | OWL | 10(E) | 8.0 | 7.5-9.5 | 80 | (S) 3,750 (D) 3,415 | 33.0 | 10.6 | 9.0 | 17.0 | 633 | 63.4 | |
| 2020805 | LT295/70R18 | 129/126Q | BSW | 10(E) | 8.5 | 7.5-10.0 | 80 | (S) 4,080 (D) 3,750 | 34.5 | 11.5 | 9.3 | 17.0 | 606 | 71.9 | |
| 2021079 | LT305/70R18 | 126/123Q | OWL | 10(E) | 9.0 | 8.0-10.0 | 65 | (S) 3,750 (D) 3,415 | 35.0 | 11.8 | 9.6 | 18.5 | 597 | 77.1 | |


Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters
Mileage, Road Hazard, and 30 Day Free Trial warranties apply only to replacement tires. Original Equipment tires are excluded.


Dynapro MT2

Off-road Maximum Traction

The most extreme tire Hankook has ever offered, providing remarkable off-road traction and durability while maintaining on-road manners and performance.



Off-Road Traction



Durability



| S-Code | Size | LI/SS | Sidewall | Ply Rating | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/Mile | Weight | OE Application |
|-----------|---------------|----------|----------|------------|---------------|-----------------|-----------|------------------------|------------------|---------------|-------------|-------------|-----------|--------|----------------|
| | | | | | | | psi | lbs | | | | | | | |
| 20 | | | | | | | | | | | | | | | |
| 2021409 | 33X12.50R20LT | 119Q | BSW | 12 (F) | 10.0 | 8.5-11.0 | 80 | (S) 3,000 | 32.8 | 12.6 | 10.5 | 17.0 | 616 | 69.6 | |
| 2021411 | 35X12.50R20LT | 125Q | BSW | 12 (F) | 10.0 | 8.5-11.0 | 80 | (S) 3,640 | 34.7 | 12.4 | 10.5 | 17.5 | 581 | 77.0 | |
| 2021084 | 37X12.50R20LT | 120/116Q | BSW | 10 (E) | 10.0 | 8.5-11.0 | 80 | (S) 3,042 (D) 2,778 | 36.7 | 12.4 | 10.0 | 18.5 | 569 | 82.0 | |
| 2020795 | 37X13.50R20LT | 127Q | BSW | 10 (E) | 11.0 | 9.5-11.0 | 65 | (S) 3,860 | 36.8 | 13.2 | 11.3 | 18.0 | 569 | 88.8 | |
| 2020808 | LT275/65R20 | 126/123Q | BSW | 10 (E) | 8.0 | 8.0-9.5 | 80 | (S) 3,750 (D) 3,415 | 34.2 | 10.6 | 9.1 | 18.0 | 611 | 70.4 | |
| 2021080 | LT285/55R20 | 122/119Q | BSW | 10 (E) | 9.0 | 8.5-10.0 | 80 | (S) 3,305 (D) 3,000 | 32.6 | 11.9 | 9.4 | 17.5 | 642 | 67.0 | |
| 2020809 | LT295/55R20 | 123/120Q | BSW | 10 (E) | 9.5 | 8.5-10.5 | 80 | (S) 3,415 (D) 3,085 | 33.0 | 12.3 | 9.8 | 16.0 | 634 | 68.9 | |
| 2021081 | LT295/60R20 | 126/123Q | BSW | 10 (E) | 8.5 | 8.5-10.5 | 80 | (S) 3,750 (D) 3,415 | 34.1 | 11.5 | 9.8 | 17.5 | 613 | 73.2 | |
| 2021082 | LT295/65R20 | 129/126Q | BSW | 10 (E) | 8.5 | 8.5-10.5 | 80 | (S) 4,080 (D) 3,750 | 35.3 | 11.6 | 9.8 | 16.0 | 592 | 75.1 | |
| 2021414 | LT305/55R20 | 125/122Q | BSW | 12 (F) | 9.5 | 9.0-11.0 | 80 | (S) 3,640 (D) 3,305 | 33.4 | 12.3 | 10.1 | 17.5 | 604 | 72.5 | |
| 2021083 | LT315/60R20 | 125/122Q | BSW | 10 (E) | 9.5 | 9.5-11.0 | 65 | (S) 3,640 (D) 3,305 | 35.1 | 12.6 | 10.4 | 18.0 | 596 | 79.2 | |
| 22 | | | | | | | | | | | | | | | |
| 2021085 | 35X12.50R22LT | 120/116Q | BSW | 10 (E) | 10.0 | 8.5-11.0 | 65 | (S) 2,835 | 34.7 | 12.3 | 10.5 | 17.0 | 601 | 75.8 | |
| 2021418 | 37X13.50R22LT | 128Q | BSW | 12 (F) | 11.0 | 9.5-12.0 | 80 | (S) 3,970 | 36.7 | 13.4 | 11.3 | 18.5 | 550 | 87.2 | |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters
Mileage, Road Hazard, and 30 Day Free Trial warranties apply only to replacement tires. Original Equipment tires are excluded.



Commercial Van / Special Trailer Tire

Whatever you drive,
Hankook Tire has the solution.



TIRE ST01, TH31, RA18

NOTES T/T : Tube Type
T/L : Tubeless Type
❄️ : Snow Tire
❄️🌀❄️ : All Season Tire
This List cancels all previous lists and is subject to change without prior notice




Vantra TRAILER Vantra TRAILER TH31

Special Trailer



Vantra TRAILER



Vantra TRAILER TH31



Durable & Long-lasting even under Heavy Loads


Vantra Trailer provides superior quality in terms of durability, speed rating and lifespan to improve the performance of your trailer and stand up to heavy-loads and long travel distances.

Technical profile

Tread width : 175~255
 Series : 75~90
 Rim Diameter : 13~16
 Speed symbol : N, M

Trailers

* Special trailer tires are engineered specifically for use like following trailers



Vantra Trailer / **ST01**

| S-Code | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/ Mile | Weight |
|-----------------------------------|-------------|----------|----------|---------------|-----------------|-----------|------------------------|------------------|---------------|-------------|-------------|------------|--------|
| | | | | | | psi | lbs | | | | | | |
| 13 | | | | | | | | | | | | | |
| 2021432 | ST175/80R13 | 91/87N | BSW | 5.0 | 4.5-6.0 | 50 | (S) 1,360 (D) 1,200 | 23.9 | 7.0 | 5.5 | 8.0 | 875 | 21.1 |
| 2021433 | ST185/80R13 | 94/89N | BSW | 5.0 | 4.5-6.0 | 50 | (S) 1,480 (D) 1,280 | 24.5 | 7.2 | 5.8 | 8.0 | 853 | 22.4 |
| 14 | | | | | | | | | | | | | |
| 2021434 | ST205/75R14 | 105/101N | BSW | 5.5 | 5.0-7.0 | 65 | (S) 2,040 (D) 1,820 | 26.0 | 7.9 | 6.5 | 8.0 | 804 | 28.0 |
| 2021435 | ST215/75R14 | 108/103N | BSW | 6.0 | 5.5-7.0 | 65 | (S) 2,200 (D) 1,930 | 26.6 | 8.4 | 6.8 | 8.0 | 787 | 29.8 |
| 15 | | | | | | | | | | | | | |
| 2021436 | ST205/75R15 | 107/102N | BSW | 5.5 | 5.0-7.0 | 65 | (S) 2,150 (D) 1,870 | 27.0 | 7.9 | 6.5 | 8.0 | 774 | 29.6 |
| 2021437 | ST225/75R15 | 117/112N | BSW | 6.0 | 6.0-7.5 | 80 | (S) 2,830 (D) 2,470 | 28.2 | 8.7 | 7.1 | 8.0 | 742 | 34.3 |
| 16 | | | | | | | | | | | | | |
| 2021438 | ST235/80R16 | 123/119N | BSW | 6.5 | 6.0-8.0 | 80 | (S) 3,420 (D) 3,000 | 30.7 | 9.1 | 7.4 | 8.0 | 682 | 44.2 |
| 2021439 | ST235/85R16 | 125/121N | BSW | 6.5 | 6.0-7.5 | 80 | (S) 3,640 (D) 3,200 | 31.6 | 9.0 | 7.4 | 8.0 | 662 | 45.7 |
| 2021440 | ST255/85R16 | 129/125N | BSW | 7.0 | 6.5-8.0 | 80 | (S) 4,080 (D) 3,640 | 32.9 | 9.6 | 8.0 | 8.0 | 635 | 54.5 |
| Vantra Trailer TH31 / TH31 | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | | |
| 3003734 | ST235/85R16 | 132/127M | BSW | 6.5 | 6.0-7.5 | 110 | (S) 4,400 (D) 3,860 | 31.6 | 9.3 | 7.1 | 12.0 | 664 | 61.6 |
| 3003760 | ST235/80R16 | 129/125M | BSW | 6.5 | 6.0-8.0 | 110 | (S) 4,080 (D) 3,640 | 30.8 | 9.2 | 7.1 | 12.0 | 681 | 60.6 |
| 3003761 | ST225/90R16 | 129/125M | BSW | 6.0 | 6.0-7.0 | 110 | (S) 4,080 (D) 3,640 | 31.8 | 8.6 | 6.2 | 12.0 | 660 | 59.0 |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Vantra LT

Commercial Vans and Transporters



Technology Icons



Profile



Enhanced contact patch



Compound

Performance Icons



Wet braking



Mileage



Low noise



Durability



Hydroplaning

Technical profile

Tread width : 185-195

Aspect Ratio : 75-82

Rim Diameter : 14-16

Speed symbol : R

Improved durability and internal anti abrasion qualities

The Vantra LT, a tire for commercial vans and transport vehicles, provides excellent durability, increased mileage as well as excellent wet performance and a balanced grip. Even under heavy loads, stability is maintained, increasing driver safety.



Vantra LT / RA18

| S-Code | Size | LI/SS | Sidewall | Ply Rating | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/ Mile | Weight | OE Application |
|-----------|------------|----------|----------|------------|---------------|-----------------|-----------|------------------------|------------------|---------------|-------------|-------------|------------|--------|---------------------------------|
| | | | | | | | psi | lbs | | | | | | | |
| 16 | | | | | | | | | | | | | | | |
| 2001939 | 185R14C | 102/100R | BSW | 8 (D) | 5.5 | 5.0-6.0 | 65 | (S) 1,875 (D) 1,764 | 25.5 | 7.2 | 5.3 | 10.0 | 819 | 24.2 | |
| 2001946 | 195R14C | 106/104R | BSW | 8 (D) | 5.5 | 5.0-6.0 | 65 | (S) 2,094 (D) 1,984 | 26.1 | 7.6 | 5.5 | 12.0 | 800 | 26.3 | |
| 2020425 | 195/75R16C | 107/105R | BSW | 8 (D) | 5.5 | 5.0-6.0 | 69 | (S) 2,150 (D) 2,040 | 27.3 | 7.7 | 6.2 | 11.5 | 766 | 28.9 | MERCEDES BENZ Sprinter ('18-25) |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters
 Mileage, Road Hazard, and 30 Day Free Trial warranties apply only to replacement tires. Original Equipment tires are excluded.

Passenger

SUV / Light Truck

Commercial Van/Special Trailer

Winter

EV

Original Equipment



OF HT 330

Winter Tire

If you want speed with a sense of stability,
Hankook Tire has the solution.

TIRE W330, W330A, W616, W429, W429A, RW11

NOTES T/T : Tube Type
T/L : Tubeless Type
❄️ : Snow Tire
❄️🌀❄️ : All Season Tire
This List cancels all previous lists and is subject to change without prior notice



Winter i*cept evo³


Ultra-High Performance Studless Winter



Technology Icons



Performance Icons



Technical profile

Speed Symbol : H, V, W

Tread Width: 215~315

Series : 30~65

Inch : 17~21

A winter perfection in all conditions

The adaption of highly refined resin infused compound enhances the grip in the wet by keeping it flexible at a wide temperature range. The unidirectional tread together with snow pick shaped groove and 3D- Winter sipes enhances driving stability and improves braking performance on snow covered roads.



| S-Code | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/Mile | Weight | |
|-----------|-----------|-------|----------|---------------|-----------------|-----------|-----|------------------|---------------|-------------|-------------|-----------|--------|------|
| | | | | | | psi | lbs | | | | | | | |
| 17 | | | | | | | | | | | | | | |
| 1026305 | 215/60R17 | | 96H | BSW | 6.5 | 6.0-7.5 | 51 | (S) 1,565 | 27.1 | 9.0 | 6.6 | 10.5 | 768 | 22.5 |
| 1026304 | 225/60R17 | | 99H | BSW | 6.5 | 6.0-8.0 | 51 | (S) 1,709 | 27.5 | 9.3 | 6.9 | 10.5 | 754 | 24.3 |
| 1026329 | 235/45R17 | XL | 97V | BSW | 8.0 | 7.5-9.0 | 50 | (S) 1,609 | 25.2 | 9.6 | 8.0 | 10.5 | 824 | 22.2 |
| 1026345 | 235/50R17 | XL | 100V | BSW | 7.5 | 6.5-8.5 | 50 | (S) 1,764 | 26.2 | 10.0 | 7.6 | 10.5 | 794 | 23.2 |
| 1026320 | 245/45R17 | XL | 99V | BSW | 8.0 | 7.5-9.0 | 50 | (S) 1,709 | 25.5 | 9.9 | 8.3 | 10.5 | 814 | 23.7 |
| 18 | | | | | | | | | | | | | | |
| 1026310 | 215/55R18 | XL | 99V | BSW | 7.0 | 6.0-7.5 | 50 | (S) 1,709 | 27.2 | 9.1 | 7.0 | 10.5 | 765 | 23.7 |
| 1026306 | 225/40R18 | XL | 92V | BSW | 8.0 | 7.5-9.0 | 50 | (S) 1,389 | 24.8 | 9.4 | 7.6 | 10.5 | 837 | 19.8 |
| 1026226 | 225/45R18 | XL | 95V | BSW | 7.5 | 7.0-8.5 | 50 | (S) 1,521 | 25.7 | 9.2 | 7.6 | 10.5 | 808 | 22.3 |
| 1026312 | 225/50R18 | XL | 99V | BSW | 7.0 | 6.0-8.0 | 50 | (S) 1,709 | 26.8 | 9.8 | 7.3 | 10.5 | 776 | 24.2 |
| 1026317 | 235/40R18 | XL | 95V | BSW | 8.5 | 8.0-9.5 | 50 | (S) 1,521 | 25.3 | 9.8 | 8.0 | 10.5 | 822 | 21.9 |
| 1026309 | 235/45R18 | XL | 98V | BSW | 8.0 | 7.5-9.0 | 50 | (S) 1,653 | 26.2 | 9.6 | 8.0 | 10.5 | 793 | 23.6 |
| 1026313 | 245/40R18 | XL | 97V | BSW | 8.5 | 8.0-9.5 | 50 | (S) 1,609 | 25.6 | 10.1 | 8.3 | 10.5 | 812 | 22.6 |
| 1026307 | 245/45R18 | XL | 100V | BSW | 8.0 | 7.5-9.0 | 50 | (S) 1,764 | 26.5 | 9.9 | 8.3 | 10.5 | 783 | 25.5 |
| 1026328 | 245/50R18 | XL | 104V | BSW | 7.5 | 7.0-8.5 | 50 | (S) 1,984 | 27.6 | 10.5 | 7.9 | 10.5 | 753 | 26.5 |
| 1026360 | 255/35R18 | XL | 94V | BSW | 9.0 | 8.5-10.0 | 50 | (S) 1,477 | 24.9 | 10.6 | 8.9 | 10.5 | 835 | 22.5 |
| 19 | | | | | | | | | | | | | | |
| 1026322 | 225/40R19 | XL | 93V | BSW | 8.0 | 7.5-9.0 | 50 | (S) 1,433 | 25.8 | 9.4 | 7.6 | 10.5 | 804 | 22.1 |
| 1026326 | 225/45R19 | XL | 96V | BSW | 7.5 | 7.0-8.5 | 50 | (S) 1,565 | 26.8 | 9.2 | 7.6 | 10.5 | 775 | 22.7 |
| 1026316 | 235/35R19 | XL | 91W | BSW | 8.5 | 8.0-9.5 | 50 | (S) 1,356 | 25.3 | 10.0 | 8.2 | 10.5 | 820 | 22.8 |
| 1026319 | 235/40R19 | XL | 96V | BSW | 8.5 | 8.0-9.5 | 50 | (S) 1,565 | 26.3 | 9.8 | 8.0 | 10.5 | 791 | 22.8 |
| 1026318 | 235/45R19 | XL | 99V | BSW | 8.0 | 7.5-9.0 | 50 | (S) 1,709 | 27.2 | 9.6 | 8.0 | 10.5 | 763 | 24.9 |
| 1026323 | 245/35R19 | XL | 93W | BSW | 8.5 | 8.0-9.5 | 50 | (S) 1,433 | 25.6 | 10.1 | 8.6 | 10.5 | 810 | 23.0 |
| 1026314 | 245/40R19 | XL | 98V | BSW | 8.5 | 8.0-9.5 | 50 | (S) 1,653 | 26.6 | 10.1 | 8.3 | 10.5 | 782 | 25.1 |
| 1026311 | 245/45R19 | XL | 102V | BSW | 8.0 | 7.5-9.0 | 50 | (S) 1,874 | 27.5 | 9.9 | 8.3 | 10.5 | 755 | 26.2 |
| 1026315 | 255/35R19 | XL | 96V | BSW | 9.0 | 8.5-10.0 | 50 | (S) 1,565 | 25.9 | 10.6 | 8.9 | 10.5 | 803 | 24.5 |
| 1026321 | 255/40R19 | XL | 100V | BSW | 9.0 | 8.5-10.0 | 50 | (S) 1,764 | 26.9 | 10.6 | 8.6 | 10.5 | 772 | 25.2 |
| 1026327 | 255/45R19 | XL | 104W | BSW | 8.5 | 8.0-9.5 | 50 | (S) 1,984 | 27.9 | 10.4 | 8.6 | 10.5 | 744 | 27.5 |
| 20 | | | | | | | | | | | | | | |
| 1026357 | 235/35R20 | XL | 92W | BSW | 8.5 | 8.0-9.5 | 50 | (S) 1,389 | 26.3 | 10.0 | 8.2 | 10.5 | 789 | 22.6 |
| 1026341 | 245/35R20 | XL | 95W | BSW | 8.5 | 8.0-9.5 | 50 | (S) 1,521 | 26.6 | 10.1 | 8.6 | 10.5 | 780 | 24.2 |
| 1026339 | 245/40R20 | XL | 99W | BSW | 8.5 | 8.0-9.5 | 50 | (S) 1,709 | 27.6 | 10.1 | 8.3 | 10.5 | 753 | 25.6 |
| 1026335 | 245/45R20 | XL | 103V | BSW | 8.0 | 7.5-9.0 | 50 | (S) 1,929 | 28.5 | 9.9 | 8.3 | 10.5 | 728 | 27.3 |
| 1026338 | 255/35R20 | XL | 97W | BSW | 9.0 | 8.5-10.0 | 50 | (S) 1,609 | 26.9 | 10.6 | 8.9 | 10.5 | 773 | 26.2 |
| 1026347 | 275/30R20 | XL | 97W | BSW | 9.5 | 9.0-10.0 | 50 | (S) 1,609 | 26.4 | 11.5 | 9.6 | 10.5 | 787 | 27.8 |
| 21 | | | | | | | | | | | | | | |
| 1027229 | 275/35R21 | XL | 103W | BSW | 9.5 | 9.0-11.0 | 50 | (S) 1,929 | 28.4 | 11.2 | 9.6 | 10.5 | 731 | 29.1 |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Winter i*cept evo³ x

Ultra-High Performance Studless Winter



A winter perfection in all conditions


The adaption of highly refined resin infused compound enhances the grip in the wet by keeping it flexible at a wide temperature range. The unidirectional tread together with snow pick shaped groove and 3D- Winter sipes enhances driving stability and improves braking performance on snow covered roads.



Technology Icons



Performance Icons



Technical profile

Speed Symbol : H, V, W

Tread Width: 215~315

Series : 30~65

Inch : 17~21



| S-Code | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/Mile | Weight | |
|-----------|-----------|-------|----------|---------------|-----------------|-----------|-----|------------------|---------------|-------------|-------------|-----------|--------|------|
| | | | | | | psi | lbs | | | | | | | |
| 17 | | | | | | | | | | | | | | |
| 1026384 | 215/65R17 | | 99V | BSW | 6.5 | 6.0-7.5 | 51 | (S) 1,709 | 27.9 | 8.8 | 6.7 | 10.5 | 744 | 25.5 |
| 1026386 | 225/65R17 | | 102H | BSW | 6.5 | 6.0-8.0 | 51 | (S) 1,874 | 28.4 | 9.2 | 6.9 | 10.5 | 731 | 26.8 |
| 1026385 | 235/55R17 | XL | 103V | BSW | 7.5 | 6.5-8.5 | 50 | (S) 1,929 | 27.2 | 9.7 | 7.6 | 10.5 | 765 | 26.7 |
| 1026402 | 235/60R17 | XL | 106H | BSW | 7.0 | 6.5-8.5 | 50 | (S) 2,094 | 28.0 | 9.6 | 7.2 | 10.5 | 742 | 26.1 |
| 1026388 | 235/65R17 | XL | 108V | BSW | 7.0 | 6.5-8.5 | 50 | (S) 2,205 | 28.9 | 9.5 | 7.2 | 10.5 | 718 | 28.0 |
| 1026407 | 255/65R17 | XL | 114H | BSW | 7.5 | 7.0-9.0 | 50 | (S) 2,601 | 30.0 | 10.3 | 7.8 | 10.5 | 693 | 31.6 |
| 18 | | | | | | | | | | | | | | |
| 1026387 | 225/55R18 | XL | 102V | BSW | 7.0 | 6.0-8.0 | 50 | (S) 1,874 | 27.6 | 9.6 | 7.3 | 10.5 | 752 | 26.1 |
| 1026397 | 225/60R18 | XL | 104V | BSW | 6.5 | 6.0-8.0 | 50 | (S) 1,984 | 28.5 | 9.3 | 6.9 | 10.5 | 728 | 27.6 |
| 1026392 | 235/50R18 | XL | 101V | BSW | 7.5 | 6.5-8.5 | 50 | (S) 1,819 | 27.2 | 10.0 | 7.6 | 10.5 | 765 | 27.2 |
| 1026395 | 235/55R18 | XL | 104V | BSW | 7.5 | 6.5-8.5 | 50 | (S) 1,984 | 28.0 | 10.2 | 7.6 | 10.5 | 741 | 28.0 |
| 1026389 | 235/60R18 | XL | 107H | BSW | 7.0 | 6.5-8.5 | 50 | (S) 2,149 | 29.0 | 9.6 | 7.2 | 10.5 | 717 | 27.9 |
| 1027212 | 245/60R18 | | 105H | BSW | 7.0 | 7.0-8.5 | 51 | (S) 2,039 | 29.4 | 10.0 | 7.5 | 10.5 | 706 | 29.8 |
| 1026399 | 255/55R18 | XL | 109V | BSW | 8.0 | 7.0-9.0 | 50 | (S) 2,271 | 28.9 | 10.9 | 8.2 | 10.5 | 719 | 32.0 |
| 1026404 | 255/60R18 | XL | 112V | BSW | 7.5 | 7.0-9.0 | 50 | (S) 2,469 | 29.9 | 10.6 | 7.8 | 10.5 | 694 | 32.2 |
| 1026401 | 265/60R18 | XL | 114H | BSW | 8.0 | 7.5-9.5 | 50 | (S) 2,601 | 30.5 | 10.9 | 8.2 | 10.5 | 682 | 34.1 |
| 19 | | | | | | | | | | | | | | |
| 1026408 | 225/55R19 | | 99V | BSW | 7.0 | 6.0-8.0 | 51 | (S) 1,709 | 28.6 | 9.6 | 7.3 | 10.5 | 726 | 27.3 |
| 1026394 | 235/50R19 | XL | 103V | BSW | 7.5 | 6.5-8.5 | 50 | (S) 1,929 | 28.2 | 10.0 | 7.6 | 10.5 | 738 | 28.3 |
| 1026391 | 235/55R19 | XL | 105V | BSW | 7.5 | 6.5-8.5 | 50 | (S) 2,039 | 29.0 | 10.2 | 7.6 | 10.5 | 716 | 29.5 |
| 1026423 | 245/50R19 | XL | 105V | BSW | 7.5 | 7.0-8.5 | 50 | (S) 2,039 | 28.6 | 10.5 | 7.9 | 10.5 | 727 | 29.2 |
| 1026398 | 255/50R19 | XL | 107V | BSW | 8.0 | 7.0-9.0 | 50 | (S) 2,149 | 28.9 | 11.0 | 8.2 | 10.5 | 718 | 30.1 |
| 1026403 | 255/55R19 | XL | 111V | BSW | 8.0 | 7.0-9.0 | 50 | (S) 2,403 | 29.9 | 10.9 | 8.2 | 10.5 | 695 | 32.2 |
| 1026410 | 265/50R19 | XL | 110V | BSW | 8.5 | 7.5-9.5 | 50 | (S) 2,337 | 29.3 | 11.3 | 8.5 | 10.5 | 708 | 33.1 |
| 1027217 | 275/55R19 | | 111H | BSW | 8.5 | 7.5-9.5 | 51 | (S) 2,403 | 30.7 | 11.7 | 8.9 | 10.5 | 675 | 36.4 |
| 20 | | | | | | | | | | | | | | |
| 1027222 | 235/55R20 | XL | 105V | BSW | 7.5 | 6.5-8.5 | 50 | (S) 2,039 | 30.0 | 10.2 | 7.6 | 10.5 | 692 | 30.9 |
| 1026400 | 255/45R20 | XL | 105V | BSW | 8.5 | 8.0-9.5 | 50 | (S) 2,039 | 28.9 | 10.4 | 8.6 | 10.5 | 718 | 30.2 |
| 1026406 | 255/50R20 | XL | 109V | BSW | 8.0 | 7.0-9.0 | 50 | (S) 2,271 | 29.9 | 11.0 | 8.2 | 10.5 | 694 | 32.6 |
| 1026425 | 255/55R20 | XL | 110V | BSW | 8.0 | 7.0-9.0 | 50 | (S) 2,337 | 30.9 | 10.9 | 8.2 | 10.5 | 673 | 34.9 |
| 1026421 | 265/45R20 | XL | 108V | BSW | 9.0 | 8.5-10.0 | 50 | (S) 2,205 | 29.2 | 10.8 | 8.9 | 10.5 | 711 | 31.3 |
| 1026412 | 265/50R20 | XL | 111V | BSW | 8.5 | 7.5-9.5 | 50 | (S) 2,403 | 30.3 | 11.3 | 8.5 | 10.5 | 685 | 34.3 |
| 1026405 | 275/40R20 | XL | 106V | BSW | 9.5 | 9.0-11.0 | 50 | (S) 2,094 | 28.5 | 11.3 | 9.3 | 10.5 | 728 | 32.1 |
| 1026419 | 275/45R20 | XL | 110W | BSW | 9.0 | 8.5-10.5 | 50 | (S) 2,337 | 29.6 | 11.1 | 9.3 | 10.5 | 701 | 34.8 |
| 1026413 | 315/35R20 | XL | 110V | BSW | 11.0 | 10.5-12.5 | 50 | (S) 2,337 | 28.7 | 12.4 | 11.0 | 10.5 | 725 | 35.4 |
| 21 | | | | | | | | | | | | | | |
| 1026416 | 265/40R21 | XL | 105V | BSW | 9.5 | 9.0-10.5 | 50 | (S) 2,039 | 29.1 | 11.0 | 9.0 | 10.5 | 715 | 30.4 |
| 1026414 | 275/45R21 | XL | 110V | BSW | 9.0 | 8.5-10.5 | 50 | (S) 2,337 | 30.6 | 11.1 | 9.3 | 10.5 | 678 | 35.9 |
| 1027227 | 285/45R21 | XL | 113W | BSW | 9.5 | 9.0-10.5 | 50 | (S) 2,535 | 30.9 | 11.5 | 9.6 | 10.5 | 672 | 36.8 |
| 1026409 | 295/35R21 | XL | 107V | BSW | 10.5 | 10.0-11.5 | 50 | (S) 2,149 | 28.8 | 12.3 | 10.3 | 10.5 | 720 | 33.5 |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Winter i*cept iZ²

High Performance Studless Winter



Technology Icons



Performance Icons



Technical profile

Speed Symbol : T
Tread Width: 175~235
Series : 45~70
Inch : 13~18

The new and improved studless winter performance tire

The optimized directional pattern design of the Winter i*cept iZ2 ensures maximum studless safety on wet and icy roads. The improved Winter i*cept iZ2 features zigzag traction for improved snow traction with excellent braking and handling on ice allowing you to drive with confidence in extreme winter conditions.



reddot award 2016
winner



| S-Code | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/ Mile | Weight | |
|-----------|-----------|-------|----------|---------------|-----------------|-----------|-----|------------------|---------------|-------------|-------------|------------|--------|------|
| | | | | | | psi | lbs | | | | | | | |
| 13 | | | | | | | | | | | | | | |
| 1019920 | 175/70R13 | | 82T | BSW | 5.0 | 4.5-6.0 | 51 | (S) 1,047 | 22.6 | 7.0 | 5.5 | 10.5 | 920 | 14.5 |
| 14 | | | | | | | | | | | | | | |
| 1019922 | 175/65R14 | XL | 86T | BSW | 5.0 | 5.0-6.0 | 50 | (S) 1,168 | 22.9 | 7.3 | 5.8 | 10.5 | 909 | 15.9 |
| 1020326 | 175/70R14 | | 84T | BSW | 5.0 | 4.5-6.0 | 51 | (S) 1,102 | 23.6 | 7.0 | 5.5 | 10.5 | 882 | 15.7 |
| 1019924 | 185/60R14 | XL | 86T | BSW | 5.5 | 5.0-6.5 | 50 | (S) 1,168 | 22.6 | 7.8 | 6.1 | 10.5 | 918 | 16.4 |
| 1020328 | 185/65R14 | | 86T | BSW | 5.5 | 5.0-6.5 | 51 | (S) 1,168 | 23.3 | 7.8 | 6.1 | 10.5 | 891 | 16.9 |
| 1020329 | 185/70R14 | | 88T | BSW | 5.5 | 4.5-6.0 | 51 | (S) 1,235 | 24.1 | 7.5 | 5.8 | 10.5 | 861 | 17.0 |
| 1019927 | 195/70R14 | | 91T | BSW | 6.0 | 5.0-6.5 | 51 | (S) 1,356 | 24.7 | 7.9 | 6.1 | 10.5 | 840 | 18.4 |
| 15 | | | | | | | | | | | | | | |
| 1019928 | 175/65R15 | XL | 88T | BSW | 5.0 | 5.0-6.0 | 50 | (S) 1,235 | 23.9 | 7.3 | 5.8 | 10.5 | 871 | 16.5 |
| 1019929 | 185/55R15 | XL | 86T | BSW | 6.0 | 5.0-6.5 | 50 | (S) 1,168 | 22.9 | 7.9 | 6.1 | 10.5 | 908 | 16.9 |
| 1019930 | 185/60R15 | XL | 88T | BSW | 5.5 | 5.0-6.5 | 51 | (S) 1,235 | 23.6 | 7.8 | 6.1 | 10.5 | 880 | 17.3 |
| 1019931 | 185/65R15 | XL | 92T | BSW | 5.5 | 5.0-6.5 | 51 | (S) 1,389 | 24.3 | 7.8 | 6.1 | 10.5 | 854 | 17.5 |
| 1019932 | 195/55R15 | XL | 89T | BSW | 6.0 | 5.5-7.0 | 50 | (S) 1,279 | 23.3 | 8.5 | 6.4 | 10.5 | 893 | 17.4 |
| 1019933 | 195/60R15 | XL | 92T | BSW | 6.0 | 5.5-7.0 | 50 | (S) 1,389 | 24.1 | 8.2 | 6.5 | 10.5 | 862 | 18.3 |
| 1020339 | 195/65R15 | | 91T | BSW | 6.0 | 5.5-7.0 | 51 | (S) 1,356 | 24.9 | 8.1 | 6.5 | 10.5 | 835 | 18.8 |
| 1020340 | 205/65R15 | | 94T | BSW | 6.0 | 5.5-7.5 | 51 | (S) 1,477 | 25.3 | 8.5 | 6.8 | 10.5 | 819 | 20.7 |
| 1019936 | 205/70R15 | | 96T | BSW | 6.0 | 5.0-7.0 | 51 | (S) 1,565 | 26.2 | 8.2 | 6.5 | 10.5 | 792 | 21.4 |
| 1020114 | 215/70R15 | | 98T | BSW | 6.5 | 5.5-7.5 | 51 | (S) 1,653 | 26.8 | 8.7 | 6.8 | 10.5 | 776 | 23.1 |
| 16 | | | | | | | | | | | | | | |
| 1019937 | 195/55R16 | XL | 91T | BSW | 6.0 | 5.5-7.0 | 50 | (S) 1,356 | 24.3 | 8.4 | 6.4 | 10.5 | 856 | 18.2 |
| 1020342 | 205/55R16 | | 91T | BSW | 6.5 | 5.5-7.5 | 51 | (S) 1,356 | 24.7 | 8.9 | 6.8 | 10.5 | 840 | 19.8 |
| 1020343 | 205/60R16 | | 92T | BSW | 6.0 | 5.5-7.5 | 51 | (S) 1,389 | 25.6 | 8.6 | 6.8 | 10.5 | 813 | 20.1 |
| 1020344 | 205/65R16 | | 95T | BSW | 6.0 | 5.5-7.5 | 51 | (S) 1,521 | 26.3 | 8.5 | 6.8 | 10.5 | 788 | 21.7 |
| 1020345 | 215/55R16 | | 93T | BSW | 7.0 | 6.0-7.5 | 51 | (S) 1,433 | 25.1 | 9.2 | 7.2 | 10.5 | 827 | 21.4 |
| 1020346 | 215/60R16 | | 95T | BSW | 6.5 | 6.0-7.5 | 51 | (S) 1,521 | 26.0 | 9.0 | 7.1 | 10.5 | 798 | 21.9 |
| 1020347 | 215/65R16 | | 98T | BSW | 6.5 | 6.0-7.5 | 51 | (S) 1,653 | 26.9 | 8.8 | 7.1 | 10.5 | 772 | 23.9 |
| 1020348 | 225/60R16 | | 98T | BSW | 6.5 | 6.0-8.0 | 51 | (S) 1,653 | 26.5 | 9.3 | 7.5 | 10.5 | 784 | 24.8 |
| 1019946 | 235/60R16 | XL | 104T | BSW | 7.0 | 6.5-8.5 | 50 | (S) 1,984 | 27.0 | 9.7 | 7.8 | 10.5 | 770 | 27.1 |
| 17 | | | | | | | | | | | | | | |
| 1019947 | 205/50R17 | XL | 93T | BSW | 6.5 | 5.5-7.5 | 50 | (S) 1,433 | 25.0 | 8.8 | 6.8 | 10.5 | 832 | 19.5 |
| 1020351 | 215/50R17 | | 91T | BSW | 7.0 | 6.0-7.5 | 51 | (S) 1,356 | 25.4 | 9.4 | 7.2 | 10.5 | 819 | 21.0 |
| 1019949 | 215/55R17 | XL | 101T | BSW | 7.0 | 6.0-7.5 | 50 | (S) 1,653 | 26.2 | 9.1 | 7.5 | 10.5 | 794 | 23.2 |
| 1019950 | 215/60R17 | | 96T | BSW | 6.5 | 6.0-7.5 | 51 | (S) 1,565 | 27.1 | 9.0 | 7.1 | 10.5 | 768 | 24.6 |
| 1020115 | 215/65R17 | | 99T | BSW | 6.5 | 6.0-7.5 | 51 | (S) 1,709 | 27.9 | 8.8 | 7.1 | 10.5 | 744 | 25.5 |
| 1019951 | 225/45R17 | XL | 94T | BSW | 7.5 | 7.0-8.5 | 50 | (S) 1,477 | 24.8 | 9.2 | 7.7 | 10.5 | 837 | 20.8 |
| 1020354 | 225/50R17 | | 94T | BSW | 7.0 | 6.0-8.0 | 51 | (S) 1,477 | 25.8 | 9.8 | 7.5 | 10.5 | 806 | 21.7 |
| 1020355 | 225/55R17 | | 97T | BSW | 7.0 | 6.0-8.0 | 51 | (S) 1,609 | 26.6 | 9.6 | 7.5 | 10.5 | 780 | 24.7 |
| 1020356 | 235/45R17 | | 94T | BSW | 8.0 | 7.5-9.0 | 51 | (S) 1,477 | 25.2 | 9.6 | 8.0 | 10.5 | 824 | 21.7 |
| 1020357 | 235/55R17 | | 99T | BSW | 7.5 | 6.5-8.5 | 51 | (S) 1,609 | 27.0 | 10.2 | 7.8 | 10.5 | 769 | 25.5 |
| 18 | | | | | | | | | | | | | | |
| 1020358 | 225/45R18 | | 91T | BSW | 7.5 | 7.0-8.5 | 51 | (S) 1,356 | 25.8 | 9.2 | 7.7 | 10.5 | 805 | 21.4 |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Winter i*Pike RS²

Studdable & Studded Winter



Technology Icons



3D-Sipe



Stud



Compound

Performance Icons



Snow handling



Ice braking



Mileage



Comfort



Traction



3PMSF

Technical profile

Speed Symbol : T

Tread Width: 175~235

Series : 45~70

Inch : 13~18

The new specialty for the northern winter

The new Hankook Winter i*pike RS² have a unique design which is optimized for your winter driving performance. The new Hankook Winter i*pike RS² gives you special value through the combination of delicate lines and curves.



Winter i*Pike RS² / W429

| S-Code | | Max. Load | | | | | | | | | | | Weight | | | |
|-----------|--------------|-----------|-------|----------|---------------|-----------------|---------|-----|------------------|---------------|-------------|-------------|------------|----------|--------------|------|
| Non-Stud | Factory Stud | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | psi | lbs | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/ Mile | Non-Stud | Factory Stud | |
| 13 | | | | | | | | | | | | | | | | |
| 1026791 | 1026790 | 175/70R13 | | 82T | BSW | 5.0 | 4.5-6.0 | 51 | (S) 1,047 | 22.6 | 7.0 | 5.5 | 11.0 | 920 | 15.0 | 15 |
| 14 | | | | | | | | | | | | | | | | |
| 1028949 | 1029017 | 175/65R14 | | 82T | BSW | 5.0 | 5.0-6.0 | 51 | (S) 1,047 | 22.9 | 7.3 | 5.8 | 11.0 | 909 | 15.5 | 15.9 |
| 1026793 | 1026792 | 175/70R14 | XL | 88T | BSW | 5.0 | 4.5-6.0 | 50 | (S) 1,235 | 23.6 | 7.0 | 5.5 | 11.0 | 882 | 16.3 | 16.7 |
| 1026817 | 1026816 | 185/60R14 | | 82T | BSW | 5.5 | 5.0-6.5 | 51 | (S) 1,047 | 22.6 | 7.4 | 6.1 | 11.0 | 917 | 16.6 | 16.9 |
| 1028950 | 1029018 | 185/65R14 | | 86T | BSW | 5.5 | 5.0-6.5 | 51 | (S) 1,168 | 23.3 | 7.8 | 6.1 | 11.0 | 891 | 17.4 | 17.8 |
| 1028951 | 1029019 | 185/70R14 | | 88T | BSW | 5.5 | 4.5-6.0 | 51 | (S) 1,235 | 24.1 | 7.5 | 5.8 | 11.0 | 861 | 17.8 | 18.1 |
| 1028943 | 1029011 | 195/70R14 | | 91T | BSW | 6.0 | 5.0-6.5 | 51 | (S) 1,356 | 24.7 | 7.9 | 6.1 | 11.0 | 842 | 18.5 | 18.9 |
| 15 | | | | | | | | | | | | | | | | |
| 1028956 | 1029024 | 185/55R15 | XL | 86T | BSW | 6.0 | 5.0-6.5 | 50 | (S) 1,168 | 22.9 | 7.8 | 6.1 | 11.0 | 908 | 17.3 | 17.7 |
| 1028934 | 1029002 | 185/60R15 | | 84T | BSW | 5.5 | 5.0-6.5 | 51 | (S) 1,102 | 23.6 | 7.8 | 6.1 | 11.0 | 880 | 17.4 | 17.7 |
| 1028929 | 1028997 | 185/65R15 | | 88T | BSW | 5.5 | 5.0-6.5 | 51 | (S) 1,235 | 24.3 | 7.8 | 6.1 | 11.0 | 854 | 18.4 | 18.8 |
| 1028936 | 1029004 | 195/60R15 | | 88T | BSW | 6.0 | 5.5-7.0 | 51 | (S) 1,235 | 24.1 | 8.2 | 6.5 | 11.0 | 862 | 18.7 | 19.1 |
| 1026821 | 1026820 | 195/65R15 | | 91T | BSW | 6.0 | 5.0-6.5 | 51 | (S) 1,356 | 24.9 | 8.1 | 6.5 | 11.0 | 835 | 20.6 | 21.0 |
| 1028954 | 1029022 | 205/60R15 | | 91T | BSW | 6.0 | 5.5-7.5 | 51 | (S) 1,356 | 24.6 | 8.6 | 6.8 | 11.0 | 846 | 20.1 | 20.4 |
| 1026825 | 1026824 | 205/65R15 | | 94T | BSW | 6.0 | 5.5-7.5 | 51 | (S) 1,477 | 25.3 | 8.5 | 6.8 | 11.0 | 819 | 21.4 | 21.7 |
| 1028945 | 1029013 | 215/70R15 | | 98T | BSW | 6.5 | 5.5-7.0 | 51 | (S) 1,653 | 26.8 | 8.7 | 6.8 | 11.0 | 776 | 24.0 | 24.4 |
| 16 | | | | | | | | | | | | | | | | |
| 1028944 | 1029012 | 195/55R16 | | 87T | BSW | 6.0 | 5.5-7.0 | 51 | (S) 1,201 | 24.3 | 8.4 | 6.4 | 11.0 | 856 | 18.8 | 19.2 |
| 1028953 | 1029021 | 205/50R16 | | 87T | BSW | 6.5 | 5.5-7.5 | 51 | (S) 1,201 | 23.9 | 8.9 | 6.8 | 11.0 | 867 | 19.2 | 19.6 |
| 1026801 | 1026800 | 205/55R16 | XL | 94T | BSW | 6.5 | 5.5-7.5 | 50 | (S) 1,477 | 24.7 | 9.1 | 6.8 | 11.0 | 840 | 21.1 | 21.5 |
| 1028925 | 1028993 | 205/60R16 | | 92T | BSW | 6.0 | 5.5-7.5 | 51 | (S) 1,389 | 25.6 | 8.6 | 6.8 | 11.0 | 813 | 21.6 | 22.1 |
| 1026827 | 1026826 | 205/65R16 | | 95T | BSW | 6.0 | 5.5-7.5 | 51 | (S) 1,521 | 26.3 | 8.5 | 6.8 | 11.0 | 788 | 22.8 | 23.2 |
| 1026803 | 1026802 | 215/55R16 | XL | 97T | BSW | 7.0 | 6.0-7.5 | 50 | (S) 1,609 | 25.1 | 8.9 | 7.2 | 11.0 | 827 | 24.1 | 24.4 |
| 1026829 | 1026828 | 215/60R16 | XL | 99T | BSW | 6.5 | 6.0-7.5 | 50 | (S) 1,709 | 26.0 | 9.0 | 7.1 | 11.0 | 798 | 25.0 | 25.4 |
| 1028927 | 1028995 | 215/65R16 | | 98T | BSW | 6.5 | 6.0-7.5 | 51 | (S) 1,653 | 26.9 | 8.8 | 7.1 | 11.0 | 772 | 25.6 | 25.6 |
| 1028935 | 1029003 | 225/60R16 | XL | 102T | BSW | 6.5 | 6.0-8.0 | 50 | (S) 1,874 | 26.5 | 9.3 | 7.5 | 11.0 | 784 | 25.4 | 25.8 |
| 17 | | | | | | | | | | | | | | | | |
| 1026831 | 1026830 | 205/50R17 | XL | 93T | BSW | 6.5 | 5.5-7.5 | 50 | (S) 1,433 | 25.0 | 8.9 | 6.8 | 11.0 | 832 | 20.5 | 20.9 |
| 1028941 | 1029009 | 215/45R17 | | 87T | BSW | 7.0 | 7.0-8.0 | 51 | (S) 1,201 | 24.5 | 8.7 | 7.4 | 11.0 | 848 | 19.5 | 19.8 |
| 1026835 | 1026834 | 215/50R17 | XL | 95T | BSW | 7.0 | 6.0-8.0 | 50 | (S) 1,521 | 25.4 | 9.4 | 7.2 | 11.0 | 819 | 23.5 | 23.9 |
| 1028926 | 1028994 | 215/55R17 | | 94T | BSW | 7.0 | 6.0-7.5 | 51 | (S) 1,477 | 26.2 | 9.1 | 7.2 | 11.0 | 794 | 23.7 | 24.1 |
| 1026841 | 1026840 | 225/45R17 | XL | 94T | BSW | 7.5 | 7.0-8.5 | 50 | (S) 1,477 | 24.8 | 9.2 | 7.7 | 11.0 | 837 | 22.6 | 22.9 |
| 1026839 | 1026838 | 225/50R17 | XL | 98T | BSW | 7.0 | 6.0-8.0 | 50 | (S) 1,653 | 25.8 | 9.7 | 7.5 | 11.0 | 806 | 25.6 | 26.0 |
| 1026837 | 1026836 | 225/55R17 | XL | 101T | BSW | 7.0 | 6.0-8.0 | 50 | (S) 1,819 | 26.6 | 9.6 | 7.5 | 11.0 | 780 | 26.2 | 26.6 |
| 1028946 | 1029014 | 235/45R17 | XL | 97T | BSW | 8.0 | 7.5-9.0 | 50 | (S) 1,609 | 25.2 | 9.6 | 8.0 | 11.0 | 824 | 24.5 | 24.9 |
| 1026805 | 1026804 | 235/55R17 | XL | 103T | BSW | 7.5 | 6.5-8.5 | 50 | (S) 1,929 | 27.0 | 10.2 | 7.8 | 11.0 | 769 | 27.8 | 28.2 |
| 18 | | | | | | | | | | | | | | | | |
| 1029708 | 1029710 | 215/55R18 | | 95T | BSW | 7.0 | 6.0-7.5 | 51 | (S) 1,521 | 27.2 | 9.1 | 7.2 | 11.0 | 765 | 25.5 | 25.9 |
| 1028940 | 1029008 | 225/50R18 | | 95T | BSW | 7.0 | 6.0-8.0 | 51 | (S) 1,521 | 26.8 | 9.7 | 7.5 | 11.0 | 776 | 27.2 | 27.5 |
| 1028948 | 1029016 | 245/45R18 | XL | 100T | BSW | 8.0 | 7.5-9.0 | 50 | (S) 1,764 | 26.5 | 9.9 | 8.3 | 11.0 | 783 | 27.0 | 27.4 |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Winter i*Pike^x

Studdable & Studded Winter



Technology Icons



3D-Sipe



Stud



Compound

Performance Icons



Snow handling



Ice braking



Mileage



Traction



3PMSF

Technical profile

Speed Symbol : T

Tread Width: 205 - 275

Series : 45 - 75

Inch : 15 - 20

The new specialty for the northern winter

The new Hankook Winter i*pike^x have a unique design which is optimized for your winter driving performance. The new Hankook Winter i*pike^x gives you special value through the combination of delicate lines and curves.



Winter i*Pike X / W429A

| S-Code | | Max. Load | | | | | | | | | | Weight | | | | |
|-----------|--------------|-----------|-------|----------|---------------|-----------------|---------|-----|------------------|---------------|-------------|-------------|------------|----------|--------------|------|
| Non-Stud | Factory Stud | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | psi | lbs | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/ Mile | Non-Stud | Factory Stud | |
| 15 | | | | | | | | | | | | | | | | |
| 1026809 | 1026808 | 205/70R15 | | 96T | BSW | 6.0 | 5.0-7.0 | 51 | (S) 1,565 | 26.4 | 8.3 | 6.5 | 12.5 | 786 | 25.5 | 25.8 |
| 1028952 | 1029020 | 205/75R15 | | 97T | BSW | 5.5 | 5.0-7.0 | 51 | (S) 1,609 | 27.1 | 8.1 | 6.5 | 12.5 | 767 | 25.9 | 26.2 |
| 1026041 | 1026770 | 235/75R15 | XL | 109T | BSW | 6.5 | 6.0-8.0 | 50 | (S) 2,271 | 28.8 | 9.0 | 7.4 | 12.5 | 721 | 31.1 | 31.4 |
| 16 | | | | | | | | | | | | | | | | |
| 1026807 | 1026806 | 215/70R16 | | 100T | BSW | 6.5 | 5.5-7.0 | 51 | (S) 1,764 | 27.9 | 8.8 | 6.8 | 12.5 | 745 | 27.9 | 28.2 |
| 1028494 | 1029888 | 225/65R16 | | 100T | BSW | 6.5 | 6.0-8.0 | 51 | (S) 1,764 | 27.4 | 9.3 | 7.1 | 12.5 | 758 | 28.2 | 28.6 |
| 1028947 | 1029015 | 225/70R16 | XL | 107T | BSW | 6.5 | 6.0-7.5 | 50 | (S) 2,149 | 28.4 | 8.9 | 7.1 | 12.5 | 732 | 30.0 | 30.4 |
| 1026040 | 1026771 | 225/75R16 | | 104T | BSW | 6.0 | 6.0-7.5 | 51 | (S) 1,984 | 29.2 | 8.6 | 7.1 | 12.5 | 710 | 30.4 | 30.8 |
| 1028496 | 1029889 | 235/65R16 | | 103T | BSW | 7.0 | 6.5-8.5 | 51 | (S) 1,929 | 28.0 | 9.4 | 7.7 | 12.5 | 743 | 30.1 | 30.6 |
| 1028930 | 1028998 | 235/70R16 | XL | 109T | BSW | 7.0 | 6.0-8.0 | 50 | (S) 2,271 | 28.9 | 9.4 | 7.4 | 12.5 | 719 | 32.1 | 32.4 |
| 1026845 | 1026844 | 245/70R16 | | 107T | BSW | 7.0 | 6.5-8.0 | 51 | (S) 2,149 | 29.5 | 9.6 | 7.7 | 12.5 | 704 | 33.6 | 34.0 |
| 1028497 | 1029890 | 245/75R16 | | 111T | BSW | 7.0 | 6.5-8.0 | 51 | (S) 2,403 | 30.4 | 9.6 | 7.7 | 12.5 | 683 | 35.0 | 35.6 |
| 1028498 | 1029891 | 255/70R16 | | 111T | BSW | 7.5 | 6.5-8.5 | 51 | (S) 2,403 | 30.0 | 10.1 | 8.0 | 12.5 | 692 | 35.8 | 36.1 |
| 1028928 | 1028996 | 265/70R16 | | 112T | BSW | 8.0 | 7.0-9.0 | 51 | (S) 2,469 | 30.6 | 10.9 | 8.3 | 12.5 | 679 | 37.2 | 37.8 |
| 1028499 | 1029892 | 265/75R16 | | 116T | BSW | 7.5 | 7.0-9.0 | 51 | (S) 2,756 | 31.6 | 10.3 | 8.3 | 12.5 | 658 | 39.6 | 39.9 |
| 17 | | | | | | | | | | | | | | | | |
| 1028955 | 1029023 | 215/60R17 | XL | 100T | BSW | 6.5 | 6.0-7.5 | 50 | (S) 1,764 | 27.1 | 9.1 | 7.1 | 12.5 | 766 | 27.6 | 28.2 |
| 1026038 | 1026773 | 215/65R17 | XL | 103T | BSW | 6.5 | 6.0-7.5 | 50 | (S) 1,929 | 28.0 | 8.8 | 7.1 | 12.5 | 742 | 29.5 | 29.8 |
| 1028920 | 1028988 | 225/60R17 | XL | 103T | BSW | 6.5 | 6.0-8.0 | 50 | (S) 1,929 | 27.6 | 9.4 | 7.4 | 12.5 | 754 | 29.4 | 29.7 |
| 1026843 | 1026842 | 225/65R17 | | 102T | BSW | 6.5 | 6.0-8.0 | 51 | (S) 1,874 | 28.4 | 9.3 | 7.1 | 12.5 | 731 | 30.3 | 30.6 |
| 1028957 | 1029025 | 235/60R17 | XL | 106T | BSW | 7.0 | 6.5-8.5 | 50 | (S) 2,094 | 28.1 | 9.9 | 7.8 | 12.5 | 740 | 31.4 | 32.0 |
| 1028922 | 1028990 | 235/65R17 | XL | 108T | BSW | 7.0 | 6.5-8.5 | 50 | (S) 2,205 | 29.0 | 9.4 | 7.7 | 12.5 | 717 | 32.4 | 34.0 |
| 1026053 | 1026774 | 245/65R17 | XL | 111T | BSW | 7.0 | 7.0-8.5 | 50 | (S) 2,403 | 29.5 | 9.8 | 8.1 | 12.5 | 704 | 33.5 | 33.8 |
| 1028933 | 1029001 | 245/70R17 | | 110T | BSW | 7.0 | 6.5-8.0 | 51 | (S) 2,337 | 30.5 | 9.6 | 7.7 | 12.5 | 681 | 35.2 | 35.6 |
| 1028937 | 1029005 | 255/65R17 | | 110T | BSW | 7.5 | 7.0-9.0 | 51 | (S) 2,337 | 30.0 | 10.5 | 8.4 | 12.5 | 692 | 36.1 | 36.5 |
| 1028939 | 1029007 | 265/65R17 | | 112T | BSW | 8.0 | 7.5-9.5 | 51 | (S) 2,469 | 30.5 | 10.7 | 8.3 | 12.5 | 681 | 37.4 | 37.8 |
| 1028916 | 1028984 | 265/70R17 | | 115T | BSW | 8.0 | 7.0-9.0 | 51 | (S) 2,679 | 31.6 | 10.6 | 8.3 | 12.5 | 658 | 39.0 | 39.3 |
| 18 | | | | | | | | | | | | | | | | |
| 1026046 | 1026776 | 225/55R18 | XL | 102T | BSW | 7.0 | 6.0-8.0 | 50 | (S) 1,874 | 27.8 | 9.2 | 7.4 | 12.5 | 748 | 29.9 | 30.2 |
| 1028932 | 1029000 | 225/60R18 | XL | 104T | BSW | 6.5 | 6.0-8.0 | 50 | (S) 1,984 | 28.5 | 9.4 | 7.4 | 12.5 | 729 | 30.4 | 30.8 |
| 1026043 | 1026778 | 235/55R18 | XL | 104T | BSW | 7.5 | 6.5-8.5 | 50 | (S) 1,984 | 28.0 | 9.6 | 7.8 | 12.5 | 741 | 31.4 | 31.8 |
| 1026849 | 1026848 | 235/60R18 | XL | 107T | BSW | 7.0 | 6.5-8.5 | 50 | (S) 2,149 | 29.1 | 9.9 | 7.8 | 12.5 | 715 | 33.0 | 33.3 |
| 1026057 | 1026779 | 235/65R18 | XL | 110T | BSW | 7.0 | 6.5-8.5 | 50 | (S) 2,337 | 30.0 | 9.6 | 7.8 | 12.5 | 693 | 34.4 | 34.7 |
| 1028918 | 1028986 | 245/60R18 | | 105T | BSW | 7.0 | 7.0-8.5 | 51 | (S) 2,039 | 29.5 | 10.2 | 8.1 | 12.5 | 703 | 32.3 | 32.9 |
| 1026042 | 1026781 | 255/55R18 | XL | 109T | BSW | 8.0 | 7.0-9.0 | 50 | (S) 2,271 | 29.0 | 10.4 | 8.4 | 12.5 | 716 | 35.3 | 35.6 |
| 1028923 | 1028991 | 255/65R18 | | 111T | BSW | 7.5 | 7.0-9.0 | 51 | (S) 2,403 | 31.0 | 10.5 | 8.4 | 12.5 | 670 | 37.5 | 37.8 |
| 1028931 | 1028999 | 255/70R18 | | 113T | BSW | 7.5 | 6.5-8.5 | 51 | (S) 2,535 | 32.0 | 10.1 | 8.0 | 12.5 | 648 | 38.1 | 38.5 |
| 1026039 | 1026783 | 265/60R18 | XL | 114T | BSW | 8.0 | 7.5-9.5 | 50 | (S) 2,601 | 30.5 | 11.0 | 8.7 | 12.5 | 681 | 37.6 | 37.9 |
| 1028919 | 1028987 | 265/65R18 | | 114T | BSW | 8.0 | 7.5-9.5 | 51 | (S) 2,601 | 31.5 | 10.7 | 8.3 | 12.5 | 660 | 38.3 | 38.7 |
| 1028924 | 1028992 | 265/70R18 | | 116T | BSW | 8.0 | 7.0-9.0 | 51 | (S) 2,756 | 32.6 | 10.6 | 8.3 | 12.5 | 637 | 39.8 | 40.2 |
| 1028917 | 1028985 | 275/65R18 | | 116T | BSW | 8.0 | 7.5-9.5 | 51 | (S) 2,756 | 32.0 | 11.1 | 9.1 | 12.5 | 648 | 40.7 | 41.6 |
| 19 | | | | | | | | | | | | | | | | |
| 1028942 | 1029010 | 255/60R19 | | 109T | BSW | 7.5 | 7.0-9.0 | 51 | (S) 2,271 | 31.0 | 10.6 | 8.4 | 12.5 | 670 | 36.7 | 37.0 |
| 20 | | | | | | | | | | | | | | | | |
| 1026047 | 1026787 | 265/50R20 | XL | 111T | BSW | 8.5 | 7.5-9.5 | 50 | (S) 2,403 | 30.4 | 11.3 | 8.7 | 12.5 | 684 | 37.4 | 37.7 |
| 1026050 | 1026789 | 275/55R20 | XL | 117T | BSW | 8.5 | 7.5-9.5 | 50 | (S) 2,833 | 31.8 | 11.3 | 9.1 | 12.5 | 653 | 41.1 | 41.4 |
| 1028921 | 1028989 | 275/60R20 | XL | 116T | BSW | 8.0 | 7.5-9.5 | 50 | (S) 2,756 | 32.9 | 11.1 | 9.1 | 12.5 | 631 | 42.3 | 42.6 |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

i*Pike RW11

Studdable & Studded Winter



Technology Icons



3D-Sipe



Stud



Compound

Performance Icons



Snow braking



Ice braking



Traction



3PMSF

Technical profile

Speed Symbol : T

Tread Width: 175~235

Series : 45~70

Inch : 13~18

New standard for performance winter tire

Studdable tire delivering advanced snow & ice performance.



i*Pike RW11 / RW11

| S-Code | | | Max. Load | | | | | | | | | | | Weight | |
|-----------|--------------|-------------|-----------|----------|---------------|-----------------|-----|------------------------|------------------|---------------|-------------|-------------|------------|----------|--------------|
| Non-Stud | Factory Stud | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | psi | lbs | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/ Mile | Non-Stud | Factory Stud |
| 15 | | | | | | | | | | | | | | | |
| 2021546 | 2021566 | LT235/75R15 | 104/101Q | BSW | 6.5 | 6.0-8.0 | 50 | (S) 1,985 (D) 1,820 | 28.8 | 9.1 | 7.2 | 16.0 | 726 | 37.4 | 37.9 |
| 16 | | | | | | | | | | | | | | | |
| 2021538 | 2021558 | LT225/75R16 | 115/112Q | BSW | 6.0 | 6.0-7.5 | 80 | (S) 2,680 (D) 2,470 | 29.2 | 8.5 | 7.0 | 16.0 | 715 | 42.2 | 41.5 |
| 2021537 | 2021557 | LT245/75R16 | 120/116Q | BSW | 7.0 | 6.5-8.0 | 80 | (S) 3,042 (D) 2,778 | 30.3 | 9.5 | 7.5 | 16.0 | 689 | 46.1 | 45.3 |
| 2021540 | 2021560 | LT265/75R16 | 123/120Q | BSW | 7.5 | 7.0-9.0 | 80 | (S) 3,415 (D) 3,085 | 31.6 | 10.2 | 8.3 | 16.0 | 661 | 48.7 | 49.6 |
| 2021545 | 2021565 | LT215/85R16 | 115/112Q | BSW | 6.0 | 5.5-7.0 | 80 | (S) 2,680 (D) 2,470 | 30.3 | 8.4 | 6.5 | 16.0 | 691 | 41.5 | 42.0 |
| 2021543 | 2021563 | LT235/85R16 | 120/116Q | BSW | 6.5 | 6.0-7.5 | 80 | (S) 3,042 (D) 2,778 | 31.6 | 8.6 | 7.2 | 16.0 | 661 | 45.6 | 45.9 |
| 17 | | | | | | | | | | | | | | | |
| 2021544 | 2021564 | LT245/70R17 | 119/116Q | BSW | 7.0 | 6.5-8.0 | 80 | (S) 3,000 (D) 2,755 | 30.5 | 9.4 | 7.6 | 16.0 | 686 | 45.5 | 46.0 |
| 2021536 | 2021556 | LT265/70R17 | 121/118Q | BSW | 8.0 | 7.0-9.0 | 80 | (S) 3,195 (D) 2,910 | 31.6 | 10.6 | 8.3 | 16.0 | 661 | 50.6 | 51.1 |
| 2021541 | 2021561 | LT245/75R17 | 121/118Q | BSW | 7.0 | 6.5-8.0 | 80 | (S) 3,195 (D) 2,910 | 31.4 | 9.6 | 7.6 | 16.0 | 665 | 48.1 | 49.0 |
| 2021542 | 2021562 | LT235/80R17 | 120/117Q | BSW | 6.5 | 6.0-8.0 | 80 | (S) 3,085 (D) 2,835 | 31.7 | 8.8 | 7.1 | 16.0 | 659 | 47.1 | 47.6 |
| 18 | | | | | | | | | | | | | | | |
| 2021295 | | LT265/70R18 | 124/121R | BSW | 8.0 | 7.0-9.0 | 80 | (S) 3,525 (D) 3,195 | 32.6 | 10.6 | 8.2 | 16.0 | 641 | 54.3 | |
| 2021294 | | LT275/65R18 | 123/120R | BSW | 8.0 | 8.0-9.5 | 80 | (S) 3,415 (D) 3,085 | 32.0 | 11.0 | 8.9 | 16.0 | 653 | 61.1 | |
| 2021293 | | LT275/70R18 | 125/122R | BSW | 8.0 | 7.0-9.0 | 80 | (S) 3,640 (D) 3,305 | 33.1 | 10.8 | 8.7 | 16.0 | 631 | 63.3 | |
| 20 | | | | | | | | | | | | | | | |
| 2001690 | | LT275/65R20 | 126/123Q | BSW | 8.0 | 8.0-9.5 | 80 | (S) 3,750 (D) 3,415 | 34.0 | 10.9 | 8.3 | 16.0 | 614 | 67.7 | |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Passenger

SUV / Light Truck

Commercial Van/Special Trailer

Winter

EV

Original Equipment



EVolutionized for EV fitment

ventus iON





Why VENTUS iON?

Customized and exclusively designed for high-end electric vehicles, Ventus iON is the answer to maintain class.




VENTUS iON Philosophy

Ventus iON all started to reach the full potential of high-end electric vehicle performance. With the most advanced technology, Ventus iON assures optimal experience of an electric vehicle.

Electric Vehicle Characteristics

* Source: Hankook R&D internal data



High Torque

Electric motors generate full torque from initial acceleration, which requires the tire to endure high torque and acceleration safely when your journey starts.

Engine torque curve



Motor torque curve



Electric Generated

Electric vehicles are generated by electric power, therefore tires with reduced rolling resistance are essential to secure driving distance and to minimize energy charge.



Quieter Condition

Electric vehicles are quieter than regular vehicles. Absorbing vibrations and noise from the road is a must for tires to maintain quietness.



Heavier Body

The battery weight causes electric vehicles to be 25-30% heavier than regular vehicles. Tires should bear the weight to properly steer your vehicle to the destination.



Hankook EVolution Technology*

Hankook EVolution Technology* is aimed to provide a customized performance for electric vehicles by realizing all the required performance without any trade-offs.

* Trademark under application

Hankook EVolution Technology*

* Trademark under application



Handling (Grip)


EV Contour



Contour technology for EV was applied to express Handling Performance while enduring the load of electric vehicles that are 20% to 30% heavier than conventional ICE vehicles.

3D Grip Control Sipe

High 3-D sipe is a three-dimensional zigzag block shape that adds another vertical shape to the two-dimensional pattern shape, which provides outstanding grip performance on snow, slush, ice and wet road.




Low Rolling Resistance



Curing Balance Optimization

The application of the tread compound that improve wear and application of thin tread, and applying the 3rd generation LRR high hardness case compound, has improved LRR performance. HK's Curing Balance Optimization technology improved LRR performance by completely controlling the curing process.




Noise

Hankook Sound Absorber™

The Hankook Sound Absorber™ is the pinnacle of all noise cancelling technology of Hankook. Almost 40% of the noise of an Electric Vehicle comes from the tire, which means choosing the right tire is essential to gain absolute performance of an Electric Vehicle. With the Hankook Sound Absorber™ applied, the ventus iON will take your Electric Vehicle driving pleasure to the next level.


Knurling Technology (Patented Technology)

Knurling inside of the groove decrease the Main-Groove Noise.



Cavity Noise Reduction Technology

By applying special material, the cavity noise is reduced.



Mileage

EVolution Compound

EVolution compound, composed of high-concentration silica and eco-friendly new materials, provides optimum grip, mileage for high performance EV.




ventus iON A

ventus iON AX for SUVs



Technology icon



Performance icon



Technical profile

Speed Symbol : H, V, W, Y
 Tread width : 225-285
 Series : 35-60
 Inch : 18-22
 UTQG : 540 / AA / A

Evoluionized to perform and last

Double the advantage : Exceptional Grip and Longevity

Thanks to Hankook's EVolution technology, the ventus iON A has bridged the gaps between grip performance and tread wear.

Holds on tight

Exceptional Grip

Go further for more experience

Reliable Longevity

Drive in peace

Noise proof technology

Double the Advantage

Thanks to Hankook's EVolution technology, the ventus iON A (and AX) has bridged the gaps between grip performance and tread wear.

Exceptional Grip



Reliable Longevity

Drive in Peace

Noise Proof Technology

Electric motors are almost soundless which eventually causes the driver to hear more noise from tires. With the Hankook Sound Absorber™, the ventus iON A (and AX) offers a quiet and pleasant ride in all speed ranges.

Ventus iON A / **IH01**
Ventus iON AX / **IH01A**

| Inch | Series | Size | UTQG | Product | Available vehicle | |
|---------------|--------|---------------|---------------|---------------|--|---|
| 18 | 45 | 235/45R18W XL | 540/AA/A | Ventus iON A | TESLA Model 3 | |
| | 60 | 235/60R18V XL | 540/AA/A | Ventus iON AX | VOLKSWAGEN ID.4 | |
| 19 | 40 | 235/40R19W XL | 540/AA/A | Ventus iON A | TESLA Model 3 | |
| | 45 | 245/45R19W XL | 540/AA/A | Ventus iON A | TESLA Model S, HYUNDAI IONIQ6 | |
| | | 255/45R19W XL | 540/AA/A | Ventus iON AX | TESLA Model Y | |
| | 55 | 235/55R19V XL | 540/AA/A | Ventus iON AX | HYUNDAI IONIQ5 | |
| | 60 | 255/60R19V XL | 540/AA/A | Ventus iON AX | HYUNDAI IONIQ7 | |
| 20 | 35 | 235/35R20Y XL | 540/AA/A | Ventus iON A | TESLA Model 3 | |
| | 40 | 255/40R20W XL | 540/AA/A | Ventus iON AX | TESLA Model Y | |
| | 45 | | 255/45R20Y XL | 540/AA/A | Ventus iON AX | AUDI e-tron, TESLA Model X, VOLKSWAGEN ID.4, HYUNDAI IONIQ 5, KIA EV6 |
| | | | 265/45R20V XL | 540/AA/A | Ventus iON AX | TESLA Model X |
| | | | 275/45R20V XL | 540/AA/A | Ventus iON AX | TESLA Model X |
| | | 50 | 235/50R20W XL | 540/AA/A | Ventus iON AX | AUDI e-tron, VOLKSWAGEN ID.4, MERCEDES-BENZ EQC |
| | | 275/50R20V XL | 540/AA/A | Ventus iON AX | HYUNDAI IONIQ7 | |
| 21 | 35 | 245/35R21Y XL | 540/AA/A | Ventus iON A | TESLA Model S | |
| | | 255/35R21W XL | 540/AA/A | Ventus iON AX | TESLA Model Y | |
| | 40 | 265/35R21Y XL | 540/AA/A | Ventus iON A | TESLA Model S, PORSCHE Taycan | |
| | | 275/35R21Y XL | 540/AA/A | Ventus iON AX | TESLA Model Y, AUDI E6 | |
| | | 255/40R21Y XL | 540/AA/A | Ventus iON AX | VOLKSWAGEN ID.4, GENESIS GV60, MERCEDES-BENZ EQC | |
| | 45 | 285/40R21H XL | 540/AA/A | Ventus iON AX | AUDI e-tron | |
| | | 235/45R21Y XL | 540/AA/A | Ventus iON AX | VOLKSWAGEN ID.4, MERCEDES-BENZ EQC | |
| | 22 | 35 | 265/35R22W XL | 540/AA/A | Ventus iON AX | TESLA Model X |
| 285/35R22W XL | | | 540/AA/A | Ventus iON AX | AUDI e-tron, TESLA Model X | |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters
Road Hazard and 30 Day Free Trial warranties apply only to replacement tires. Original Equipment tires are excluded.

Passenger

SUV / Light Truck

Commercial Van/Special Trailer

Winter

EV

Original Equipment



Original Equipment

TIRE

Z221, K129, K127, K127B, K127A, K127C, K117, K117B, K117A, K117C, H452, H452B, K125, K125B, K125A, K115, K115B, H105, RH06, RH07, K435, K425, H308, H428, H426, H426B, RF10, W320, W320A, K127E, EH01A

NOTES

T/T : Tube Type

T/L : Tubeless Type

❄️ : Snow Tire

❄️🌀❄️ : All-Season Tire

This List cancels all previous lists and is subject to change without prior notice



For complete warranty details, please visit <https://hankooktire.com/us/services-tips/tire-warranty/original-equipment.html>.
Or you can scan this QR code to go directly to the page:



| S-Code | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/ Mile | Weight | UTQG | OE Application |
|--------|------|-------|----------|---------------|-----------------|-----------|-----|------------------|---------------|-------------|-------------|------------|--------|------|----------------|
| | | | | | | psi | lbs | | | | | | | | |



ventus TD

Z221

15

| | | | | | | | | | | | | | | | |
|---------|-----------|--------|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|--------|----------------------------|
| 1025878 | 225/35R18 | XL 87Y | BSW | 8.0 | 7.5-9.0 | 50 | 1,201 | 24.1 | 9.2 | 8.9 | 6.5 | 861 | 20.3 | 80/A/A | MINI Cooper JCW GP 3 ('20) |
|---------|-----------|--------|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|--------|----------------------------|



ventus S1evo Z

K129

18

| | | | | | | | | | | | | | | | |
|---------|-----------|--------|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|----------|--------------------------------|
| 1024867 | 225/35R18 | XL 87Y | BSW | 8.0 | 7.5-9.0 | 50 | 1,201 | 24.1 | 9.2 | 8.3 | 6.5 | 861 | 19.5 | 200/AA/A | MINI Cooper JCW GP 3 ('20-'22) |
|---------|-----------|--------|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|----------|--------------------------------|

19

| | | | | | | | | | | | | | | | |
|---------|------------|---------|-----|------|-----------|----|-------|------|------|------|-----|-----|------|----------|-------------------------------|
| 1023876 | 265/45ZR19 | XL 105Y | BSW | 9.0 | 8.5-10.0 | 50 | 2,039 | 28.4 | 11.1 | 9.3 | 9.0 | 731 | 30.2 | 300/AA/A | PORSCHE Panamera G2 ('20-'23) |
| 1023877 | 295/40ZR19 | XL 108Y | BSW | 10.5 | 10.0-11.5 | 50 | 2,205 | 28.3 | 11.9 | 10.9 | 7.5 | 735 | 33.1 | 300/AA/A | PORSCHE Panamera G2 ('20-'23) |

20

| | | | | | | | | | | | | | | | |
|---------|------------|-----------|-----|------|-----------|----|-------|------|------|-----|-----|-----|------|----------|----------------------------|
| 1027957 | 275/40ZR20 | XL (106Y) | BSW | 9.5 | 9.0-11.0 | 50 | 2,094 | 28.5 | 11.9 | 9.6 | 8.5 | 730 | 32.0 | 300/AA/A | PORSCHE Panamera ('20-'23) |
| 1027958 | 315/35ZR20 | XL (110Y) | BSW | 11.0 | 10.5-12.5 | 50 | 2,337 | 28.5 | 11.9 | 9.6 | 8.5 | 730 | 35.6 | 300/AA/A | PORSCHE Panamera ('20-'23) |

21

| | | | | | | | | | | | | | | | |
|---------|------------|-----------|-----|-----|----------|----|-------|------|------|-----|-----|-----|------|----------|---------------------------|
| 1024833 | 255/40ZR21 | XL (102Y) | BSW | 9.0 | 8.5-10.0 | 50 | 1,847 | 28.8 | 10.8 | 8.6 | 8.5 | 721 | 30.8 | 240/AA/A | BMW X3 M / X4 M ('20-'25) |
| 1024834 | 265/40ZR21 | XL (105Y) | BSW | 9.5 | 9.0-10.5 | 50 | 2,039 | 29.0 | 11.4 | 9.2 | 8.5 | 716 | 33.4 | 240/AA/A | BMW X3 M / X4 M ('20-'25) |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Road Hazard and 30 Day Free Trial warranties apply only to replacement tires. Original Equipment tires are excluded.

Runflat Tires can be driven on up to 50 miles on a deflating or deflated tire at a top speed of 50 mph (subject to application and operating conditions).

Road Hazard warranty does not apply to Runflat Tires.

| S-Code | Size | LI/ SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/ Mile | Weight UTQG | OE Application | Tech |
|--------|------|-----------|----------|------------------|-----------------------|-----------|-----|---------------------|------------------|----------------|----------------|---------------|----------------|----------------|------|
| | | | | | | psi | lbs | | | | | | | | |



ventus S1 evo³

K127

17

| | | | | | | | | | | | | | | | | |
|---------|-----------|----|------|-----|-----|---------|----|-------|------|------|-----|-----|-----|------|---------|--|
| 1022636 | 205/55R17 | XL | 95W | BSW | 6.5 | 5.5-7.5 | 50 | 1,521 | 25.7 | 9.2 | 6.6 | 8.5 | 807 | 20.8 | 260/A/A | BMW 2 Series Active Tourer & Gran Tourer ('19-'22) |
| 1019621 | 225/50R17 | XL | 98Y | BSW | 7.0 | 6.0-8.0 | 50 | 1,653 | 25.8 | 10.0 | 7.5 | 9.0 | 805 | 22.9 | 240/A/A | BMW 3 Series / Z4 ('18-'25) |
| 1024577 | 225/55R17 | XL | 101Y | BSW | 7.0 | 6.0-8.0 | 50 | 1,819 | 26.7 | 9.7 | 7.2 | 9.0 | 779 | 23.6 | 240/A/A | BMW 5 Series ('19-'23) |
| 1022632 | 205/45R17 | XL | 88W | BSW | 7.0 | 6.5-7.5 | 50 | 1,235 | 24.1 | 8.6 | 6.9 | 8.0 | 863 | 16.5 | 260/A/A | MINI Cooper ('19-'24) |

18

| | | | | | | | | | | | | | | | | |
|---------|------------|----|------|-----|-----|---------|----|-------|------|------|-----|-----|-----|------|---------|-------------------------------|
| 1024441 | 215/45R18 | XL | 93W | BSW | 7.0 | 7.0-8.0 | 50 | 1,433 | 25.6 | 8.9 | 7.5 | 9.0 | 811 | 20.8 | 220/A/A | AUDI A1 City Carver ('19-'24) |
| 1020261 | 225/40R18 | XL | 92Y | BSW | 8.0 | 7.5-9.0 | 50 | 1,389 | 25.0 | 9.6 | 7.6 | 9.5 | 832 | 24.0 | 300/A/A | AUDI S3 ('16-'20) |
| 1025921 | 245/45R18Y | XL | 100Y | BSW | 8.0 | 7.5-9.0 | 50 | 1,764 | 26.5 | 10.4 | 8.3 | 7.0 | 784 | 23.5 | 220/A/A | BMW i4 ('21-'25) |
| 1025922 | 255/45R18Y | XL | 103Y | BSW | 8.5 | 8.0-9.5 | 50 | 1,930 | 26.9 | 10.7 | 8.7 | 7.0 | 773 | 25.1 | 220/A/A | BMW i4 ('21-'25) |

19

| | | | | | | | | | | | | | | | | | |
|---------|------------|-------|------|-----|----------|----------|-------|-------|------|------|-----|-----|------|---------|--------------------------|-----------------------------|-----|
| 1020540 | 235/40ZR19 | (92Y) | BSW | 8.5 | 8.0-9.5 | 51 | 1,389 | 26.5 | 9.9 | 8.3 | 9.0 | 785 | 24.1 | 400/A/A | PORSCHE BOXTER ('20-'24) | | |
| 1020541 | 265/40ZR19 | (98Y) | BSW | 9.5 | 9.0-10.5 | 51 | 1,653 | 27.3 | 11.4 | 9.5 | 8.5 | 760 | 29.1 | 400/A/A | PORSCHE BOXTER ('20-'24) | | |
| 1025923 | 245/40R19Y | XL | 98Y | BSW | 8.5 | 8.0-9.5 | 50 | 1,653 | 26.6 | 10.6 | 8.3 | 7.0 | 782 | 23.5 | 220/A/A | BMW 4 series / i4 ('21-'25) | |
| 1025924 | 255/40R19Y | XL | 100Y | BSW | 9.0 | 8.5-10.0 | 50 | 1,764 | 26.9 | 10.8 | 8.7 | 7.0 | 772 | 24.8 | 220/A/A | BMW 4 series / i4 ('21-'25) | |
| 1022264 | 255/45R19 | XL | 104Y | BSW | 8.5 | 8.0-9.5 | 50 | 1,984 | 28.1 | 10.1 | 8.7 | 9.5 | 739 | 27.2 | 220/A/A | Benz S-Class ('20-'27) | |
| 1022896 | 285/40R19 | XL | 107Y | BSW | 10.0 | 9.5-11.0 | 50 | 2,149 | 28.1 | 11.6 | 9.6 | 9.5 | 740 | 29.5 | 220/A/A | Benz S-Class ('20-'27) | |
| 1023286 | 235/35R19 | XL | 91Y | BSW | 8.5 | 8.0-9.5 | 50 | 1,356 | 25.3 | 10.2 | 8.3 | 9.0 | 820 | 22.2 | 340/A/A | VOLKSWAGEN Golf ('21-'25) | |
| 1029702 | 235/40R19 | XL | 96W | BSW | 8.5 | 8.0-9.5 | 50 | 1,565 | 26.4 | 10.1 | 8.1 | 8.5 | 788 | 25.2 | 340/AA/A | TESLA MODEL 3 ('18-'28) | SOA |

21

| | | | | | | | | | | | | | | | | | |
|---------|------------|----|--------|-----|-----|----------|----|-------|------|------|-----|-----|-----|------|----------|----------------------|-----|
| 1026274 | 275/35ZR21 | XL | (103Y) | BSW | 9.5 | 9.0-11.0 | 50 | 1,929 | 28.4 | 11.8 | 9.6 | 9.0 | 731 | 32.9 | 200/AA/A | AUDI RS6/7 ('19-'24) | SOA |
|---------|------------|----|--------|-----|-----|----------|----|-------|------|------|-----|-----|-----|------|----------|----------------------|-----|

22

| | | | | | | | | | | | | | | | | | |
|---------|------------|----|--------|-----|------|----------|----|-------|------|------|-----|-----|-----|------|---------|----------------------|-----|
| 1026276 | 285/30ZR22 | XL | (101Y) | BSW | 10.0 | 9.5-10.5 | 50 | 1,819 | 28.5 | 12.2 | 9.8 | 9.0 | 728 | 34.0 | 420/A/A | AUDI RS6/7 ('19-'24) | SOA |
|---------|------------|----|--------|-----|------|----------|----|-------|------|------|-----|-----|-----|------|---------|----------------------|-----|

Ventus S1 evo³ / **K127B** Runflat

17

| | | | | | | | | | | | | | | | | | |
|---------|-----------|----|-----|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|----------|---|-----|
| 1022631 | 205/45R17 | XL | 88W | BSW | 7.0 | 6.5-7.5 | 51 | 1,235 | 24.1 | 8.5 | 6.9 | 8.5 | 862 | 19.3 | 260/A/A | MINI Hatchbacks / Hardtop / 5Door / Convertible ('20-'24) | HRS |
| 1019613 | 225/45R17 | XL | 94Y | BSW | 7.5 | 7.0-8.5 | 50 | 1,477 | 24.8 | 9.3 | 7.6 | 9.0 | 836 | 22.5 | 220/AA/A | MINI Clubman ('20-'25) | HRS |

18

| | | | | | | | | | | | | | | | | | |
|---------|-----------|----|------|-----|-----|----------|----|-------|------|------|-----|-----|-----|------|---------|--|-----|
| 1019630 | 225/45R18 | XL | 95Y | BSW | 7.5 | 7.0-8.5 | 50 | 1,521 | 25.7 | 9.2 | 7.3 | 9.5 | 808 | 25.7 | 260/A/A | BMW 3 Series ('18-'25), BMW 2 Series ('19-'21) | HRS |
| 1019631 | 255/40R18 | XL | 99Y | BSW | 9.0 | 8.5-10.0 | 50 | 1,709 | 25.9 | 10.1 | 9.0 | 9.5 | 801 | 27.9 | 260/A/A | BMW 3/4 Series ('19-'25) | HRS |
| 1024579 | 245/45R18 | XL | 100Y | BSW | 8.0 | 7.5-9.0 | 50 | 1,764 | 26.5 | 10.0 | 8.2 | 8.5 | 784 | 29.8 | 220/A/A | BMW 5 Series ('20-'23) | HRS |
| 1024580 | 275/40R18 | XL | 103Y | BSW | 9.5 | 9.0-11.0 | 50 | 1,929 | 26.5 | 11.9 | 9.8 | 9.0 | 784 | 33.3 | 220/A/A | BMW 5 Series ('20-'23) | HRS |

19

| | | | | | | | | | | | | | | | | | |
|---------|-----------|----|------|-----|-----|----------|----|-------|------|------|-----|-----|-----|------|---------|------------------------|-----|
| 1025925 | 245/40R19 | XL | 98Y | BSW | 8.5 | 8.0-9.5 | 50 | 1,653 | 26.6 | 10.6 | 8.3 | 7.0 | 782 | 27.2 | 220/A/A | BMW 4 series ('21-'25) | HRS |
| 1025926 | 255/40R19 | XL | 100Y | BSW | 9.0 | 8.5-10.0 | 50 | 1,764 | 26.9 | 10.8 | 8.7 | 7.0 | 772 | 29.6 | 220/A/A | BMW 4 series ('21-'25) | HRS |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Road Hazard and 30 Day Free Trial warranties apply only to replacement tires. Original Equipment tires are excluded.

Runflat Tires can be driven on up to 50 miles on a deflating or deflated tire at a top speed of 50 mph (subject to application and operating conditions).

Road Hazard warranty does not apply to Runflat Tires.

Tech : Hankook Innovative Technology HRS : Hankook Runflat System SOA : Sound Absorber SEG : Sealguard

| S-Code | Size | LI/ SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/ Mile | Weight UTQG | OE Application | Tech |
|--------|------|-----------|----------|------------------|-----------------------|-----------|-----|---------------------|------------------|----------------|----------------|---------------|----------------|----------------|------|
| | | | | | | psi | lbs | | | | | | | | |



ventus S1 evo³ SUV

K127A

18

| | | | | | | | | | | | | | | | | |
|---------|-----------|----|------|-----|-----|---------|----|-------|------|------|-----|-----|-----|------|----------|---------------------|
| 1024840 | 235/60R18 | | 103W | BSW | 7.0 | 6.5-8.5 | 51 | 1,929 | 29.1 | 9.9 | 7.5 | 9.0 | 713 | 29.5 | 280/AA/A | AUDI Q5 ('20-'23) |
| 1023812 | 255/55R18 | XL | 109W | BSW | 8.0 | 7.0-9.0 | 50 | 2,271 | 29.0 | 11.0 | 8.7 | 9.0 | 716 | 31.8 | 520/AA/A | BMW X5/X6 ('19-'25) |

19

| | | | | | | | | | | | | | | | | |
|---------|-----------|----|------|-----|-----|---------|----|-------|------|------|-----|-----|-----|------|----------|-------------------|
| 1021315 | 265/55R19 | XL | 113Y | BSW | 8.5 | 7.5-9.5 | 50 | 2,535 | 30.5 | 11.7 | 9.0 | 9.5 | 682 | 37.8 | 220/AA/A | AUDI Q8 ('19-'24) |
|---------|-----------|----|------|-----|-----|---------|----|-------|------|------|-----|-----|-----|------|----------|-------------------|

21

| | | | | | | | | | | | | | | | | |
|---------|------------|----|--------|-----|------|-----------|----|-------|------|------|------|-----|-----|------|----------|-------------------------------|
| 1020785 | 285/40ZR21 | XL | (109Y) | BSW | 10.0 | 9.5-11.0 | 50 | 2,271 | 29.8 | 12.1 | 9.4 | 9.0 | 697 | 35.5 | 420/A/A | PORSCHE Cayenne ('17-'23) |
| 1020786 | 315/35ZR21 | XL | (111Y) | BSW | 11.0 | 10.5-12.5 | 50 | 2,403 | 29.3 | 13.4 | 10.7 | 9.0 | 710 | 37.4 | 420/A/A | PORSCHE Cayenne ('17-'23) |
| 1021934 | 285/45R21 | XL | 113Y | BSW | 9.5 | 9.0-10.5 | 50 | 2,535 | 31.1 | 11.9 | 10.0 | 9.5 | 669 | 40.4 | 220/AA/A | AUDI Q8 ('19-'24) |
| 1021318 | 285/45R21 | XL | 113Y | BSW | 9.5 | 9.0-10.5 | 50 | 2,535 | 31.1 | 11.9 | 10.1 | 9.5 | 669 | 41.8 | 220/AA/A | AUDI SQ8 ('18-'20) |
| 1027791 | 255/35R21 | XL | 98Y | BSW | 9.0 | 8.5-10.0 | 50 | 1,653 | 27.9 | 10.7 | 8.9 | 9.0 | 745 | 30.0 | 200/A/A | VOLKSWAGEN Tiguan R ('20-'24) |

22

| | | | | | | | | | | | | | | | | |
|---------|------------|----|--------|-----|------|-----------|----|-------|------|------|------|-----|-----|------|----------|------------------------|
| 1021831 | 285/40R22 | XL | 110Y | BSW | 10.0 | 9.5-11.0 | 50 | 2,337 | 31.0 | 11.7 | 10.0 | 9.5 | 669 | 42.7 | 220/AA/A | AUDI Q8 ('18-'20) |
| 1021935 | 285/40R22 | XL | 110Y | BSW | 10.0 | 9.5-11.0 | 50 | 2,337 | 31.0 | 11.7 | 10.0 | 9.5 | 669 | 41.6 | 220/AA/A | AUDI Q8 / Q2 ('18-'22) |
| 1023851 | 295/40ZR22 | XL | (112Y) | BSW | 10.5 | 10.0-11.5 | 50 | 2,469 | 31.1 | 12.3 | 10.5 | 9.0 | 668 | 40.6 | 180/AA/A | AUDI RSQ8 ('20-'24) |

23

| | | | | | | | | | | | | | | | | |
|---------|------------|----|--------|-----|------|-----------|----|-------|------|------|------|-----|-----|------|----------|----------------------|
| 1021936 | 285/35R23 | XL | 107Y | BSW | 10.0 | 9.5-11.0 | 50 | 2,150 | 30.7 | 12.3 | 10.3 | 9.5 | 675 | 40.7 | 220/AA/A | AUDI Q8 ('18-'24) |
| 1023852 | 295/35ZR23 | XL | (108Y) | BSW | 10.5 | 10.0-11.5 | 50 | 2,250 | 30.8 | 12.3 | 10.3 | 9.0 | 674 | 39.6 | 180/AA/A | AUDI RS Q8 ('20-'24) |

Ventus S1 evo³ / K127C

19

| | | | | | | | | | | | | | | | | |
|---------|-----------|----|------|-----|-----|---------|----|-------|------|------|-----|-----|-----|------|---------|---------------------|
| 1020904 | 265/50R19 | XL | 110W | BSW | 8.5 | 7.5-9.5 | 50 | 2,337 | 29.4 | 11.6 | 9.1 | 9.0 | 706 | 40.7 | 220/A/A | BMW X5/X6 ('18-'25) |
|---------|-----------|----|------|-----|-----|---------|----|-------|------|------|-----|-----|-----|------|---------|---------------------|

20

| | | | | | | | | | | | | | | | | |
|---------|-----------|----|------|-----|------|-----------|----|-------|------|------|------|-----|-----|------|---------|---------------------|
| 1023814 | 305/40R20 | XL | 112Y | BSW | 11.0 | 10.0-12.0 | 50 | 2,469 | 29.7 | 12.5 | 10.5 | 8.5 | 699 | 42.6 | 220/A/A | BMW X5/X6 ('20-'25) |
| 1023867 | 275/45R20 | XL | 110Y | BSW | 9.0 | 8.5-10.5 | 50 | 2,337 | 29.8 | 10.9 | 9.0 | 8.0 | 698 | 37.7 | 220/A/A | BMW X5/X6 ('20-'25) |

21

| | | | | | | | | | | | | | | | | |
|---------|-----------|----|------|-----|------|-----------|----|-------|------|------|------|-----|-----|------|---------|------------------|
| 1023815 | 275/40R21 | XL | 107Y | BSW | 9.5 | 9.0-11.0 | 50 | 2,149 | 29.6 | 11.2 | 9.8 | 9.0 | 701 | 38.1 | 220/A/A | BMW X5 ('20-'25) |
| 1023816 | 315/35R21 | XL | 111Y | BSW | 11.0 | 10.5-12.5 | 50 | 2,403 | 29.6 | 12.6 | 11.7 | 9.0 | 701 | 41.8 | 220/A/A | BMW X6 ('20-'25) |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Mileage, Road Hazard, and 30 Day Free Trial warranties apply only to replacement tires. Original Equipment tires are excluded.

Runflat Tires can be driven on up to 50 miles on a deflating or deflated tire at a top speed of 50 mph (subject to application and operating conditions).

Road Hazard warranty does not apply to Runflat Tires.

Tech : Hankook Innovative Technology HRS : Hankook Runflat System SOA : Sound Absorber SEG : Sealguard

| S-Code | Size | LI/ SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/ Mile | Weight | UTQG | OE Application | Tech |
|--------|------|-----------|----------|------------------|-----------------------|-----------|-----|---------------------|------------------|----------------|----------------|---------------|--------|------|----------------|------|
| | | | | | | psi | lbs | | | | | | | | | |



ventus S1 evo²

K117

17

| | | | | | | | | | | | | | | | | |
|---------|------------|--------|-----|-----|---------|----|-------|------|------|-----|------|-----|------|----------|-------------------------------------|--|
| 1014172 | 225/50R17 | 94Y | BSW | 7.0 | 6.0-8.0 | 51 | 1,477 | 25.7 | 10.3 | 7.4 | 10.0 | 809 | 24.9 | 280/A/A | AUDI A4 ('15-'23) | |
| 1015315 | 225/50R17 | XL 98Y | BSW | 7.0 | 6.0-8.0 | 50 | 1,653 | 25.7 | 10.3 | 7.4 | 10.0 | 809 | 24.9 | 280/A/A | AUDI A4 ('15-'23) | |
| 1013207 | 225/50ZR17 | 94W | BSW | 7.0 | 6.0-8.0 | 51 | 1,477 | 25.9 | 10.2 | 7.4 | 10.0 | 802 | 24.6 | 280/AA/A | AUDI TT ('14-'22) | |
| 1020560 | 205/55R17 | 91W | BSW | 6.5 | 5.5-7.5 | 51 | 1,356 | 25.9 | 8.7 | 6.6 | 9.5 | 803 | 21.1 | 440/A/A | MERCEDES BENZ A & B Class ('18-'19) | |

18

| | | | | | | | | | | | | | | | | |
|---------|-----------|--------|-----|-----|---------|----|-------|------|------|-----|------|-----|------|----------|--|--|
| 1017080 | 225/40R18 | XL 92Y | BSW | 8.0 | 7.5-9.0 | 50 | 1,389 | 25.0 | 9.6 | 7.6 | 10.0 | 832 | 22.3 | 280/A/A | AUDI A3 ('16-'20) | |
| 1014174 | 245/40R18 | 93Y | BSW | 8.5 | 8.0-9.5 | 51 | 1,433 | 25.6 | 10.5 | 8.4 | 9.5 | 810 | 25.6 | 280/A/A | AUDI A4 ('15-'23) | |
| 1020002 | 245/40R18 | XL 97Y | BSW | 8.5 | 8.0-9.5 | 50 | 1,609 | 25.6 | 10.5 | 8.4 | 9.5 | 810 | 26.6 | 280/A/A | AUDI A4 ('15-'23) | |
| 1020730 | 225/45R18 | 91W | BSW | 7.5 | 7.0-8.5 | 51 | 1,356 | 25.7 | 9.4 | 7.5 | 9.5 | 808 | 21.1 | 440/A/A | MERCEDES BENZ A & B Class ('18-'19) | |
| 1015803 | 245/50R18 | 100W | BSW | 7.5 | 7.0-8.5 | 51 | 1,764 | 27.3 | 10.8 | 8.3 | 9.5 | 761 | 28.0 | 280/AA/A | GENESIS G90 ('15-'21), KIA 900 ('18-'23) | |

19

| | | | | | | | | | | | | | | | | |
|---------|------------|--------|-----|-----|----------|----|-------|------|------|-----|------|-----|------|----------|---|-----|
| 1014175 | 255/35R19 | XL 96Y | BSW | 9.0 | 8.5-10.0 | 50 | 1,565 | 26.0 | 10.7 | 8.7 | 10.0 | 798 | 28.4 | 280/AA/A | AUDI A4 ('15-'23) | |
| 1020486 | 245/35ZR19 | XL 93Y | BSW | 8.5 | 8.0-9.5 | 50 | 1,433 | 25.7 | 10.4 | 9.1 | 9.0 | 809 | 26.8 | 260/AA/A | AUDI TT RS ('15-'20), AUDI A4 ('15-'23) | |
| 1018809 | 235/40R19 | XL 96Y | BSW | 8.5 | 8.0-9.5 | 50 | 1,565 | 26.4 | 9.8 | 8.3 | 9.0 | 787 | 26.5 | 240/AA/A | AUDI Q2 ('17-'22) | |
| 1021261 | 265/35R19 | XL 98Y | BSW | 9.5 | 9.0-10.5 | 50 | 1,653 | 26.2 | 11.0 | 9.4 | 9.0 | 793 | 28.4 | 240/AA/A | AUDI RS4/5 ('17-'23) | SOA |
| 1013203 | 245/35ZR19 | XL 93Y | BSW | 8.5 | 8.0-9.5 | 50 | 1,433 | 25.6 | 10.4 | 8.7 | 9.5 | 810 | 26.4 | 280/AA/A | AUDI TT ('14-'22) | |

20

| | | | | | | | | | | | | | | | | |
|---------|-----------|--------|-----|-----|----------|----|-------|------|------|-----|-----|-----|------|----------|----------------------|-----|
| 1021262 | 275/30R20 | XL 97Y | BSW | 9.5 | 9.0-10.0 | 50 | 1,609 | 26.4 | 11.6 | 9.8 | 9.0 | 787 | 30.2 | 240/AA/A | AUDI RS4/5 ('17-'23) | SOA |
|---------|-----------|--------|-----|-----|----------|----|-------|------|------|-----|-----|-----|------|----------|----------------------|-----|

Ventus S1 evo² / **K117B** Runflat

17

| | | | | | | | | | | | | | | | | |
|---------|-----------|--------|-----|-----|---------|----|-------|------|------|-----|-----|-----|------|---------|---|-----|
| 1015131 | 225/55R17 | 97Y | BSW | 7.0 | 6.0-8.0 | 51 | 1,609 | 26.9 | 9.6 | 7.4 | 9.5 | 774 | 30.1 | 280/A/A | MERCEDES BENZ E Class ('15-'22), BMW 5 Series ('16-'23) | HRS |
| 1013666 | 225/50R17 | 94W | BSW | 7.0 | 6.0-8.0 | 51 | 1,477 | 25.8 | 9.8 | 7.4 | 9.5 | 804 | 28.4 | 380/A/A | MERCEDES BENZ C Class ('13-'20) | HRS |
| 1016012 | 245/45R17 | 95/W | BSW | 8.0 | 7.5-9.0 | 51 | 1,521 | 25.5 | 10.2 | 8.0 | 9.5 | 814 | 29.1 | 380/A/A | MERCEDES BENZ C Class hybrid ('15-'21) | HRS |
| 1013193 | 205/45R17 | XL 88W | BSW | 7.0 | 6.5-7.5 | 50 | 1,235 | 24.2 | 8.4 | 7.1 | 9.5 | 859 | 21.0 | 280/A/A | MINI Cooper ('13-'19) | HRS |

18

| | | | | | | | | | | | | | | | | |
|---------|-----------|----------|-----|-----|---------|----|-------|------|------|-----|-----|-----|------|---------|---|-----|
| 1015132 | 245/45R18 | XL 100/Y | BSW | 8.0 | 7.5-9.0 | 50 | 1,764 | 26.6 | 10.0 | 8.3 | 9.5 | 782 | 31.2 | 280/A/A | MERCEDES BENZ E Class ('15-'23), BMW 5 Series ('16-'20) | HRS |
| 1016054 | 245/45R18 | XL 100Y | BSW | 8.0 | 7.5-9.0 | 50 | 1,764 | 26.6 | 10.0 | 8.2 | 9.5 | 782 | 31.3 | 280/A/A | BMW 5 Series ('17-'22), MERCEDES BENZ E Class ('17-'19) | HRS |
| 1013884 | 245/50R18 | 100/Y | BSW | 7.5 | 7.0-8.5 | 51 | 1,764 | 27.6 | 10.9 | 8.1 | 9.5 | 752 | 34.9 | 280/A/A | BMW 7 Series / 5 Series GT ('15-'22) | HRS |
| 1020731 | 225/45R18 | 91W | BSW | 7.5 | 7.0-8.5 | 51 | 1,356 | 25.7 | 9.4 | 7.5 | 9.5 | 808 | 24.8 | 440/A/A | MERCEDES BENZ A & B Class ('18-'25) | HRS |
| 1016691 | 225/50R18 | 95W | BSW | 7.0 | 6.0-8.0 | 51 | 1,521 | 26.8 | 9.8 | 7.5 | 9.5 | 775 | 28.7 | 280/A/A | BMW X2 ('17-'24) MINI Countryman ('17-'24) | HRS |

19

| | | | | | | | | | | | | | | | | |
|---------|-----------|-------|-----|-----|----------|----|-------|------|------|-----|-----|-----|------|---------|--------------------------------------|-----|
| 1013885 | 245/45R19 | 98/Y | BSW | 8.0 | 7.5-9.0 | 51 | 1,653 | 27.4 | 10.3 | 8.4 | 9.0 | 758 | 32.2 | 280/A/A | BMW 7 Series / 6 Series GT ('15-'22) | HRS |
| 1013886 | 275/40R19 | 101/Y | BSW | 9.5 | 9.0-11.0 | 51 | 1,819 | 27.4 | 11.8 | 9.4 | 9.0 | 758 | 36.6 | 280/A/A | BMW 7 Series / 6 Series GT ('15-'22) | HRS |

| S-Code | Size | LI/ SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/ Mile | Weight UTQG | OE Application | Tech |
|--------|------|-----------|----------|------------------|-----------------------|-----------|-----|---------------------|------------------|----------------|----------------|---------------|----------------|----------------|------|
| | | | | | | psi | lbs | | | | | | | | |



ventus S1 evo² SUV

K117A

17

| | | | | | | | | | | | | | | | |
|---------|-----------|------|-----|-----|---------|----|-------|------|-----|-----|------|-----|------|---------|-----------------------------|
| 1013924 | 235/65R17 | 104V | BSW | 7.0 | 6.5-8.5 | 51 | 1,984 | 29.1 | 9.8 | 7.4 | 11.0 | 713 | 30.9 | 260/A/A | MERCEDES BENZ GLC ('15-'22) |
|---------|-----------|------|-----|-----|---------|----|-------|------|-----|-----|------|-----|------|---------|-----------------------------|

18

| | | | | | | | | | | | | | | | |
|---------|-----------|------|-----|-----|---------|----|-------|------|------|-----|------|-----|------|----------|-----------------------------|
| 1021645 | 235/55R18 | 100V | BSW | 7.5 | 6.5-8.5 | 51 | 1,764 | 28.1 | 10.0 | 7.8 | 10.0 | 739 | 28.2 | 280/AA/A | AUDI Q3 ('18-'22) |
| 1013925 | 235/60R18 | 103V | BSW | 7.0 | 6.5-8.5 | 51 | 1,929 | 29.1 | 10.1 | 7.4 | 10.5 | 713 | 30.6 | 260/A/A | MERCEDES BENZ GLC ('15-'19) |
| 1014999 | 235/60R18 | 103W | BSW | 7.0 | 6.5-8.5 | 50 | 1,929 | 29.2 | 10.2 | 7.4 | 10.0 | 711 | 32.7 | 220/AA/A | PORSCHE Macan ('13-'18) |
| 1015505 | 235/60R18 | 103W | BSW | 7.0 | 6.5-8.5 | 51 | 1,929 | 29.2 | 10.0 | 7.6 | 10.5 | 711 | 31.1 | 280/AA/A | AUDI Q5 ('16-'19) |
| 1022249 | 235/60R18 | 103W | BSW | 7.0 | 6.5-8.5 | 51 | 1,929 | 29.1 | 10.3 | 7.4 | 10.5 | 713 | 28.6 | 220/AA/A | PORSCHE Macan ('18-'23) |
| 1022250 | 255/55R18 | 105W | BSW | 8.0 | 7.0-9.0 | 51 | 2,039 | 28.9 | 11.5 | 8.5 | 10.0 | 719 | 31.3 | 220/AA/A | PORSCHE Macan ('18-'23) |

19

| | | | | | | | | | | | | | | | |
|---------|------------|---------|-----|-----|---------|----|-------|------|------|-----|------|-----|------|----------|-----------------------------------|
| 1021647 | 235/50R19 | 99V | BSW | 7.5 | 6.5-8.5 | 51 | 1,709 | 28.2 | 10.3 | 7.8 | 10.0 | 737 | 28.4 | 280/AA/A | AUDI Q3 ('18-'22) |
| 1020563 | 235/55R19 | 101Y | BSW | 7.5 | 6.5-8.5 | 51 | 1,819 | 29.1 | 10.4 | 8.0 | 10.0 | 714 | 34.2 | 220/AA/A | MERCEDES BENZ GLC Coupe ('16-'19) |
| 1023480 | 255/45R19 | XL 104Y | BSW | 8.5 | 8.0-9.5 | 50 | 1,984 | 28.0 | 10.4 | 8.4 | 9.5 | 743 | 31.6 | 240/AA/A | AUDI Q3 ('18-'22) |
| 1020564 | 255/50R19 | 103Y | BSW | 8.0 | 7.0-9.0 | 51 | 1,929 | 29.1 | 11.3 | 8.7 | 10.0 | 714 | 34.6 | 220/AA/A | MERCEDES BENZ GLC Coupe ('16-'19) |
| 1015385 | 255/50ZR19 | XL 107Y | BSW | 8.0 | 7.0-9.0 | 50 | 2,149 | 28.9 | 11.0 | 8.7 | 10.0 | 720 | 31.4 | 220/AA/A | |
| 1015387 | 275/55R19 | 111V | BSW | 8.5 | 7.5-9.5 | 51 | 2,403 | 30.7 | 11.6 | 8.7 | 10.0 | 677 | 34.2 | 220/AA/A | |

20

| | | | | | | | | | | | | | | | |
|---------|------------|---------|-----|-----|----------|----|-------|------|------|-----|------|-----|------|----------|-------------------|
| 1023482 | 255/40R20 | XL 101Y | BSW | 9.0 | 8.5-10.0 | 50 | 1,819 | 27.9 | 10.9 | 8.4 | 9.5 | 744 | 32.7 | 240/AA/A | AUDI Q3 ('18-'22) |
| 1012743 | 275/40ZR20 | XL 106Y | BSW | 9.5 | 9.0-11.0 | 50 | 2,094 | 28.4 | 11.3 | 9.4 | 10.0 | 730 | 31.3 | 220/AA/A | |
| 1015484 | 275/45ZR20 | XL 110Y | BSW | 9.0 | 8.5-10.5 | 50 | 2,337 | 29.5 | 11.1 | 9.4 | 10.0 | 703 | 34.6 | 220/AA/A | |
| 1015389 | 275/50ZR20 | 109W | BSW | 8.5 | 7.5-9.5 | 51 | 2,271 | 30.6 | 11.7 | 9.1 | 10.0 | 678 | 34.1 | 220/AA/A | |

21

| | | | | | | | | | | | | | | | |
|---------|------------|---------|-----|------|-----------|----|-------|------|------|------|------|-----|------|----------|--|
| 1015391 | 295/40ZR21 | XL 111W | BSW | 10.5 | 10.0-11.5 | 50 | 2,403 | 30.1 | 12.2 | 10.1 | 10.0 | 691 | 35.3 | 220/AA/A | |
|---------|------------|---------|-----|------|-----------|----|-------|------|------|------|------|-----|------|----------|--|

22

| | | | | | | | | | | | | | | | | |
|---------|-----------|---------|-----|------|----------|----|-------|------|------|------|------|-----|------|----------|-------------------|-----|
| 1020860 | 285/35R22 | XL 106Y | BSW | 10.0 | 9.5-11.0 | 50 | 2,094 | 29.9 | 12.2 | 10.1 | 10.0 | 695 | 37.8 | 220/AA/A | AUDI Q7 ('16-'22) | SOA |
|---------|-----------|---------|-----|------|----------|----|-------|------|------|------|------|-----|------|----------|-------------------|-----|

Ventus S1 evo² SUV / K117C Runflat

18

| | | | | | | | | | | | | | | | | |
|---------|-----------|---------|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|----------|---------------------|-----|
| 1019370 | 225/60R18 | XL 104W | BSW | 6.5 | 6.0-8.0 | 50 | 1,984 | 28.6 | 9.5 | 7.1 | 9.5 | 726 | 35.1 | 280/AA/A | BMW X3/X4 ('17-'24) | HRS |
|---------|-----------|---------|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|----------|---------------------|-----|

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Road Hazard and 30 Day Free Trial warranties apply only to replacement tires. Original Equipment tires are excluded.

Runflat Tires can be driven on up to 50 miles on a deflating or deflated tire at a top speed of 50 mph (subject to application and operating conditions).

Road Hazard warranty does not apply to Runflat Tires.

Tech : Hankook Innovative Technology HRS : Hankook Runflat System SOA : Sound Absorber SEG : Sealguard

| S-Code | Size | LI/ SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/ Mile | Weight UTQG | OE Application | Tech |
|--------|------|-----------|----------|------------------|-----------------------|-----------|-----|---------------------|------------------|----------------|----------------|---------------|----------------|----------------|------|
| | | | | | | psi | lbs | | | | | | | | |



ventus S1 noble 2

H452

17

| | | | | | | | | | | | | | | | | |
|---------|-----------|----|------|-----|-----|---------|----|-------|------|------|-----|------|-----|------|---------|--------------------------------|
| 1015312 | 225/55R17 | | 97H | BSW | 7.0 | 6.0-8.0 | 51 | 1,609 | 26.9 | 9.8 | 7.2 | 10.0 | 773 | 25.3 | 400/A/A | BMW X1 ('15-'20) |
| 1015480 | 225/55R17 | XL | 101H | BSW | 7.0 | 6.0-8.0 | 50 | 1,819 | 26.6 | 9.6 | 7.5 | 10.0 | 782 | 26.5 | 500/B/A | MERCEDES BENZ Metris ('15-'20) |
| 1014867 | 235/55R17 | | 99H | BSW | 7.5 | 6.5-8.5 | 51 | 1,709 | 27.4 | 10.1 | 7.2 | 9.0 | 759 | 28.0 | 700/B/A | FORD Mustang ('14-'27) |

18

| | | | | | | | | | | | | | | | | |
|---------|-----------|----|-----|-----|-----|---------|----|-------|------|------|-----|------|-----|------|----------|--|
| 1021835 | 225/45R18 | XL | 95H | BSW | 7.5 | 7.0-8.5 | 50 | 1,521 | 25.9 | 9.0 | 7.8 | 9.5 | 802 | 22.4 | 360/A/A | BMW 3/4 Series ('19-'25) |
| 1014873 | 225/40R18 | XL | 92H | BSW | 8.0 | 7.5-9.0 | 50 | 1,389 | 24.9 | 9.4 | 7.5 | 10.0 | 833 | 22.5 | 500/A/A | VOLKSWAGEN Golf ('14-'18) |
| 1016111 | 225/40R18 | | 88W | BSW | 8.0 | 7.5-9.0 | 51 | 1,235 | 24.9 | 9.5 | 7.4 | 10.0 | 833 | 21.6 | 500/AA/A | HYUNDAI Elantra ('15-'20), Elantra GT ('16-'20) |
| 1021755 | 235/45R18 | | 94V | BSW | 8.0 | 7.5-9.0 | 51 | 1,477 | 26.3 | 9.5 | 7.7 | 10.0 | 790 | 25.6 | 500/A/A | HYUNDAI KONA ('17-'23), KIA Soul ('18-'23) |
| 1022126 | 245/45R18 | | 96V | BSW | 8.0 | 7.5-9.0 | 51 | 1,565 | 26.5 | 10.0 | 8.3 | 9.5 | 782 | 26.5 | 500/AA/A | HYUNDAI Azera, KIA Cadenza ('16-'21) |

19

| | | | | | | | | | | | | | | | | |
|---------|-----------|--|------|-----|-----|---------|----|-------|------|------|-----|------|-----|------|----------|--|
| 1014868 | 245/55R19 | | 103V | BSW | 7.5 | 7.0-8.5 | 51 | 1,929 | 29.8 | 10.4 | 8.2 | 10.0 | 697 | 32.2 | 500/AA/A | FORD Edge ('19-'23) |
| 1015408 | 235/50R19 | | 99H | BSW | 7.5 | 6.5-8.5 | 51 | 1,709 | 28.3 | 10.1 | 8.1 | 10.0 | 735 | 28.5 | 500/A/A | BUICK Envision, CHEVROLET Equinox ('17-'21) |
| 1022739 | 255/45R19 | | 100H | BSW | 8.5 | 8.0-9.5 | 51 | 1,764 | 28.1 | 10.6 | 8.7 | 10.0 | 740 | 29.8 | 500/B/A | VOLKSWAGEN Tiguan R-Line ('17-'21) |

20

| | | | | | | | | | | | | | | | | |
|---------|-----------|----|------|-----|-----|----------|----|-------|------|------|-----|------|-----|------|---------|---|
| 1014869 | 245/50R20 | | 102V | BSW | 7.5 | 7.0-8.5 | 51 | 1,874 | 29.8 | 10.4 | 8.2 | 10.0 | 697 | 33.3 | 660/A/A | LINCOLN MKX ('14-'21), FORD Edge ('19-'23) |
| 1017315 | 255/50R20 | | 105H | BSW | 8.0 | 7.0-9.0 | 51 | 2,039 | 30.2 | 10.9 | 8.4 | 10.0 | 688 | 34.0 | 500/A/A | FORD Explorer ('16-'19) |
| 1022762 | 255/40R20 | XL | 101H | BSW | 9.0 | 8.5-10.0 | 50 | 1,819 | 27.9 | 10.9 | 8.5 | 10.0 | 744 | 28.9 | 500/B/A | VOLKSWAGEN Tiguan R-Line ('17-'21) |
| 1022658 | 245/50R20 | | 102V | BSW | 7.5 | 7.0-8.5 | 51 | 1,874 | 29.5 | 10.5 | 8.2 | 10.0 | 703 | 31.0 | 500/A/A | HYUNDAI PALISADE ('20-'24) |

Ventus S1 noble² / H452B Runflat

18

| | | | | | | | | | | | | | | | | | |
|---------|-----------|----|------|-----|-----|---------|----|-------|------|------|-----|-----|-----|------|---------|--|-----|
| 1021836 | 225/45R18 | XL | 95H | BSW | 7.5 | 7.0-8.5 | 50 | 1,521 | 25.7 | 9.5 | 7.6 | 8.0 | 808 | 25.4 | 400/A/A | BMW 3 Series ('20-'25) | HRS |
| 1015152 | 245/45R18 | XL | 100H | BSW | 8.0 | 7.5-9.0 | 50 | 1,764 | 26.6 | 10.0 | 6.2 | 9.5 | 782 | 31.7 | 380/A/A | BMW 5 Series ('17-'22), MERCEDES BENZ E Class ('17-'23) | HRS |

19

| | | | | | | | | | | | | | | | | | |
|---------|-----------|----|------|-----|-----|---------|----|-------|------|------|-----|------|-----|------|---------|---------------------------------|-----|
| 1022328 | 255/45R19 | XL | 104H | BSW | 8.5 | 8.0-9.5 | 50 | 1,984 | 28.0 | 10.4 | 8.9 | 10.0 | 741 | 33.5 | 440/A/A | MERCEDES BENZ S Class ('20-'27) | HRS |
|---------|-----------|----|------|-----|-----|---------|----|-------|------|------|-----|------|-----|------|---------|---------------------------------|-----|

20

| | | | | | | | | | | | | | | | | | |
|---------|-----------|----|------|-----|------|----------|----|-------|------|------|------|------|-----|------|---------|---------------------------------|---------------------|
| 1023793 | 255/40R20 | XL | 101H | BSW | 9.0 | 8.5-10.0 | 50 | 1,819 | 27.9 | 10.6 | 9.2 | 10.0 | 744 | 34.2 | 460/A/A | MERCEDES BENZ S Class ('20-'27) | HRS |
| 1024646 | 285/35R20 | XL | 104H | BSW | 10.0 | 9.5-11.0 | 50 | 1,984 | 27.7 | 12.3 | 10.2 | 10.0 | 750 | 36.4 | 320/A/A | MERCEDES BENZ S-Class ('20-'27) | HRS |
| 1025595 | 255/40R20 | XL | 101H | BSW | 9.0 | 8.5-10.0 | 50 | 1,819 | 27.9 | 10.6 | 8.6 | 10.0 | 744 | 35.2 | 460/A/A | MERCEDES BENZ S Class ('20-'27) | HRS, SOA, SEG |
| 1027181 | 285/35R20 | XL | 104H | BSW | 10.0 | 9.5-11.0 | 50 | 1,984 | 27.7 | 12.3 | 10.2 | 10.0 | 750 | 37.4 | 320/A/A | MERCEDES BENZ S Class ('20-'27) | HRS, SOA, SEG |

| S-Code | Size | LI/ SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/ Mile | Weight UTQG | OE Application | Tech |
|--------|------|-----------|----------|------------------|-----------------------|-----------|-----|---------------------|------------------|----------------|----------------|---------------|----------------|----------------|------|
| | | | | | | psi | lbs | | | | | | | | |



ventus Prime 3

K125

15

| | | | | | | | | | | | | | | | |
|---------|-----------|--------|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|-------------------|
| 1021306 | 185/65R15 | XL 92V | BSW | 5.5 | 5.0-6.5 | 50 | 1,389 | 24.4 | 7.9 | 5.8 | 9.5 | 851 | 18.9 | 280/A/A | AUDI A1 ('18-'20) |
|---------|-----------|--------|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|-------------------|

16

| | | | | | | | | | | | | | | | |
|---------|-----------|--------|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|-------------------|
| 1021307 | 195/55R16 | XL 91V | BSW | 6.0 | 5.5-7.0 | 50 | 1,356 | 24.3 | 8.6 | 6.3 | 9.5 | 854 | 19.8 | 280/A/A | AUDI A1 ('18-'20) |
|---------|-----------|--------|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|-------------------|

| | | | | | | | | | | | | | | | |
|---------|-----------|-----|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|--------------------------------------|
| 1025166 | 205/65R16 | 95W | BSW | 6.0 | 5.5-7.5 | 51 | 1,521 | 26.4 | 8.9 | 6.3 | 7.0 | 787 | 18.9 | 260/A/A | BMW 2 Series Active Tourer ('21-'27) |
|---------|-----------|-----|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|--------------------------------------|

| | | | | | | | | | | | | | | | |
|---------|-----------|-----|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|-----------------------|
| 1022629 | 195/55R16 | 87W | BSW | 6.0 | 5.5-7.0 | 51 | 1,201 | 24.5 | 8.2 | 6.3 | 8.5 | 848 | 16.7 | 240/A/A | MINI Cooper ('19-'24) |
|---------|-----------|-----|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|-----------------------|

17

| | | | | | | | | | | | | | | | |
|---------|-----------|---------|-----|-----|---------|----|-------|------|------|-----|------|-----|------|---------|-------------------|
| 1017744 | 235/60R17 | XL 106W | BSW | 7.0 | 6.5-8.5 | 50 | 2,094 | 28.1 | 10.1 | 8.0 | 10.0 | 740 | 29.1 | 300/A/A | AUDI A8 ('17-'22) |
|---------|-----------|---------|-----|-----|---------|----|-------|------|------|-----|------|-----|------|---------|-------------------|

| | | | | | | | | | | | | | | | |
|---------|-----------|--------|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|--------------------------------------|
| 1025167 | 205/60R17 | XL 97W | BSW | 7.0 | 5.5-7.5 | 50 | 1,609 | 26.6 | 8.7 | 6.3 | 7.5 | 780 | 20.7 | 280/A/A | BMW 2 Series Active Tourer ('21-'27) |
|---------|-----------|--------|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|--------------------------------------|

Ventus Prime³ / K125B Runflat

16

| | | | | | | | | | | | | | | | | |
|---------|-----------|-----|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|-----------------------|-----|
| 1019611 | 205/55R16 | 91W | BSW | 6.5 | 5.5-7.5 | 51 | 1,356 | 24.8 | 8.7 | 6.8 | 8.5 | 837 | 22.2 | 280/A/A | MINI Cooper ('19-'25) | HRS |
|---------|-----------|-----|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|-----------------------|-----|

| | | | | | | | | | | | | | | | | |
|---------|-----------|-----|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|---|-----|
| 1022630 | 195/55R16 | 87W | BSW | 6.0 | 5.5-7.0 | 51 | 1,201 | 24.4 | 8.2 | 6.3 | 8.5 | 852 | 20.0 | 240/A/A | MINI Hatchbacks / Hardtop / 5Door / Convertible ('19-'24) | HRS |
|---------|-----------|-----|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|---|-----|



ventus Prime 3 X

K125A

17

| | | | | | | | | | | | | | | | |
|---------|------------|---------|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|----------------------------|
| 1025761 | 235/65R17V | XL 108V | BSW | 7.0 | 6.5-8.5 | 50 | 2,204 | 28.9 | 9.3 | 7.6 | 9.0 | 719 | 28.4 | 300/A/A | HYUNDAI Santa Fe ('20-'24) |
|---------|------------|---------|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|----------------------------|

18

| | | | | | | | | | | | | | | | | |
|---------|-----------|------|-----|-----|---------|----|-------|------|------|-----|-----|-----|------|---------|-----------------------------|-----|
| 1024356 | 235/55R18 | 100V | BSW | 7.5 | 6.5-8.5 | 51 | 1,764 | 28.0 | 10.3 | 7.7 | 8.5 | 741 | 29.7 | 280/A/A | VOLKSWAGEN Tiguan ('19-'24) | SEG |
|---------|-----------|------|-----|-----|---------|----|-------|------|------|-----|-----|-----|------|---------|-----------------------------|-----|

| | | | | | | | | | | | | | | | |
|---------|-----------|---------|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|---------------------------|
| 1024011 | 235/60R18 | XL 107V | BSW | 7.0 | 6.5-8.5 | 51 | 1,929 | 29.0 | 9.7 | 7.5 | 9.5 | 716 | 29.6 | 300/A/A | HYUNDAI Santafe ('18-'24) |
|---------|-----------|---------|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|---------------------------|

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Road Hazard and 30 Day Free Trial warranties apply only to replacement tires. Original Equipment tires are excluded.

Runflat Tires can be driven on up to 50 miles on a deflating or deflated tire at a top speed of 50 mph (subject to application and operating conditions).

Road Hazard warranty does not apply to Runflat Tires.

Tech : Hankook Innovative Technology HRS : Hankook Runflat System SOA : Sound Absorber SEG : Sealguard

| S-Code | Size | LI/ SS | Measuring Sidewall Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/ Mile | Weight UTQG | OE Application | Tech |
|--------|------|-----------|---------------------------|-----------------------|-----------|-----|---------------------|------------------|----------------|----------------|---------------|----------------|----------------|------|
| | | | | | psi | lbs | | | | | | | | |



ventus Prime 2

K115

16

| | | | | | | | | | | | | | | | |
|---------|-----------|------|-----|-----|---------|----|-------|------|-----|-----|------|-----|------|----------|-----------------------------------|
| 1013117 | 195/55R16 | 87W | BSW | 6.0 | 5.5-7.0 | 51 | 1,201 | 24.4 | 8.4 | 6.3 | 9.5 | 852 | 18.7 | 280/A/A | MINI hatch, convertible ('13-'19) |
| 1024446 | 215/70R16 | 100H | BSW | 6.5 | 5.5-7.0 | 51 | 1,764 | 27.8 | 8.6 | 6.5 | 10.0 | 747 | 25.4 | 300/AA/A | HYUNDAI Tucson ('18-'20) |

Ventus Prime 2 / **K115B** Runflat**16**

| | | | | | | | | | | | | | | | |
|---------|-----------|-----|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|---------------------------------------|
| 1013195 | 195/55R16 | 87W | BSW | 6.0 | 5.5-7.0 | 51 | 1,201 | 24.4 | 8.3 | 6.3 | 9.0 | 852 | 21.9 | 280/A/A | MINI hatch, convertible ('13-'19) HRS |
|---------|-----------|-----|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|---------------------------------------|



ventus V4 ES

H105

15

| | | | | | | | | | | | | | | | |
|---------|-----------|-----|-----|-----|---------|----|-----|------|-----|-----|-----|-----|------|---------|------------------------------------|
| 1009669 | 175/55R15 | 77T | BSW | 5.5 | 5.0-6.0 | 51 | 908 | 22.4 | 7.6 | 6.0 | 9.5 | 925 | 14.6 | 420/A/A | SMART ForTwo Brabus coupe (FR) (~) |
|---------|-----------|-----|-----|-----|---------|----|-----|------|-----|-----|-----|-----|------|---------|------------------------------------|

17

| | | | | | | | | | | | | | | | |
|---------|-----------|-----|-----|-----|---------|----|-----|------|-----|-----|-----|-----|------|---------|------------------------------------|
| 1009670 | 215/35R17 | 79H | BSW | 7.5 | 7.0-8.5 | 51 | 963 | 22.8 | 8.9 | 7.4 | 9.5 | 911 | 16.1 | 420/A/A | SMART ForTwo Brabus coupe (RR) (~) |
|---------|-----------|-----|-----|-----|---------|----|-----|------|-----|-----|-----|-----|------|---------|------------------------------------|



KINERGY ECO 2

K435

15

| | | | | | | | | | | | | | | | |
|---------|-----------|--------|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|-----------------------|
| 1022628 | 175/65R15 | XL 88H | BSW | 6.0 | 5.0-6.0 | 50 | 1,235 | 24.0 | 7.3 | 5.1 | 8.5 | 866 | 15.9 | 220/A/A | MINI Cooper ('19-'22) |
|---------|-----------|--------|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|-----------------------|



KINERGY ECO

K425

15

| | | | | | | | | | | | | | | | |
|---------|-----------|--------|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|-----------------------------------|
| 1023874 | 175/65R15 | XL 88H | BSW | 5.0 | 5.0-6.0 | 50 | 1,235 | 23.9 | 7.2 | 5.1 | 9.5 | 869 | 16.5 | 400/A/A | MINI ('19-'22) |
| 1013116 | 175/65R15 | 84H | BSW | 5.0 | 5.0-6.0 | 51 | 1,102 | 23.9 | 7.2 | 5.1 | 9.5 | 869 | 16.5 | 400/A/A | MINI hatch, convertible ('13-'19) |



KINERGY EX

H308

15

| | | | | | | | | | | | | | | | |
|---------|-----------|-----|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|-------------------------|
| 1019368 | 195/65R15 | 91H | BSW | 6.0 | 5.5-7.0 | 51 | 1,356 | 25.0 | 8.0 | 6.0 | 9.5 | 832 | 18.6 | 360/A/A | HYUNDAI Ioniq ('16-'22) |
|---------|-----------|-----|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|-------------------------|

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Road Hazard and 30 Day Free Trial warranties apply only to replacement tires. Original Equipment tires are excluded.

Runflat Tires can be driven on up to 50 miles on a deflating or deflated tire at a top speed of 50 mph (subject to application and operating conditions).

Road Hazard warranty does not apply to Runflat Tires.

Tech : Hankook Innovative Technology HRS : Hankook Runflat System SOA : Sound Absorber SEG : Sealguard

| S-Code | Size | LI/ SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/ Mile | Weight UTQG | OE Application | Tech |
|--------|------|-----------|----------|------------------|-----------------------|-----------|-----|---------------------|------------------|----------------|----------------|---------------|----------------|----------------|------|
| | | | | | | psi | lbs | | | | | | | | |



OPTIMO H426

H426

15

| | | | | | | | | | | | | | | | |
|---------|-----------|-----|-----|-----|---------|----|-------|------|-----|-----|------|-----|------|---------|-------------------------|
| 1011163 | 185/60R15 | 84H | BSW | 5.5 | 5.0-6.5 | 44 | 1,102 | 23.7 | 8.2 | 6.0 | 10.0 | 876 | 17.3 | 380/A/A | FORD Fiesta ('11-'19) |
| 1012851 | 195/65R15 | 91S | BSW | 6.0 | 5.5-7.0 | 51 | 1,356 | 24.9 | 8.2 | 5.7 | 9.5 | 835 | 17.7 | 440/A/A | TOYOTA Corolla('13-'18) |
| 1015406 | 175/65R15 | 84H | BSW | 5.0 | 5.0-6.0 | 51 | 1,102 | 23.9 | 7.2 | 5.1 | 9.5 | 869 | 15.9 | 400/A/A | MINI Cooper ('13-'24) |

16

| | | | | | | | | | | | | | | | |
|---------|------------|-----|-----|-----|---------|----|-------|------|-----|-----|------|-----|------|---------|-------------------------|
| 1011165 | 195/50R16 | 84H | BSW | 6.0 | 5.5-7.0 | 51 | 1,102 | 23.7 | 8.4 | 6.9 | 10.0 | 876 | 19.3 | 440/A/A | FORD Fiesta ('11-'19) |
| 1014719 | P215/60R16 | 94T | BSW | 6.5 | 6.0-7.5 | 44 | 1,477 | 26.1 | 9.4 | 6.4 | 9.5 | 796 | 20.8 | 640/B/A | NISSAN Altima ('13-'16) |

17

| | | | | | | | | | | | | | | | |
|---------|------------|-----|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|---------------------------|
| 1012483 | P215/45R17 | 87H | BSW | 7.0 | 7.0-8.0 | 44 | 1,201 | 24.7 | 8.7 | 7.2 | 9.5 | 840 | 19.8 | 440/A/A | HYUNDAI Elantra ('10-'15) |
|---------|------------|-----|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|---------------------------|

20

| | | | | | | | | | | | | | | | |
|---------|-----------|------|-----|-----|---------|----|-------|------|------|-----|------|-----|------|---------|---|
| 1010281 | 255/45R20 | 101V | BSW | 8.5 | 8.0-9.5 | 51 | 1,819 | 29.0 | 10.4 | 8.5 | 10.5 | 717 | 32.8 | 440/A/A | FORD Flex ('10-'19), LINCOLN MKT ('10-'19) |
|---------|-----------|------|-----|-----|---------|----|-------|------|------|-----|------|-----|------|---------|---|

Optimo H426 / H426B Runflat

16

| | | | | | | | | | | | | | | | | |
|---------|-----------|-----|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|-----------------------|-----|
| 1013249 | 195/55R16 | 87V | BSW | 6.0 | 5.5-7.0 | 51 | 1,201 | 24.4 | 8.4 | 6.3 | 9.5 | 852 | 21.7 | 400/A/A | MINI Cooper ('13-'24) | HRS |
|---------|-----------|-----|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|-----------------------|-----|

17

| | | | | | | | | | | | | | | | | |
|---------|-----------|--------|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|-----------------------|-----|
| 1013250 | 205/45R17 | XL 88V | BSW | 7.0 | 6.5-7.5 | 50 | 1,235 | 24.2 | 8.4 | 7.1 | 9.5 | 859 | 20.9 | 400/A/A | MINI Cooper ('13-'24) | HRS |
|---------|-----------|--------|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|-----------------------|-----|



OPTIMO H428

H428

15

| | | | | | | | | | | | | | | | |
|---------|------------|-----|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|---------------------------|
| 1010108 | P195/65R15 | 89H | BSW | 6.0 | 5.5-7.0 | 44 | 1,279 | 24.8 | 8.2 | 5.8 | 9.5 | 837 | 19.5 | 500/A/A | CHEVROLET Sonic ('11-'20) |
|---------|------------|-----|-----|-----|---------|----|-------|------|-----|-----|-----|-----|------|---------|---------------------------|

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Road Hazard and 30 Day Free Trial warranties apply only to replacement tires. Original Equipment tires are excluded.

Runflat Tires can be driven on up to 50 miles on a deflating or deflated tire at a top speed of 50 mph (subject to application and operating conditions).

Road Hazard warranty does not apply to Runflat Tires.

| S-Code | Size | LI/SS | Sidewall | Measuring Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/Mile | Weight | UTQG | OE Application |
|--------|------|-------|----------|---------------|-----------------|-----------|-----|------------------|---------------|-------------|-------------|-----------|--------|------|----------------|
| | | | | | | psi | lbs | | | | | | | | |



Dynapro AT-M

RF10

| | | | | | | | | | | | | | | | |
|-----------|-------------|------|-----|-----|---------|----|-------|------|------|-----|------|-----|------|---------|---|
| 16 | | | | | | | | | | | | | | | |
| 1021636 | P265/75R16 | 114T | OWL | 7.5 | 7.0-9.0 | 51 | 2,601 | 31.6 | 10.3 | 8.2 | 13.0 | 656 | 37.1 | 560/A/B | NISSAN Frontier ('15-'21) |
| 17 | | | | | | | | | | | | | | | |
| 1021750 | 265/65R17 | 112T | OWL | 8.0 | 7.5-9.5 | 51 | 2,469 | 30.7 | 10.3 | 7.6 | 12.5 | 677 | 35.4 | 500/A/B | FORD Ranger XLT ('18-'23) |
| 2021317 | LT265/65R17 | 109T | BSW | 8.0 | 8.0-9.5 | 50 | 2,270 | 31.0 | 10.6 | 8.3 | 13.5 | 675 | 45.3 | - | FORD Ranger ('21-'23) |
| 18 | | | | | | | | | | | | | | | |
| 1021749 | 265/60R18 | 110T | BSW | 8.0 | 7.5-9.5 | 51 | 2,337 | 30.5 | 10.6 | 7.6 | 12.0 | 681 | 35.0 | 500/A/B | FORD Ranger Lariat ('18-'23) |
| 1021751 | 265/60R18 | 110T | OWL | 8.0 | 7.5-9.5 | 51 | 2,337 | 30.5 | 10.6 | 7.6 | 12.0 | 681 | 35.5 | 500/A/B | FORD Ranger Lariat ('18-'23) |
| 20 | | | | | | | | | | | | | | | |
| 1013373 | 275/55R20 | 113T | BSW | 8.5 | 7.5-9.5 | 51 | 2,535 | 32.1 | 11.1 | 8.9 | 12.0 | 647 | 40.8 | 560/A/A | FORD F-150 ('14-'21), Expedition('14-'23), LINCOLN Navigator('14-'23) |



Winter i*cept evo²

W320

| | | | | | | | | | | | | | | | |
|-----------|-----------|---------|-----|-----|---------|----|-------|------|------|-----|------|-----|------|--|---------------------------------|
| 18 | | | | | | | | | | | | | | | |
| 1022271 | 255/50R18 | XL 106V | BSW | 8.0 | 7.0-9.0 | 50 | 2,094 | 28.1 | 11.4 | 8.3 | 10.5 | 740 | 30.1 | | MERCEDES BENZ S-Class ('20-'27) |



Winter i*cept evo² SUV

W320A

| | | | | | | | | | | | | | | | |
|-----------|-----------|---------|-----|------|-----------|----|-------|------|------|------|------|-----|------|--|---------------------|
| 15 | | | | | | | | | | | | | | | |
| 1024327 | 275/40R22 | XL 107V | BSW | 10.0 | 9.0-11.0 | 50 | 2,149 | 30.3 | 11.6 | 9.6 | 10.0 | 686 | 37.0 | | AUDI RS Q8 ('19-24) |
| 1023854 | 295/35R23 | XL 108W | BSW | 10.5 | 10.0-11.5 | 50 | 2,205 | 30.8 | 12.3 | 10.3 | 10.5 | 674 | 40.2 | | AUDI RS Q8 ('19-24) |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Road Hazard and 30 Day Free Trial warranties apply only to replacement tires. Original Equipment tires are excluded.

Runflat Tires can be driven on up to 50 miles on a deflating or deflated tire at a top speed of 50 mph (subject to application and operating conditions).

Road Hazard warranty does not apply to Runflat Tires.

| S-Code | Size | LI/ SS | Measuring Sidewall Rim | Rim Width Range | Max. Load | | Overall Diameter | Section Width | Tread Width | Tread Depth | Revs/ Mile | Weight UTQG | OE Application | Tech |
|--------|------|-----------|---------------------------|-----------------------|-----------|-----|---------------------|------------------|----------------|----------------|---------------|----------------|----------------|------|
| | | | | | psi | lbs | | | | | | | | |



ventus S1evo³ EV

K127E

19

| | | | | | | | | | | | | | | | | |
|---------|--------------|------|-----|-----|----------|----|-------|------|------|-----|-----|-----|------|---------|--------------------------|------------|
| 1025134 | 225/55R19 XL | 103Y | BSW | 7.0 | 6.0-8.0 | 50 | 1,929 | 28.7 | 10.0 | 7.8 | 8.0 | 724 | 28.4 | 340/A/A | Porsche Taycan ('20-'24) | EV |
| 1025135 | 275/45R19 XL | 108Y | BSW | 9.0 | 8.5-10.5 | 50 | 2,205 | 28.7 | 11.7 | 9.8 | 8.0 | 724 | 32.1 | 340/A/A | Porsche Taycan ('20-'24) | EV |
| 1029966 | 255/45R19 XL | 104W | BSW | 8.5 | 8.0-9.5 | 50 | 1,984 | 28.0 | 10.9 | 8.7 | 8.5 | 741 | 26.4 | 340/A/A | TESLA Model Y ('20-'28) | EV, SOA |

22

| | | | | | | | | | | | | | | | | |
|---------|--------------|------|-----|------|----------|----|-------|------|------|------|-----|-----|------|---------|-----------------------------|------------|
| 1025896 | 285/35R22 XL | 106H | BSW | 10.0 | 9.5-11.0 | 50 | 2,094 | 29.9 | 12.1 | 10.0 | 9.5 | 695 | 36.6 | 380/A/A | AUDI e-tron sport ('20-'25) | EV |
| 1028695 | 265/40R22 XL | 106H | BSW | 9.5 | 9.0-10.5 | 50 | 2,094 | 30.4 | 11.2 | 9.3 | 9.0 | 684 | 36.5 | 360/A/A | AUDI e-tron ('20-'25) | EV, SOA |



KINERGY As X EV

EH01A

19

| | | | | | | | | | | | | | | | | |
|---------|--------------|------|-----|-----|---------|----|-------|------|------|-----|------|-----|------|---------|--|----|
| 1025231 | 235/55R19 XL | 105T | BSW | 7.5 | 6.5-8.5 | 50 | 2,039 | 29.3 | 10.0 | 7.8 | 10.0 | 710 | 29.1 | 500/A/A | Audi e-tron, Volkswagen ID.4 ('20-'27) | EV |
| 1025663 | 255/50R19 XL | 107T | BSW | 8.0 | 7.0-9.5 | 50 | 2,149 | 29.1 | 11.4 | 8.6 | 10.0 | 713 | 30.7 | 500/A/A | Audi e-tron, Volkswagen ID.4 ('20-'27) | EV |

Technical data subject to change without prior notice.

XL : Extra Load BSW : Black Sidewall WSW : White Sidewall OWL : Outlined White Letters RWL : Raised White Letters

Mileage, Road Hazard, and 30 Day Free Trial warranties apply only to replacement tires. Original Equipment tires are excluded.

Runflat Tires can be driven on up to 50 miles on a deflating or deflated tire at a top speed of 50 mph (subject to application and operating conditions).

Road Hazard warranty does not apply to Runflat Tires.

Tech : Hankook Innovative Technology HRS : Hankook Runflat System SOA : Sound Absorber SEG : Sealguard EV : Electric Vehicle



Made only to run, never flat
Hankook New Technology


Hankook Tire's superior Runflat System, HRS is one of the leaders in the world's runflat market since the company started its development in 1998. The HRS employs Hankook Tire's unique SMH technology with three partitioned rubber layers that provides an extra level of safety with each layer carrying out three distinctive functions of shock absorption, extended driving distance, and preventing overheating during low air pressure operation.

HRS Performance is unparalleled to existing tires

HRS is the acronym for
HANKOOK RUNFLAT SYSTEM

Hankook Tire's superior Runflat System allows a car to travel at a speed of up to 50 MPH, even after losing internal air pressure due to tire damage (i.e. flat tires).

The installation of a tire pressure monitoring system (TPMS) to sense changes in tire pressure is required to allow drivers to take appropriate measures in emergency situations.




HRS Tire
Able to drive before servicing the tire.

Conventional Tire
Loss of tire pressure, unable to drive further.

sound absorber

Hankook Tire brings you silent and comfortable driving conditions with all the latest technology





How can it absorb sound?

The Sound Absorber is new technology to reduce noises and increase comfort. It contains a polyurethane SOA on the surface inside tire. This material disperses the pressure variations and absorbs road noises inside the vehicle effectively.

SEALGUARD

Functions and benefits

- Punctures up to 3/16" in diameter caused by nails and other objects can be immediately sealed with our SEALGUARD® technology.
- The SEALGUARD® tire can maintain consistent air pressure even after a puncture in the tread area whilst holes remain sealed even if the puncturing object become dislodged.
- Immediately changing tires on the roadside is no longer necessary.
- Hazards due to a flat tire are now reduced.
- Temporary repair function without the need of a spare tire in your vehicle.





Hankook Tire America Headquarters

333 Commerce Street, Suite 600 Nashville, Tennessee 37201, USA T +1 615 432 0700 F +1 615 242 8709

www.hankooktire.com/us



HankookTireUSA



@HankookTireUSA



@HankookTireUSA